

 **CRESCENT**®

 **CRESCENT**  
*Lufkin*

 **CRESCENT**  
*Wiss*

 **CRESCENT**  
NICHOLSON

 **CRESCENT**  
H.K. PORTER



 **CRESCENT**®  
Trusted by the Trades.

**Product Catalogue 2023**




Trusted by the Trades.



# SHOCKFORCE G2™

## NITE EYE

TRI-LAYER  
TOUGH  
**3X**  
BLADE LIFE



## SHOCKFORCE GENERATION 2 IS HERE!

Available in 8m & 10m



## TABLE OF CONTENTS

<b>Fastening .....</b>	<b>11</b>	<b>Shaping .....</b>	<b>110</b>
Adjustable Wrenches .....	12	Files.....	113
Wrenches.....	16	File Sets .....	127
Screwdriver Sets.....	18	<b>Striking and Struck .....</b>	<b>130</b>
Hex Key Sets .....	22	Hammers .....	133
<b>Mechanic Hand Tools .....</b>	<b>26</b>	Wrecking & Pry Bars .....	135
Multi-Drive .....	27	<b>Leather Aprons and Belts..</b>	<b>138</b>
1/4" Drive .....	28	Nail Bags.....	139
3/8" Drive .....	29	Holsters .....	142
1/2" Drive .....	30	Belts.....	145
<b>Pliers .....</b>	<b>31</b>	<b>Storage .....</b>	<b>146</b>
Z2 Pliers .....	34	Tool Bags .....	147
Pliers .....	38	<b>General Tools.....</b>	<b>149</b>
Locking Pliers .....	41	Cable Ties .....	150
Crimping Tools .....	44	Wood Chisel Set.....	153
<b>Cutting .....</b>	<b>47</b>	Knee Pads .....	154
Aviation Snips .....	48	General Tools .....	155
Snips .....	51	<b>Trade Tool Kits.....</b>	<b>158</b>
HVAC Tools .....	54	Electricians Apprentice Kits .....	160
Knives & Blades .....	58	<b>Weller Products .....</b>	<b>162</b>
Shears .....	62	Cordless Irons .....	164
Dressmaker Shears .....	64	Soldering Irons & Accessories ...	164
Scissors.....	65	Soldering Accessories .....	168
Handsaws .....	68	Electronically Controlled Station.	171
Holesaw Sets .....	70	Soldering Irons & Stands .....	173
<b>Bolt Cutters .....</b>	<b>76</b>	Pyropens .....	174
Bolt Cutters .....	78	Soldering Tips .....	176
Speciality Cutters .....	79	Desoldering Tools .....	183
Rebar Tools .....	81	Pliers .....	183
<b>Measuring .....</b>	<b>82</b>	Tweezers .....	185
Tape Measures .....	86	Knives & Blades .....	186
Pencils .....	93	Screwdrivers .....	186
Long Tapes .....	93	Soldering Aids .....	186
Measuring Wheels .....	95	Miscellaneous .....	187
Squares .....	96	<b>Index .....</b>	<b>190</b>
Chalk & Reels .....	102		
Spirit Levels.....	106		
Laser Products .....	108		



## WHY Crescent ?

Crescent hand tools have been an essential part of professional toolboxes for over a century. Why? Because at Crescent, we make products for people who depend on their tools to make a living. People who need tools that will stand up to the tough conditions found on every jobsite. People who recognise tools that deliver meaningful performance. Like a tape measure with an industry-leading 5 metres of reach. Or made in USA snips with ten times the cut life of anything else on the market. That's quality to get the job done right and superior performance to save time. Crescent offers thousands of tools, each one made to consistently deliver dependable, high quality results.



### 1907

Karl Peterson founds the Crescent Tool Company and introduces his revolutionary Crescent® Adjustable Wrench the following year. The unique tool is an instant success and, along with the Ford Model T, soon dominates the market.

### 1927

Newspapers around the world carry a report that a young aviator named Charles Lindbergh has made the first solo transatlantic flight with a scant cargo of "gasoline, sandwiches, a bottle of water, and a Crescent® wrench and pliers."

### 1930

At the request of the U.S. Army Air Corps, Crescent® develops Crestoloy steel alloy to make its adjustable wrenches lighter and stronger. By 1938, Crescent® is manufacturing thousands of Crestoloy tools for the Air Corps. When the country enters World War II, the plant operates around-the-clock with all output going to the war effort.

### 1965

The media reports that Crescent® tools are aboard the first manned Gemini space flight.



# Trusted by the Trades.



## 1997

The Crescent® adjustable wrench receives its first major redesign in over 50 years, with a wider, more comfortable handle and increased jaw opening capacity over the entire line.

## 2018

To more easily identify the Crescent® brand and tools, the range expands to include five iconic brands: Wiss® shears and snips, Lufkin® measuring products, Nicholson® files and saws, HK Porter® heavy-duty cutting tools. Together, Crescent® Tools is formed and provides professional tradesperson thousands of jobsite solutions all under one unified brand.

## 2019

Crescent Wiss® introduces its Next Generation Aviation Snips. The new snips last 60% longer and require 20% less force to cut on average compared to the same snips from just five years earlier.

## 2020

Shockforce: Making a tape measure for the trades. Pro tool users are tough to please. So when we said new Shockforce tapes were the toughest tapes to ever hit a jobsite, we met some skepticism. But after using the tapes with the ability to survive a 30 metre drop, skeptics turned into supporters. Shockforce and Shockforce Nite Eye, with its high visibility green-on-matte black blade, have become new standards in tape measures for trade professionals.

## Innovation in the past and for the future.

From our beginnings with the original Crescent adjustable wrench and continuing through today, we are always looking for ways to make our tools better and create new ways to help tradespeople be more productive...

2022



### Z2: Giving new power to pliers.

Crescent Z2 pliers take gripping and cutting to new levels of performance. Z2 Auto Bite™ pliers feature one-handed automatic adjustment, making them perfect for gripping in tight spaces, while the Six Zone head of Z2 Long Nose pliers gives them the ability to cut, grip, and turn better than any long nose we've ever made. Each plier in the Z2 line has features that make it the new best performer in its class.



### Chalk Reels: Rethinking a simple concept.

Chalk reel design had remained the same for years before Crescent listened to users and developed new solutions to nagging problems. Our new 30 metres Professional Chalk Reel now offers three innovative features that put it ahead of any other reel on the market: A one-way valve makes refilling quick and clean, a locking hub makes snaps neat and fast, and a nesting end hook prevents tool bag tangles.

2023



### SHOCKFORCE G2

Shockforce™ G2 brings new meaning to the term high performance with a full 5 metres of reach and drop tested from 36 metres onto solid concrete. Thicker blade, improved coating technology and first 150mm mylar coating protection means this blade is 3X tougher. Add in a diamond coated 360-degree end hook that delivers 50% more gripping power, a two-sided blade with vertical markings on the back, and class-leading ergonomics and you have a tape that's destined to be the next Gen standard for trade professionals.

**Innovative solutions for better products. That's Crescent.**



## The Crescent Brand

### BRAND PURPOSE

---

Crescent Tools exist to inspire superior confidence to the tradesperson

### BRAND PROMISE

---

We guarantee every Crescent Tools solution will possess:

#### ENDURING QUALITY

Proven over time. Designed to work hard and long. Covered for life

#### DEPENDABLE CONSISTENCY

A predictably superior performance, no matter where it originates.

#### SUPERIOR FEEL

The just-right balance, heft, resistance and grip to make it to the one reached for first, every time.

#### UNCOMPROMISING SAFETY

Designed to prevent user injury, no exceptions

### DESIGN PRINCIPLES

---

#### 1907 AUTHENTIC

Building off 110 years of building hand tools, Crescent products visually pay tribute and homage to their past while remaining relevant in today's industries and working environments.

#### LEGACY OF STRENGTH

Crescent TOOLS products last for generations.

#### FITS LIKE A GLOVE

Crescent TOOLS are founded in superior ergonomics, human factors and comfort. Tools minimize effort and increase safety for the user.

#### WORKMANSHIP

Crescent products have a hint of handmade. The Materials and treatments should look great when they are brand new but should break in and wear to a look and feel that any tradesperson can be proud of.

### CORE EQUITY

---

# Trusted by the Trades.





# Trusted by the Trades.



## The Crescent Brand

The Crescent brand is often associated with its most famous product, the Crescent adjustable wrench which sparked into life in 1907. The Crescent adjustable wrench became one of the most essential tools in the tool box and was extremely successful amongst professional tradespeople.

In 2018, the Crescent brand expanded once again to include four other famous brands from Apex Tool Group - Lufkin, Wiss, Nicholson, and H.K. Porter – now called Crescent Lufkin, Crescent Wiss, Crescent Nicholson, and Crescent H.K. Porter – and became supporting brands under Crescent. This gave professional tradespeople over 2,600 quality tools they could count on to produce professional results ... all with the trusted Crescent name.

With a history of over 100 years of performance, quality, and innovation, Crescent is holding true to the fundamentals that have made it one of the most trusted names in hand tools worldwide. Crescent is committed to consistently delivering products that exceed customer expectations for quality, durability, performance, and value.





**CRESCENTTOOLS AU**

**[www.crescenttool.com.au](http://www.crescenttool.com.au)**

## SOCIAL MEDIA

Visit our website for the latest product reviews, how to videos, product info and specifications. Consumers can also find their nearest Crescent stockist via store finder.

To keep up to date with the latest new products and events, like and follow us on Facebook, Instagram and YouTube.

Stay connected and get the latest news and offers 24/7. Sign up with our newsletter to get ahead on promotions, special deals, and offers.





Trusted by the Trades.

## Fastening

Adjustable Wrenches • Wrenches  
Screwdriver Sets • Hex Key Sets



## Crescent Wide Jaw Adjustable Wrenches

These wrenches really punch above their weight when it comes to strength and jaw capacity. They open wide to work on fasteners that would need the next larger size standard adjustable wrench. For example, a 250mm/10" Crescent Wide Jaw has the same strength and jaw capacity as a 300mm/12" standard adjustable, so they save space and weight in your toolbox. Lighten your load with these new tools from Crescent ... the original name in adjustable wrenches.

### Exceeds ASME Requirements

Meets performance standards of the next larger size

### Black Phosphate and Lacquer Finish

Resists rust and corrosion

### Serrations on Jaws

Gives up to 4X more torque than traditional adjustables

### Larger Knurl

For easier adjustment and tighter jaw fit, won't bind up

### Laser Etched Scale

SAE and Metric, allows easy determination of fastener size

### Wider Jaw Opening

Allows use with a greater range of fastener sizes than traditional adjustables.

ATWJ210VS

**4X  
MORE  
TORQUE**

**SUPER  
DUTY**



KNURL

**EXTRA  
WIDE  
JAW**

**NEXT  
LEVEL**



**STRENGTH**



## Crescent® Adjustable Wrenches Wide Handle, Chrome Finish

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Wider handle improves comfort and reduces fatigue
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Chrome plated finish wipes clean easily and resists rust and corrosion



AC24VS

ADJUSTABLE  
WRENCHES

Material No.	Description	Capacity	Diameter Max	Shelf Pack
AC24VS	100mm/4" Adjustable Wrench	12.7 mm	3	
AC26VS	150mm /6" Adjustable Wrench	10 mm	3	
AC28VS	200mm/8" Adjustable Wrench	28.5 mm	3	
AC210VS	250mm/10" Adjustable Wrench	28.5 mm	3	
AC212VS	300mm /12"Adjustable Wrench	38 mm	3	
AC215VS	380mm /15"Tapered Handle Adjustable Wrench	42.8 mm	3	
AC218VS	450mm/18"Tapered Handle Adjustable Wrench	52.3 mm	3	
AC224VS	600mm/24" Tapered Handle Adjustable Wrench	62 mm	3	

## 3 Pc. Adjustable Wrench Set -150mm/6", 200mm/8" & 250mm/10"

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Large capacity 15/16", 24mm (6"), 1-1/8", 29mm (8") and 1-5/16", 34mm (10") jaws fit a wide range of fastener sizes
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Chrome plated finish wipes clean easily and resists rust and corrosion



Material No.	Description	Capacity	Diameter Max	Shelf Pack
AC26810	150mm/6", 200mm/8", 250mm/10"	-		3

## Extra-Wide Jaw Opening Wrenches

- Each wrench meets the ASME performance requirements for the next size up (Example: 6" wrench meets the requirements for an 8" wrench)
- Micro-serrations on the jaws provide a tighter grip on the fastener thus helping to generate 4x more torque than traditional adjustable wrenches
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Black phosphate and lacquer finish help to resist rust and prevent corrosion for better durability



ATWJ212VS

Material No.	Description	Capacity Diameter Max	Shelf Pack
ATWJ26VS	150mm/6" Wide Jaw Adjustable Wrench	28.5 mm	3
ATWJ28VS	200mm/8" Wide Jaw Adjustable Wrench	33.3 mm	3
ATWJ210VS	250mm/10" Wide Jaw Adjustable Wrench	38 mm	3
ATWJ212VS	300mm/12" Wide Jaw Adjustable Wrench	44.5 mm	3

## Crescent Adjustable Wrench/Podger

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Round, tapered tang for easy alignment of bolt holes
- Black oxide finish resists rust or corrosion and wipes clean easily



Material No.	Description	Capacity Diameter Max	Shelf Pack
AT215SPUD	400mm/16" Adjustable Wrench/Podger	38 mm	12

## 2 Pc. Wide Jaw Adjustable Wrench Set 150mm/6" & 200mm/10"

- Each wrench meets the ASME performance requirements for the next size up [Example: 6" wrench meets the requirements for an 8" wrench]
- Micro-serrations on the jaws provide a tighter grip on the fastener thus helping to generate 4x more torque than traditional adjustable wrenches
- Laser etched scale in both SAE and metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Black phosphate and lacquer finish help to resist rust and prevent corrosion for better durability



ADJUSTABLE  
WRENCHES

Cat No.	Shelf Pack
ATWJ2610VS	3
Matrial No.	Description
ATWJ26VS	150mm/6" Wide Jaw Adjustable Wrench
ATWJ210VS	250mm/10" Wide Jaw Adjustable Wrench



## 6 Pc. 12 Point Metric Combination Wrench Set

- Incredible strength and corrosion resistance from specially formulated and heat-treated chrome alloy steel
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Sizes stamped on both sides of each wrench for easy identification

Cat No.

Shelf Pack

CCWS1-05

5

### Set Contains:

12 Pt., Metric Wrenches: 8, 9, 10, 12, 13, 14 mm



## 10 Pc. 12 Point Metric Combination Wrench Set

- Incredible strength and corrosion resistance from specially formulated and heat-treated chrome alloy steel
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Sizes stamped on both sides of each wrench for easy identification

Cat No.

Shelf Pack

CCWS3-05

5

### Set Contains:

12 Pt., Metric Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm



## 10 Pc. 12 Point SAE Combination Wrench Set

- Incredible strength and corrosion resistance from specially formulated and heat-treated chrome alloy steel
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Sizes stamped on both sides of each wrench for easy identification

Cat No.	Shelf Pack
CCWS2-05	5

### Set Contains:

12 Pt., SAE Wrenches: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



## 15 Pc. 12 Point Metric Combination Wrench Set

- Incredible strength and corrosion resistance from specially formulated and heat-treated chrome alloy steel
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Sizes stamped on both sides of each wrench for easy identification

Cat No.	Shelf Pack
CCWS5-05	4


### Set Contains:

12 Pt., Metric Wrenches: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm



## 2 Pc. Screwdriver Sets - 1000 Volt Insulated

- Insulated to 1000V 06 IEC 60900:2004
- VDE / GS Certified
- Ergonomic co-molded handles for maximum comfort and increased torque
- Screwdriver blades made of 8660 steel for increased durability
- Specially treated black oxide tips eliminate light reflection and have a precise fit



CSET2VL

Material No.	Description	Shelf Pack
CSET2VL	2 Pc. 1000V Screwdriver Set: Phillips #2 x 100mm & Slotted 4mm x 100mm	6

## 8 Pc. Screwdriver Set - 1000 Volt Insulated

- Insulated to 1000V 06 IEC 60900:2004
- VDE / GS Certified
- Ergonomic co-molded handles for maximum comfort and increased torque
- Screwdriver blades made of 8660 steel for increased durability
- Specially treated black oxide tips eliminate light reflection and have a precise fit



Cat No.	Shelf Pack
SD8SET	6

Set Contains	
Slotted 2.5mm x 80mm	Phillips PH1 x 100mm
Slotted 4.0mm x 100mm	Phillips PH2 x 100mm
Slotted 6.5mm x 150mm	Pozidrive PZ1 x 100mm
1 x Mains Tester 140	Pozidrive PZ2 x 100mm



## 10 Pc. Screwdriver Set

- Chrome vanadium alloy steel for durability and rust resistance
- Precision ground working tip to prevent damage
- Tempered steel to prevent distortion
- Ribbed recess for sure, non slip grip
- Molded full size handles
- Measurement type clearly printed for easy recognition
- Magnetised tips



Cat No.	Shelf Pack
<b>CSDSET10</b>	12

Set Contains	
Slotted 3 x 75mm/3"	Phillips #0 x 75mm/3"
Slotted 5 x 100mm/4"	Phillips #1 x 100mm/4"
Slotted 6 x 150mm/6"	Phillips #2 x 150mm/6"
Slotted 8 x 150mm/6"	Phillips #3 x 150mm/6"
Slotted 6 x 38mm/1.5" Stubby	Phillips #2 x 38mm/1.5" Stubby
Storage Case	

## 44 Pc. Ultimate Screwdriver Set

- Ergonomic, anti slip grip, acetate handles
- Chrome vanadium alloy steel for durability and rust resistance
- Edges and flats are precision formed to prevent damage
- Magnetised tips
- Handy storage case



Cat No.	Shelf Pack
<b>CSD44</b>	10

Set Contains	
Slotted 3.2mm x 50mm, 5mm x 100mm, 6mm x 150mm, 3.5mm x 80mm (Insulated)	
Phillips #0 x 50mm, #1 x 75mm, #2 x 100mm	<b>30 Pcs 25mm Bits:</b>
Precision Screwdrivers: Slotted 2.0mm & Phillips #00	T6 x 2, T8 x 3, T10, T15 x 2, T20, T25 x 2, T30
Magnetic Bit Driver x 1	Hex3.0, Hex5.0, Hex6.0
50mm Phillips #2 Bit x 2	PZ1 x 2, PZ2
75mm Phillips #2 Bit x 2	PH0 x 2, PH1 x 2, PH2, PH3
Storage Case	SL3.0, SL4.0, SL5.0
	SQ1, SQ2, SQ3

## 25 Pc. Tri Lobe Acetate Handle Screwdriver Set

- Ergonomic Tri-Lobe handle design for increased comfort and performance
  - High impact cellulose acetate handle virtually unbreakable and highly resistant to solvents and oils
  - Colour coded handles for easy identification
  - Precision bit holder and bits
- Chrome vanadium alloy steel for durability and rust resistance Magnetised tips



Cat No.	Shelf Pack
<b>CSD25</b>	6
<b>Set Contains</b>	
Slotted 4mm x 75mm	Phillips #1 x 100mm
Slotted 5mm x 100mm	Phillips #2 x 150mm
Slotted 6mm x 150mm	Phillips #2 x 200mm
Slotted 8mm x 200mm	Phillips #3 x 150mm
Insulated Slotted 5mm x 150mm	Precision Bit Holder
Stubby Bit Holder	<b>10 Precision Bits:</b> SL2mm, SL2.5mm, SL3mm
<b>4 Two-Way Bits:</b> SL4mm/PH#1, SL5mm/PH#2, SL6mm/PH#3	PH#000, PH#00, T6, T8
Hex 4.0mm/Hex 5.0mm	Hex1.0mm, Hex2.0mm, Hex3.0mm
Storage Case	

## 10 Pc. Tang-Thru Industrial Screwdriver Set

- Rivet construction with precision machined joint interlock assures smooth, positive joint action, no chance of slipping position or coming apart under load
- Self-locking jaw opening adjustment
- Alloy steel construction with induction-hardened teeth for maximum durability



Cat No.	Shelf Pack
<b>CSDIND10</b>	10
<b>Set Contains</b>	
Slotted 5mm x 100mm Tang Thru Handle	Phillips #1 x 38mm
Slotted 6mm x 38mm Tang Thru Handle	Phillips #1 x 100mm
Slotted 6mm x 150mm Tang Thru Handle	Phillips #2 x 38mm
Slotted 8mm x 200mm Tang Thru Handle	Phillips #2 x 150mm
Slotted 10mm x 250mm Tang Thru Handle	Phillips #3 x 150mm
Storage Case	

## 2 Pc. Acetate Screwdriver Set

- Manufactured from chrome alloy steel for better strength and longer tool life
- Off-corner loading technology to virtually eliminate fastener rounding
- Size markings stamped on socket for quick size identification
- Nickel chrome plated for durability
- Meets or exceeds ASME specifications



SCREWDRIVER  
SETS

Cat No.	Shelf Pack
CSD2N	8

### Set Contains

Phillips #2 x 100mm Round Blade

Mechanics Round Slotted 6mm x 100mm

## 4 Pc. Dual Material Combination Screwdriver Set

- Ergonomic Tri-Lobe handle design for increased comfort and performance
- High impact acetate handles are significantly stronger than PVC
- Acetate handles are co-molded with thermoplastic rubber to provide exceptional grip force and ergonomics
- Chrome Vanadium blades with manganese phosphate tip coating for increased durability
- Colour coded handles for easy identification



Cat No.	Shelf Pack
CSD4PCN	6

### Set Contains

Slotted 4mm x 100mm

Phillips PH1 x 100mm,

Slotted 6mm x 100mm

Phillips PH2 x 100mm

## 4 Pc. Phillips®/Slotted Co-Molded Diamond Tip Screwdriver Set

- "Black phosphate shafts and blades for increased corrosion resistance
- Diamond coated tips for improved torque and grip when fastening
- Co-molded acetate handle for comfort and durability while fastening
- Color-coded handles help to quickly identify driver type
- Meets ASME specifications for drivers



Cat No.	Shelf Pack
CGS4PCSET	6



### Set Contains

Slotted 1/4"/5mm x 4"/100mm

Phillips #1 x 3"/75mm

Slotted 3/16"/6mm x 4"/100mm

Phillips #2 x 4"/100mm



## 8 Pc. Folding Metric Hex Dual Material Key Set

- Versatile range of common sizes
- Measurement type clearly printed for easy recognition
- Size markings for each key
- High strength alloy steel
- Dual-material comfort grip
- ASME B18.3.2M



Cat No.	Shelf Pack
CHKFM8	6

### Set Contains

1.5, 2, 2.5, 3, 4, 5, 6, 8mm

## 9 Pc. Folding SAE Hex Dual Material Key Set

- Versatile range of common sizes
- Measurement type clearly printed for easy recognition
- Size markings for each key
- High strength alloy steel
- Dual-material comfort grip
- Meets or exceeds ASME B18.3-2003



Cat No.	Shelf Pack
CHKFSAE9	6

### Set Contains

5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

## 8 Pc. Folding Torx® Dual Material Key Set

- Versatile range of common sizes
- Measurement type clearly printed for easy recognition
- Size markings for each key
- High strength alloy steel
- Dual-material comfort grip
- Meets or exceeds Camcar TXF-702



Cat No.	Shelf Pack
CHKFT8	6

### Set Contains

T9, T10, T15, T20, T25, T27, T30, T40

## 3 Pc. Folding Metric/SAE/Torx® Dual Material Key Set

- Versatile range of common sizes
- Measurement type clearly printed for easy recognition
- Size markings for each key
- High strength alloy steel
- Dual-material comfort grip
- Meets or exceeds Camcar TXF-702



HEX KEY SETS

Cat No.	Shelf Pack
CHK3PC	6

### Set Contains

1.5, 2, 2.5, 3, 4, 5, 6, 8mm

5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

T9, T10, T15, T20, T25, T27, T30, T40

## 13 Pc. Long Ball End Metric Hex Key Set

- Ball end hex keys permit an angle of entry of up to 25° for easier access
- Long length for increased access
- Short end for higher torque
- High strength alloy steel for strength and durability
- Black oxide finish resists corrosion
- Meets or exceeds ASME B18.3



Cat No.	Shelf Pack
CHKLMBALL13	6

### Set Contains

1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm

## 13 Pc. Long Ball End SAE Hex Key Set

- Ball end hex keys permit an angle of entry of up to 25° for easier access
- Long length for increased access
- Short end for higher torque
- High strength alloy steel for strength and durability
- Black oxide finish resists corrosion
- Meets or exceeds ASME B18.3



Cat No.	Shelf Pack
CHKLABALL13	6

### Set Contains

0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

## 13 Pc. Long Arm Metric Hex Key Set

- Long length for increased access
- Short end for higher torque
- High strength alloy steel
- Black oxide finish
- Caddy included



Cat No.	Shelf Pack
CHKLAM13	6

### Set Contains

1.5, 2, 2.5, 3, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm

## 13 Pc. Long Arm SAE Hex Key Set

- Long length for increased access
- Short end for higher torque
- High strength alloy steel for strength and durability
- Black oxide finish resists corrosion
- Meets or exceeds ASME B18.3
- Key caddy organizes and stores hex keys



Cat No.	Shelf Pack
CHKLASAE13	6

### Set Contains

0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

## 8 Pc. Security Torx Hex Key Set

- Long length for increased access
- Short end for higher torque
- High strength alloy steel for strength and durability
- Black oxide finish resists corrosion
- Meets or exceeds ASME B18.3
- Key caddy organizes and stores hex keys



Cat No.	Shelf Pack
CHKST8	6

### Set Contains

1.5, 2, 2.5, 3, 4, 5, 6, 8mm



## 9 Pc. Ball Point T-Handle Hex Key Set, Metric

- T-handle for improved leverage and grip
- Short end for higher torque
- Ball point end for improved access
- High strength alloy steel
- Handy hang hole-up hole for wall mount
- Wall mountable storage bracket

Cat No.	Shelf Pack
CHKT8	10

### Set Contains

2, 2.5, 3, 4, 5, 6, 8, 10mm



## 8 Pc. Ball Point T-Handle Hex Key Set, SAE

- T-handle for improved leverage and grip
- Short end for higher torque
- Ball point end for improved access
- High strength alloy steel
- Handy hang hole-up hole for wall mount
- Wall mountable storage bracket

Cat No.	Shelf Pack
CHKT81	10


### Set Contains

5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



# Mechanic Hand Tools

Multi-Drive • 1/4" Drive • 3/8" Drive





## 70 Pc. 1/4" & 3/8" Drive 6 & 12 Point Standard Metric/SAE Mechanics Tool

- Contains a carefully selected assortment of hand tools needed for most industrial, mechanical and consumer applications
- 72-tooth ratchet requires only a 5-degree swing arc to turn a fastener
- Quick release allows for fast socket exchanges
- Sockets feature off-corner loading technology to virtually eliminate fastener rounding



MULTI-DRIVE



APN/UPC	Shelf Pack
CTK70C	4
<b>Set Contains</b>	
2 Ratchets: 6" & 8-1/2"	Bit Driver and Bits
2 Extensions Adapter: 1/4 Drive 2" & 3/8 Drive 3"	9 1/4 Drive SAE Sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8 & 7/16"
6 Metric Combination Wrenches: 10, 12, 13, 14, 15 & 17mm	9 1/4 Drive Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11 & 12mm
6 SAE Combination Wrenches: 3/8, 7/16, 1/2, 9/16, 5/8, & 11/16"	9 3/8 Drive SAE Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"
8 Hex Keys	7 3/8 Drive Metric Sockets: 10, 11, 12, 13, 14, 15 & 17mm

## 150 Pc. 1/4" and 3/8" Drive 6 Point SAE/Metric Professional Tool Set

- Contains a carefully selected assortment of hand tools needed for most industrial, mechanical and consumer applications
- Incredible access from long wrenches with narrow heads, adjustable wrenches and pliers, and a long-beam ratchets with small teardrop heads
- Long nose & diagonal pliers with professional, ergonomic dipped grips wipe clean easily



Cat No.	Shelf Pack
CTK150	-
<b>Set Contains</b>	
2 Ratchets:	Adjustable Wrench
3 Extensions:	2 Screwdrivers
Spark Plug Socket	Magnetic Bit Driver with 38 Bits
12 Combination Wrenches	Bit Adapter
24 Hex Keys	12 Nutdriver Bits
2 Pliers	
1 1/4" Drive Standard SAE Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	
1 1/4" Drive Standard Metric Sockets: 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm	
3/8" Drive Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8"	
3/8" Drive Standard Metric Sockets: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm	



## 180 Pc. 1/4" and 3/8" Drive 6 Point SAE/Metric Professional Tool Set

- Contains a carefully selected assortment of hand tools needed for most industrial, mechanical and consumer applications
- Incredible access from long wrenches with narrow heads, adjustable wrenches and pliers, and a long-beam ratchets with small teardrop heads
- Long nose & diagonal pliers with professional, ergonomic dipped grips wipe clean easily
- Co-molded bit driver & screwdriver handles with ergonomic grip for improved performance



Cat No. Shelf Pack

CTK180

-



### Set Contains

2 Ratchets	24 Hex Keys
3 Extensions	2 Pliers
Adapter	Adjustable Wrench
51 Standard Sockets	4 Screwdrivers
Spark Plug Socket: 5/8"	Magnetic Bit Driver with 46 Bits
12 Combination Wrenches	Bit Adapter
1/4" Drive Standard SAE Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	
1/4" Drive Standard Metric Sockets: 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm	
1/4" Drive Deep SAE Sockets: 3/8", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8"	
1/4" Drive Deep Metric Sockets: 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm	
3/8" Drive Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1"	
3/8" Drive Standard Metric Sockets: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm	
3/8" Drive Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	
3/8" Drive Deep Metric Sockets: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	

## 45 Pc. 1/4" Drive 6 Point Standard Metric Mechanics Tool Set

- 72-tooth ratchet requires only a 5-degree swing arc to turn a fastener
- Quick release design allows for rapid socket removal
- Manufactured from chrome alloy steel for better strength and longer tool life
- Includes blow mold case for storage and organisation
- Meets or exceeds ASME and ANSI specifications



APN/UPC Shelf Pack

CTK45NEU

5



### Set Contains

1/4" Extension 50mm and 100mm, CrV	1/4" Pozidriver® Bit Sockets: No. 1 & No. 2
Spinner Handle	1/4" Slotted Bit Sockets: 4, 5, & 7mm
1/4" Universal Joint, CrV	1/4" Hex Bit Sockets: 3, 4, 5 & 6mm
1/4" Flexible Extension Shaft 150mm, CrV	1/4" Torx® Bit Sockets
SuperLock Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, CrV	Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 5.5 and 6mm, with holder
1/4" Phillips® Bit Sockets: No. 1 & No. 2	1/4" Spinner Handle

## 128 Pc. 3/8" Drive 12 Point Standard Metric/SAE Mechanics Tool Set

- Contains a carefully selected assortment of hand tools needed for most industrial, mechanical and consumer applications
- 72-tooth ratchet requires only a 5-degree swing arc to turn a fastener
- Quick release allows for fast socket exchanges
- Sockets feature off-corner loading technology to virtually eliminate fastener rounding



3/8" DRIVE

APN/UPC

Shelf Pack

CTK128C

2



### Set Contains

Ratchet	24 Hex Keys
2 Extensions	12 Combination Wrenches
Bit Driver and Bits	Spark Plug: 5/8", 13/16"
13 Nut Setters	
3/8" Standard SAE: 3/16", 1/4", 5/16", 3/8", 7/16" 1/2", 9/16, 5/8", 11/16", 3/4", 13/16"	
3/8" Standard Metric: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	

## 57 Pc. 3/8" Drive 6 & 12 Point Standard & Deep Metric/SAE Mechanic Tool Set

- 72-tooth ratchet requires only a 5-degree swing arc to turn a fastener
- Teardrop ratchet head for improved access
- Flush-mounted on/off switch allow better access in tight spaces
- Quick release allows for fast socket exchanges
- Sockets feature off-corner loading technology to virtually eliminate fastener rounding



Cat No.

Shelf Pack

CSWS10C

4



### Set Contains

Ratchet	Spark Plug Socket
2 Extensions	Bit Adapter
Universal Joint	4 Bits
11 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" 3/4", 13/16", 7/8"	
13 Standard Metric Sockets: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	
11 Deep SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" 3/4", 13/16", 7/8"	
12 Deep Metric Sockets: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	

## 25 Pc. 1/2" Drive 6 Point Standard Metric Mechanics Tool Set

- 72-tooth ratchet requires only a 5-degree swing arc to turn a fastener
- Quick release design allows for rapid socket removal
- Manufactured from chrome alloy steel for better strength and longer tool life
- Includes blow mold case for storage and organisation
- Meets or exceeds ASME and ANSI specifications



Cat No.

Shelf Pack

CTK25NEU

5

### Set Contains

1/2" Quick-Release Ratcheting Drive, 72 tooth, with ergonomic cushion grip, CrV

SuperLock Sockets: Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm, CrV

1/2" Extension 125mm and 250mm, CrV

1/2" Spark Plug Sockets: 16mm and 21mm with rubber lining, CrV

1/2" Universal Joint, CrV

1/2" Sliding T-Handle, CrV



Trusted by the Trades.

## Pliers

Z2 • Pliers • Locking Pliers • Crimping Tools







## Crescent Z2 our best performing pliers ever.

New Z2 pliers take gripping and cutting to the highest levels of performance. The innovations feature one-handed adjustment, making them perfect for turning work in tight spaces, while the Six Zone head of Z2 Long Nose pliers gives them the ability to cut, grip, and turn better than any long nose we've ever made. Every style in the wide Z2 line has innovative features that make it the new best performer in its class.

### Tongue and Groove Pliers

Z2 Tongue and Groove pliers feature revolutionary K9™ 35° Angle Access Jaws so you can turn pipes, even when forced to work at an angle.



**Pinch-Free Handles**  
Won't close on palm or fingers


**TETHER READY™**

RTZ210CGV

**Dual Material Grips\***  
For comfort and control

**Slim Profile**  
40% greater access

**K9 Jaw Design**  
Grips even when working at an angle



Trusted by the Trades.

## Long Nose Pliers

Z2 Long Nose pliers feature a Six Zone head for exceptional gripping, cutting, wire pulling, nail holding, fastener turning, and non-marring capabilities.



**TETHER  
READY™**

### Laser Hardened Cutting Edges

For durability

Z6546CG

### Nail/Wire Groove

For pulling  
nails and wire

### Dual Material Grips\*

For comfort and control

### Pivot Forward High Leverage Joint

For more cutting power

### Torque Zone

To grip Romex® and fittings

### Non-Marring Grip Area

To grip easily-marred surfaces

### Cross-Hatched Jaw Surface

For bending or twisting



### Fastener Grip Area

For turning hex fasteners



## Diagonal Pliers

Designed for professional tradespeople, these diagonal pliers feature pivot forward design to make repetitive cuts easier for improved productivity.

Z5426CG

**TETHER  
READY™**

### Reaming Head

For deburring pipes

### Laser Hardened Cutting Edges

For durability

### Dual Material Grips\*

For comfort and control

### Pivot Forward High Leverage Joint

For more cutting power



## Z2 K9™ Straight Jaw Dual Material Tongue & Groove Plier

- Aggressive tooth design increases torque transfer
- Grip Zone™ handles for non-marring grip
- 8 Jaw positions for more flexibility, grip comfort and jaw capacity



RTZ210CG

Material No.	Description	Jaw Capacity	Shelf Pack
RTZ28CG	200mm/8" Straight Jaw Dual Material Tongue & Groove Plier	40.5mm	6
RTZ210CG	250mm/10" Straight Jaw Dual Material Tongue & Groove Plier	53mm	6
RTZ212CG	300mm/10" Straight Jaw Dual Material Tongue & Groove Plier	66mm	6

## Z2 K9™ V-Jaw Dual Material Tongue & Groove Plier

- Aggressive tooth design increases torque transfer
- Grip Zone™ handles for non-marring grip
- 8 Jaw positions for more flexibility, grip comfort and jaw capacity



RTZ28CGV

Material No.	Description	Jaw Capacity	Shelf Pack
RTZ28CGV	200mm/8" Z2 K9™ V-Jaw Dual Material Tongue & Groove Plier	40.5mm	6
RTZ210CGV	250mm/10" Z2 K9™ V-Jaw Dual Material Tongue & Groove Plier	53mm	6
RTZ212CGV	300mm/12" Z2 K9™ V- Jaw Dual Material Tongue & Groove Plier	66mm	6



## 2 Pc. Z2 K9™ Straight Jaw Dual Material Tongue and Groove Plier Set - 200mm/8" & 300mm/12"

- Aggressive tooth design increases torque transfer
- Grip Zone™ handles for non-marring grip
- 8 Jaw positions for more flexibility, grip comfort and jaw capacity



Z2 PLIERS

Material No.	Description	Jaw Capacity	Shelf Pack
RTZ2CGSET2	2 Pc. Z2 K9™ Straight Jaw Dual Material Tongue and Groove Plier Set - 200mm/8" & 300mm/12"	40.5mm & 66mm	3

## 2 Pc. Z2 K9™ V-Jaw Dual Material Tongue and Groove Plier Set - 250mm/10" & 300mm/12"

- Aggressive tooth design increases torque transfer
- Grip Zone™ handles for non-marring grip
- 8 Jaw positions for more flexibility, grip comfort and jaw capacity



Material No.	Description	Jaw Capacity	Shelf Pack
RTZ2CGVSET2	2 Pc. Z2 K9™ V-JawDual Material Tongue and Groove Plier Set - 250mm/10" & 300mm/12"	53mm & 66mm	3

### 3 Pc. Z2 Mixed Dual Material Plier Set

- K9™ jaw design provides a strong grip, even when on a 35° angle
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- 8 Jaw positions for more flexibility, grip comfort and jaw capacity



Material No.	Description	Shelf Pack
<b>Z2SET3CG</b>	3 Pc. Z2 Mixed Dual Material Plier Set	3

### 5 Pc. Z2 Mixed Dual Material Plier Set

- K9™ jaw design provides a strong grip, even when on a 35° angle
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- 8 Jaw positions for more flexibility, grip comfort and jaw capacity



Material No.	Description	Shelf Pack
<b>Z2SET5CG</b>	5 Pc. Z2 Mixed Dual Material Plier Set	3

## Z2 Dual Material Long Nose Plier

- Cross hatched jaw for gripping and pulling
- Ergonomic handles with tether point increase overall comfort and safety
- Fastener grip area for turning nuts and bolts



Z6548CG

Material No.	Description	Jaw Capacity	Shelf Pack
<b>Z6546CG</b>	150mm/6" Z2 Dual Material Long Nose Plier	38mm	6
<b>Z6548CG</b>	200mm/8" Z2 Dual Material Long Nose Plier	50mm	6

## Z2 Dual Material Diagonal Cutting Plier

- 20° head angle for true flush cutting
- Ergonomic handles with tether point increase overall comfort and safety
- High leverage joint design provides up to 35% greater cutting power



Z5428CG

Material No.	Description	Jaw Capacity	Shelf Pack
<b>Z5426CG</b>	150mm/6" Z2 Dual Material Diagonal Cutting Plier	19mm	6
<b>Z5428CG</b>	200mm/8" Z2 Dual Material Diagonal Cutting Plier	19mm	6

## Z2 Dual Material Linesman's Plier

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Cross hatched jaw for gripping and pulling



Material No.	Description	Jaw Capacity	Shelf Pack
<b>Z3008CG</b>	200mm/8" Z2 Dual Material Linesman's Plier	50mm	6

## Pliers - Ultimate

- Premium quality forged alloy steel for toughness and durability
- Precise jaw gap for wire work
- Cross hatch jaws for positive grip (3800 models & 4800 models)
- Serrated pipe grip (3800 models & 4800 models)
- Shear cut action in jaws (4800 models)
- Extended and hardened cutting jaw for use with flat multicore cabling (3800 & 4800 models)
- Built in crimper for use on 1.5mm<sup>2</sup> to 6mm<sup>2</sup> solderless connectors (3800 & 4800 models)



Material No.	Description	Shelf Pack
<b>4800CTVN</b>	200mm/8" Ultimate Shear Cut Action Plier	6
<b>3800CTVN</b>	200mm/8" Ultimate Universal Cutting Plier	6
<b>728CVN</b>	200mm/8" Ultimate End Cutting Nippers	6
<b>729CVN</b>	230mm/9" Ultimate End Cutting Nippers	6

## Pliers - Ultimate High Voltage

- Premium quality forged alloy steel for toughness and durability
- 1000V Insulated grips
- Precise jaw gap for wire work
- Cross hatch jaws for positive grip (3800 models & 4800 models)
- Serrated pipe grip (3800 models & 4800 models)
- Shear cut action in jaws (4800 models)



Material No.	Description	Shelf Pack
<b>3800CHVN</b>	200mm/8" 1000V Ultimate Universal Cutting Plier	6
<b>5428HVN</b>	200mm/8" 1000V Ultimate Diagonal Cutting Plier	4
<b>6547HVN</b>	200mm/8" 1000V Ultimate Long Nose Plier	4
<b>CHV2PAKN</b>	2 Pc. 200mm/8" 1000V Ultimate Plier Set - Universal Cutting + Diagonal Cutting	5



## Pliers - High Voltage - 'S' Series 1000V

- For use in High-Voltage Areas with up to 1000V of Alternating Current, VDE Certified, and Built to Meet IEC/EN 60900-2012
- Jaw is engineered for wire work and positive grip
- Forged alloy steel for durability
- Induction hardened cutting jaw will meet the demand to ensure durable performance



CHV508

Material No.	Description	Shelf Pack
<b>CHV410</b>	250mm/10" 1000V S-Series Multi-Grip Plier	6
<b>CHV508</b>	200mm/8" 1000V S-Series Universal Cutting Plier	6
<b>CHV542B</b>	200mm/8" 1000V S-Series Diagonal Cutting Plier	6
<b>CHV654B</b>	200mm/8" 1000V S-Series Long Nose Plier	6

## Pliers - Long Nose Pliers

- Long reach pliers for better access in tight spaces
- Double joint design allows the jaws to open a greater distance than the handle
- Compound joint opens wider with less effort
- Flush rivets are stronger and have a thinner profile
- Dual-material grips for improved ergonomics and comfort
- Milled grooves in the tips grip fasteners and other objects tightly



PSX200C-06

Material No.	Description	Shelf Pack
<b>PSX200C-06</b>	330mm/13" X2™ Long Reach Pliers	3

## Plier Set

- Compact micro cutter and plier for increased access in tight spaces
- Spring assisted for repetitive use
- Comfortable grips
- More grip with less slip
- Low profile flush cutter



Material No.	Description	Shelf Pack
<b>S2KS5NN</b>	2 pc. 110mm/4" Micro Shear Cutter and Plier Set	5

## Fencing Tools

- Designed for heavy-duty wire cutting
- Standard or flush cutting edges
- Angled head for offset cutting
- Electronically induction hardened hand-honed, long lasting cutting edge
- Manufactured from forged alloy tool steel for durability
- Polished head resists rust and corrosion



100010VN-05

Material No.	Description	Shelf Pack
10008VN	200mm/8" Button Pliers Fence Tool	6
100010VN-05	250mm/10" Button Pliers Fence Tool	6
100012VN-05	300mm/12" Button Pliers Fence Tool	6

## Tongue & Groove Pliers

- Rivet construction with precision machined joint interlock assures smooth, positive joint action, no chance of slipping position or coming apart under load
- Self-locking jaw opening adjustment
- Alloy steel construction with induction-hardened teeth for maximum durability



Material No.	Description	Shelf Pack
RT216CVN-06	405mm/16" Straight Jaw Tongue and Groove Plier	3

## Curved Jaw with Wire Cutter

- Versatile curved jaw also features integral wire cutter
- Angled tooth pattern for a better grip
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- After initial grip is set, pliers can be tightened further by turning the adjusting screw with a hex key



C5CVN-08

Material No.	Description	Jaw Capacity	Shelf Pack
<b>C5CVN-08</b>	125mm/5" Curved Jaw Locking Plier with Wire Cutter	32 mm	3
<b>C7CVN-08</b>	175mm/7" Curved Jaw Locking Plier with Wire Cutter	42 mm	3
<b>C10CVN-08</b>	250mm /10" Curved Jaw Locking Pliers with Wire Cutter	48 mm	3

## Long Nose with Wire Cutter

- Versatile curved jaw also features integral wire cutter
- Angled tooth pattern for a better grip
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- After initial grip is set, pliers can be tightened further by turning the adjusting screw with a hex key



C6NVN-08

Material No.	Description	Jaw Capacity	Shelf Pack
<b>C6NVN-08</b>	150mm/6" Long Nose Locking Plier with Wire Cutter	58 mm	3
<b>C9NVN-08</b>	230mm/9" Long Nose Locking Pliers with Wire Cutter	73 mm	3

## Straight Clamps

- Straight jaws for maximum grip
- Angled tooth pattern for a better grip
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- After initial grip is set, pliers can be tightened further by turning the adjusting screw with a hex key



C7SVN

Material No.	Description	Jaw Capacity	Shelf Pack
<b>C7SVN</b>	175mm/7" Straight Jaw Locking Plier	34 mm	3
<b>C10SVN-08</b>	250mm/10" Straight Jaw Locking Pliers	45 mm	3

## Locking C-Clamp (Regular Tips)

- Versatile curved jaw also features integral wire cutter
- Angled tooth pattern for a better grip
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- After initial grip is set, pliers can be tightened further by turning the adjusting screw with a hex key



C6CCVN

Material No.	Description	Jaw Capacity	Shelf Pack
<b>C6CCVN</b>	150mm/6" Locking C-Clamp with Regular Tips	51 mm	3
<b>C11CCVN</b>	280mm/11" Locking C-Clamp with Regular Tips	102 mm	3
<b>C18CCRN</b>	450mm/18" Locking C-Clamp with Regular Tips	203 mm	3

## Locking Welding Clamp

- Compound action for powerful non-slip locking grip
- After initial grip is set, clamp can be tightened further by turning the adjusting screw with a hex key
- Red plastisol dip on release lever for improved comfort
- Nickel-plated finish resists rust and corrosion



C9WN

Material No.	Description	Jaw Capacity	Shelf Pack
<b>C9WN</b>	230mm/9" Locking Sheet Metal Clamp	38 mm	5

## Locking C-Clamp (Swivel Tips)

- Locking "C" clamps are faster and easier to use than standard clamps
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- After initial grip is set, clamp can be tightened further by turning the adjusting screw with a hex key
- Compound action for powerful non-slip locking grip



C11CCSVN

Material No.	Description	Jaw Capacity	Shelf Pack
<b>C6CCSVN</b>	150mm/6" Locking C-Clamp with Swivel Pads	73 mm	3
<b>C11CCSVN</b>	280mm/11" Locking C-Clamp with Swivel Pad Tips	102 mm	5
<b>C18CCSN</b>	450mm/18" Locking C-Clamp with Swivel Pads	203 mm	3



## Locking sheet Metal Clamp

- Compound action for powerful non-slip locking grip
- After initial grip is set, clamp can be tightened further by turning the adjusting screw with a hex key
- Red plastisol dip on release lever for improved comfort
- Nickel-plated finish resists rust and corrosion
- Maximum jaw opening meets ASME specifications



C8SMVN

Material No.	Description	Jaw Capacity	Shelf Pack
C8SMVN	200mm/8" Locking Sheet Metal Clamp	19 mm	3

## Locking Chain Clamp

- 8" long chain
- Compound action for powerful non-slip locking grip
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- Red plastisol dip on release lever for improved comfort



C20CHN

Material No.	Description	Shelf Pack
C20CHN	230mm/9" Locking Chain Clamp with 460mm/18" Chain	5

## Locking Plier Sets

- 8" long chain
- Compound action for powerful non-slip locking grip
- Knurled adjusting screw turns easily by hand or with a hex key inserted into the hex key receiver on bottom of screw
- Red plastisol dip on release lever for improved comfort



CLP-2SETN-08

Material No.	Description	Shelf Pack
CLP2SETN-08	2 Pc. Curved Jaw Locking Plier Set with Wire Cutter - 175mm/7" & 250mm/10"	3
CLP3SETN-08	3 Pc. Curved Jaw Locking Plier Set with Wire Cutter - 125mm/5", 175mm/7" & 250mm/10"	3
CLP5SETN-08	5 Pc. Curved and Long Nose Locking Plier Set with Wire Cutter - 125mm/5", 175mm/7", 250mm/10", 150mm/6" & 230mm/9"	3

## 10 Pc. Ratcheting Crimping Tool Set

- Parallel mechanism for precise crimping
- Compound action requires 30-50% less pressure
- Plier releases once correct pressure is obtained
- Insulated Terminals 0.5mm<sup>2</sup> - 6mm<sup>2</sup> (22-10 AWG)
- Open Barrel Connectors N/I 0.5mm<sup>2</sup> - 6mm<sup>2</sup> (22-10 AWG)
- Non Insulated Terminals 0.5mm<sup>2</sup> - 10mm<sup>2</sup> (22-8 AWG)



Material No.	Description	Shelf Pack
CRCT10	10 Pc. Ratcheting Crimping Tool Set - with Interchangeable Jaws	5

## Ratcheting Data Crimper & Wire Stripper

- Crimps 6P & 8P connectors. No die changes
- Integrated cable cutter, length stopper & stripper
- Ratcheting system requires less force
- Precision CNC ground crimping teeth
- SK5 steel on cutting blade



Material No.	Description	Shelf Pack
CDC68	Ratcheting Data Crimper & Wire Stripper	6

## Non Insulated Terminals Crimping Tool - 22-8AWG

- Adjustment wheel for adjusting crimping pressure
- Multiple crimp sizes
- Co-moulded ergonomic handle for improved comfort and extra length for one or two handed operation
- CCT8 is suitable for Non-Insulated terminals 22-8AWG (0.5-10mm<sup>2</sup>)
- CCT10 is suitable for Insulated terminals 22-10AWG (0.5-6mm<sup>2</sup>)



Material No.	Description	Shelf Pack
CCT8	Non Insulated Terminals Crimping Tool - 22-8AWG	6

## Insulated Terminals Crimping Tool - 22-10AWG

- Adjustment wheel for adjusting crimping pressure
- Multiple crimp sizes
- Co-moulded ergonomic handle for improved comfort and extra length for one or two handed operation
- CCT8 is suitable for Non-Insulated terminals 22-8AWG (0.5-10mm<sup>2</sup>)
- CCT10 is suitable for Insulated terminals 22-10AWG (0.5-6mm<sup>2</sup>)



Material No.	Description	Shelf Pack
CCT10	Insulated Terminals Crimping Tool - 22-10AWG	6

## Ratcheting Cable Cutter - Cuts 30.5mm diameter

- Powerful ratcheting mechanism ensures a non-slip cut
- Cuts large diameter telecom and power cable up to 600MCM / 300 mm<sup>2</sup>
- Anti rust black oxide finish
- Closed position handle lock for compact storage
- Comfortable dual colour TPR grips for improved leverage
- Maximum cable cutting capacity 32mm diameter



Material No.	Description	Shelf Pack
CRCC38	Ratcheting Cable Cutter - Cuts 30.5mm diameter	5

## Conduit Cutter - Cuts 3mm to 42mm

- Heavy duty tool
- Heat treated cutting blade for cutting P.V.C. pipe and water hose up to 42mm diameter
- Cuts cleanly without the need for de-burring
- Heavy duty design and construction
- Bright red colour for easy standout in the tool box and workplace



Material No.	Description	Shelf Pack
CCC42	Conduit Cutter - Cuts 3mm to 42mm	10

## Self Adjusting Wire Stripper

- Used for stripping and cutting wire, crimping insulated and non-insulated terminals and crimping ignition terminals
- Cuts and strips 26-8 AWG (0.13-10mm<sup>2</sup>) copper or aluminium wire
- Crimps 22-10 AWG (0.5-6mm<sup>2</sup>) insulated & non-insulated terminals
- Fine adjustments can be made to strip wire insulation smaller than AWG24 (0.2mm<sup>2</sup>) without cutting into the wire



Material No.	Description	Shelf Pack
CWS1	Self Adjusting Wire Stripper	10





## The Crescent Wiss Brand

Today, as Crescent Wiss, the brand is a market leader for cutting products from Apex Tool Group. The Crescent Wiss brand earns its reputation for craftsmanship and long life and has been doing so since 1848. The brand has remained the undisputed market leader in professional aviation snips, driven by two simple principles: performance and durability. It is these two principles that has earned the trust of the professional trades person.

The extensive Crescent Wiss line of products includes scissors, snips, and specialty trade tools. Crescent Wiss cutting products are among the more than 2,600 quality hand tool products offered under the Crescent name.



Trusted by the Trades.



## Cutting

Aviation Snips • HVAC Tools

Knives & Blades • Shears • Scissors

Handsaws • Holesaw Sets



## Snips

Since 1848, Wiss has manufactured a quality line of cutting tools. Wiss scissors and shears are extremely popular in the garment and dressmaking field and are found in household sewing baskets everywhere. Snips are utilised for industrial cutting and DIY applications, and the Metalmaster range of compound action snips has become a favourite with metal-working craftsmen.

The Wiss line of Metalmaster® compound action snips is the most complete line on the market. Metalmaster snips are one of the most advanced metal cutting tools available today.

Originally developed for cutting the extremely tough alloys used in the aircraft industry, (hence the nickname Aviation Snips). Metalmaster snips have become the favourite of most craftsmen who work with metal.

Wiss Metalmaster snips are widely used by home craftsmen and professional metal workers in gutter and flashing work, fabrication of heating and cooling ducts and for aluminium siding installation. Wiss Metalmaster snips are indispensable to homeowners and maintenance specialists and to industrial workers in the appliance, aircraft, automotive, electrical and construction industries. It is the versatility of Wiss Metalmaster snips, in addition to their superior cutting qualities, that has made them so popular.

Wiss Metalmaster snips cut with half the effort required of conventional snips and handle even the biggest jobs. They cut acute angles, complex patterns and perfect circles of even small diameter in galvanized steel up to 18 gauge (.049"). The M5R is recommended for 16 gauge (.065")

The jaws of Wiss Metalmaster snips are made of extra tough and wear-resistant special molybdenum steel to provide the extra service demanded by the compound lever action and to withstand the severe strain of cutting heavy stock or tight curves. The M-4-1 Pipe and Duct Snips have been specifically developed for the heating and air conditioning industry. They also feature the compound lever action, but have in addition a ball bearing jaw action that automatically adjusts the blade clearance to ensure a squarer, cleaner cut. They cut flat sheet metal without distortion to cut edges.

Wiss also manufactures a comprehensive range of tinner's snips. These are available in a variety of patterns which enable cuts to be made right, left or straight. They are investment cast and have polished jaws for smooth action, combined with cleaner cutting.


### SNIPS SELECTION CHART

To find the proper snips for your requirements, check the chart below. Simply find your requirements in the listing. The applicable snips are indicated in the chart.

	Metalmaster M-1R, M-2R and M-3R	M-6R BM-7R	MPC-3	Metalmaster M-5R	M300	M400	Pipe Cutters	WRPC Series	HVAC Range
Do-it Yourselfer	•	•	•		•	•	•	•	•
Roofer	•	•							
Mechanic	•	•							
Autobody Worker	•	•							
Plumber	•	•					•	•	•
Heating and Cooling Specialist	•	•							•
Electrician	•	•							
Vocational Teacher	•	•		•	•	•			
Maintenance Worker	•	•					•	•	•
Notching and Nibbling Heavy Stock						•			
Cutting Curves	•	•							

#### Metalmaster® compound action snips

The non-slip serrated jaws of Wiss Metalmaster snips are made of extra tough and wear-resistant special molybdenum steel to provide the extra service demanded by the compound lever action and to withstand the severe strain of cutting heavy stock or tight curves. The handles are formed of special high strength steel and have a margin of strength far above the limit of the hand power that can be exerted.



## Aviation Snips - Metal Master

- Extended single-material ergonomic grips for reduced hand fatigue
- Ergonomic single-handed latch operation
- Withstands strain of cutting heavy stock and tight curves
- Unique total system design requires 20% less force to cut
- Precision cast blades
- Blade serrations spread cutting force across the blade improving cut quality and tool life
- Spring-action for fast, effortless feed



Material No.	Description	Shelf Pack
<b>M1RAU</b>	248mm/9-3/4" Metalmaster® Aviation Snip w Red Grips - Cuts Left	6
<b>M2RAU</b>	248mm/9-3/4" Metalmaster® Aviation Snip w Green Grips - Cuts Right	6
<b>M3RAU</b>	248mm/9-3/4" Metalmaster® Aviation Snip w Yellow Grips - Cuts Straight & Slight Curves	6
<b>WLP</b>	Professional Black Leather Aviation Snip Pouch	1

## Aviation Snips - Offset Snips

- Extended single-material ergonomic grips for reduced hand fatigue
- Ergonomic single-handed latch operation
- Withstands strain of cutting heavy stock and tight curves
- Unique total system design requires 20% less force to cut
- Precision cast blades
- Blade serrations spread cutting force across the blade improving cut quality and tool life
- Offset blades keep hands clear of metal while cutting



Material No.	Description	Shelf Pack
<b>M6RAU</b>	248mm/9-3/4" Metalmaster® Offset Aviation Snip w Red Grips - Cuts Left	6
<b>M7RAU</b>	248mm/9-3/4" Metalmaster® Offset Aviation Snip w Green Grips - Cuts Right	6
<b>M80S</b>	248mm/9-3/4" Metalmaster® Offset Aviation Snip w Yellow Grips - Cuts Straight & Slight Curves	6
<b>M6M7AU</b>	2 Pc. Metalmaster® Offset Aviation Snip Set - Left & Right Cut	6

## Aviation Snips - Bulldogs Snips

- Cuts straight lines
- For notching or trimming extra heavy stock
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Cuts up to 16 gauge low carbon, rolled steel
- Withstands strain of cutting heavy stock and tight curves
- Spring-action handle for a faster, effortless feed
- Handle latch keeps blades closed during storage or when not in use



Material No.	Description	Shelf Pack
M5R	235mm/9-1/4" Metalmaster® Bulldog Snip	6



## Pipe & Duct Snips

- Cuts any shape ducts, seams, sheet metal stock, vinyl tiles, and plastic laminates
- Jaw action automatically adjusts blade clearance for squarer, cleaner cuts
- Spring-action handle for a faster, effortless feed
- Handle latch keeps blades closed during storage or when not in use
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage



Material No.	Description	Shelf Pack
M4RN	235mm/9-1/4" Metalmaster® Pipe and Duct Snip	3

## Metal-Wizz Household Cutters

- Cuts curves, straight lines, or any combination
- Used for cutting light-gauge metals, screening, floor tiles, vinyl, plastic, leather, paper, rubber, hardware cloth, shingles, tile gutters, downspouts, carpeting, and more
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Cuts up to 20 gauge low carbon steel
- Spring-action handle for a faster, effortless feed



Material No.	Description	Shelf Pack
MPC3N	229mm/9" Metal-Wizz® Multipurpose Snip	6

## Multimaster Snips

- Cuts straight lines and right and left arcs
- Combines long cut of tinner's snips with the strength of compound action
- Great for making long, fast cuts in sheet metal, aluminium, and much more  
Blade serrations hold material firmly and spread cutting force uniformly across
- blade edge, improving cut quality and tool life
- Cuts up to 20 gauge low carbon, rolled steel
- Compound action multiplies the cutting force
- Handle latch keeps blades closed during storage or when not in use



Material No.	Description	Shelf Pack
<b>M300N</b>	268mm/10-1/2" Multimaster® Compound Action Long Cut Aviation Snips	6

## Multimaster Snips

- Offset blades keep hands clear of metal while cutting
- Combines long cut of tinner's snips with the strength of compound action
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Longer blade length reduces cutting frequency for faster work
- Cuts up to 20 gauge low carbon cold rolled steel, aluminium, and plastic
- Compound action design increases force for improved performance
- Handle latch keeps blades closed during storage or when not in use



Material No.	Description	Shelf Pack
<b>M400N</b>	308mm/12-1/8" Multimaster® Compound Action Offset Long Cut Aviation Snip	6

## Ratcheting Pipe Cutters

- Cuts copper, brass, aluminium, and thin-wall conduit material
- Made from high-carbon chrome steel
- Includes 2 interchangeable wheels for added convenience
- Easily replaceable cutting wheel installs with a small standard screwdriver



Material No.	Description	Shelf Pack
WRPCLG	175mm/7" Large Ratcheting Pipe Cutter	3

## Snips

- Added leverage for long, straight and curved cuts in light gauge metal, flash, vinyl siding, gutter, net, rubber and roofing materials
- Half the weight of comparable forged snips
- Sleek new head design reduces cutting effort by allowing easy flow of materials while cutting
- Rust resistant drop forged blades



Material No.	Description	Shelf Pack
WAL13S	Lightweight Aluminum Snip 305mm/12"	4

## HVAC - Hand Seamers

- Used for bending and flattening sheet metal
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- 1/4" depth markings
- Produces a permanent, tight-fitting seam



Material No.	Description	Shelf Pack
WS3N	75mm/3" Straight Handle Hand Seamer	3
WS4N	75mm/3" Offset Handle Hand Seamer	3
WS6N	150mm/6" Straight Handle Hand Seamer	2

## HVAC - Multi-Blade Crimpers

- Crimps male fitting end to connect guttering, downspouts, or metal pipe
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- Compound action jaw provides excellent comfort and control



Material No.	Description	Shelf Pack
WC3SN	245mm/9-3/4" 3-Blade Short Hand Crimper	3
WC5SN	245mm/9-3/4" 5-Blade Short Hand Crimper	3
WC5LN	250mm/10" 5-Blade Long Hand Crimper	2



## HVAC - Hand Notcher

- Cuts 30-degree V-shaped notch in sheet metal
- Produces a clean notch without slipping at corners or take-off tabs
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use



Material No.	Description	Shelf Pack
WHN1N	220mm/8-3/4" 30° V-Shaped Hand Notcher	3

## Cable Tie Tensioning Tool

- Designed to install both heavy and light duty nylon cable ties
- For tightening nylon ties when securing flex duct to take-off collars
- Easy-to-operate cut-off mechanism that trims excess cable strap
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning



Material No.	Description	Shelf Pack
WT1	190mm/7-1/2" Cable Tie Tensioning Tool	4

## Folding Tools

- Commonly used for folding channels and making long uniform bends in sheet metal
- Ideal for folding drive cleat channels with 3/8" depth to make longer wider folds in register boots, end caps, plenums, etc...
- Constructed of heavy 16 gauge steel that keeps folding channels from widening and ensures precise and accurate bends
- 3/8" and 1" depth folding channel to ensure proper depth alignment



WF12



WF18



WF24

Material No.	Description	Shelf Pack
WF12	300mm/12" Sheet Metal Folding Tool	4
WF18	455mm/18" Sheet Metal Folding Tool	4
WF24	610mm/24" Sheet Metal Folding Tool	4

# TOOLS INNOVATION

## The Hardest-Working Every Day Carry

When you have a Crescent pocket knife, you've got the hardest-working Every Day Carry on the jobsite. Designed for professional tradespeople, each one is a no-nonsense tool that can be counted on to perform reliably every time it's needed. And with a selection of blade types and blade and handle materials, there's a Crescent pocket knife made to suit every personal style and requirement.

### 90mm/3.5" Aluminum Handle Pocket Knife with D2 Steel Harpoon Blade

The sturdy harpoon-style blade of this knife provides extra blade strength that allows for greater leverage and downforce when needed. The smooth, clean lines of its natural anodized aluminum handle give it a great look, while providing light weight and an amazingly comfortable grip for maximum control.

**HEAVY**

**D2  
STEEL  
BLADE**

**DUTY**

#### High Strength Anodized Aluminum Handle

Ergonomically designed for light weight, enhanced fit, and greater control

**HIGH  
STRENGTH  
ALUMINUM  
HANDLE**

#### Harpoon-Style Blade

For extra strength and leverage/downforce capability

#### Heavy-Duty D2 Steel Blade

For superior strength, edge retention, and durability

#### Gray Wash Finish

For superior corrosion-resistance

#### Full Metal Core/ Liner Lock

Assures secure locking of the blade in the open position and easy closing

#### Precision Ball-Bearing Pivot

For smooth, reliable blade movement

#### Flipper Tab Opening

For quick and easy blade deployment

#### High Strength Liner Lock Design

CPK325A

**Actual Size**



## 80mm/3.25" Composite Handle Pocket Knife with 5Cr15MoV Stainless Steel Drop Point Blade

This knife features a popular drop point style blade with an ergonomically designed composite handle. The blade is precision-ground for excellent strength, edge retention, and overall durability, making it the perfect Every Day Carry.

**PRECISION  
STAINLESS  
STEEL  
BLADE  
GROUND**

**LIGHT  
WEIGHT  
COMPOSITE  
HANDLE**

### Ergonomically Designed Composite Handle

For excellent fit and control

### Full Metal Core/ Liner Lock

Assures secure locking of the blade in the open position and easy closing

### Flipper Tab Opening

For quick and easy blade deployment

### Precision Ball-Bearing Pivot

For smooth, reliable blade movement

### Popular Drop Point Style Blade

For easy maintenance and durability

### 5Cr15MoV Stainless Steel Blade

For superior strength, edge retention, and durability

CPK325C

Crescent pocket knife blades are made of either 5Cr15MoV stainless steel or heavy-duty D2 steel with Gray Wash finish. All have excellent corrosion resistance and are available in popular drop point or sturdy harpoon blade styles.



Handles are available in strong anodized aluminum or lightweight composite. Each is ergonomically designed to optimize hand and finger contact points for enhanced fit and superior control.



The deep-carry pocket clip keeps Crescent pocket knives barely visible, yet always ready.



## Composite Handle Pocket Knife

- Ergonomic handle optimizes hand and finger contact points to maximize fit, control, and user ergonomics
- Easy action flipper tab for easy blade deployment
- Drop point blade design provides tip strength and overall blade durability for a variety of cutting applications
- Harpoon blade design provides overall blade durability and extra leverage for a variety of cutting applications



CPK325C



CPK350C

Material No.	Description	Shelf Pack
CPK325C	80mm/ 3-1/4" Drop Point Composite Handle Pocket Knife	5
CPK350C	90mm/ 3-1/2" Harpoon Blade Composite Handle Pocket Knife	5

## Aluminium Handle Pocket Knife

- Ergonomic handle optimizes hand and finger contact points to maximize fit, control, and user ergonomics
- Easy action flipper tab for easy blade deployment
- Drop point blade design provides tip strength and overall blade durability for a variety of cutting applications



CPK325A

Material No.	Description	Shelf Pack
CPK325A	80mm/3-1/4" Drop Point Aluminum Handle Pocket Knife	5



## Trimming Knives - Bulk Pack

- Ergonomic Hi Viz steel housing with rubber grip for increase safety and comfort
- 9 selectable blade positions to suit a variety of situations
- Integrated string cutter
- One button quick change blade replacement
- Integrated swing out replacement blade holder with positive lock
- Includes 3 blades



Material No.	Description	Shelf Pack
NT3QC12	Retractable Blade Trimming Knife w Safety Cutter	12★

## Auto Retracting Safety Blade & Knife

- Blade retracts automatically the moment it loses contact with the material being cut – even if the user is still holding the blade slider forward in the ‘open’ position
- Helps reduce workplace injuries, lowering lost time and increasing productivity
- Quick and easy blade change
- Compatible with all standard utility knife blades



Material No.	Description	Shelf Pack
WKAR2	Auto-Retracting Safety Utility Knife	5

## Auto Retracting Safety Blade & Knife

- Compact, ergonomic design
- Blade locks in the open position for secure cutting
- Blade safely folds into handle for compact size and easy storage
- Blades coated in black oxide for improved corrosion resistance
- Features quick-change latch for quick blade replacements
- Compatible with all standard utility knife blades



Material No.	Description	Shelf Pack
CTKF2	Quick-Change Folding Utility Knife	5

## Folding Pocket Knife

- Titanium coated stainless steel blade
- Titanium coating is 3x harder than steel for longer life
- Blade features piercing tip with serrated and straight cutting edges for maximum cutting abilities
- Blade features piercing tip with serrated and straight cutting edges for maximum cutting abilities
- Blade features piercing tip with serrated and straight cutting edges for maximum cutting abilities



Material No.	Description	Shelf Pack
WKFPNS1EU	Titanium Coated Blade Folding Pocket Knife	6★

## Trimming Knife Blades

- High quality steel utility knife blades
- Replacement blades fit most utility knives
- Heavy-duty blades with sharp points
- Blade packaging is designed to fit in most vending machines for convenient access and purchasing



RWK14V



RWK14D



RWK16V



WSBK18



WSB18MM

Material No.	Description	Shelf Pack
<b>RWK14V</b>	5 Pk. Heavy Duty Trimming Knife Blades - 19mm	10
<b>RWK14D</b>	100 Pk. Heavy Duty Trimming Knife Blades - 19mm	20
<b>RWK16V</b>	5 Pk. Heavy Duty Hook Knife Blades	10
<b>WSBK18</b>	18mm Metal-Alloy Snap-Blade Knife	12
<b>WSB18MM</b>	10 Pk. 18mm Snap-Blade Knife Replacement Blades	24

## Shears - 250mm/10 1/4"

- Commonly used in cutting fabrics, upholstery, and composite materials
- Precision ground blades provide sharper cutting edges and a longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Handle rings designed to comfortably fit users' hands
- Configure the SET-EASY® pivot adjustment to match your preference



Material No.	Description	Shelf Pack
W20	250mm/10" Bent Handle Industrial Shears	6

## Shears - 300mm/12 1/4"

- Commonly used in cutting fabrics, upholstery, and composite materials
- Precision ground blades provide sharper cutting edges and a longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Handle rings designed to comfortably fit users' hands
- Configure the SET-EASY® pivot adjustment to match your preference



Material No.	Description	Shelf Pack
W22N	300mm/12" Bent Handle Industrial Shears	6

## Shears - 250mm/10 1/4" [LH]

- Commonly used in cutting fabrics, upholstery, and composite materials
- Precision ground blades provide sharper cutting edges and a longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Handle rings designed to comfortably fit users' hands
- Configure the SET-EASY® pivot adjustment to match your preference



Material No.	Description	Shelf Pack
W20LH	250mm/10" Left Hand Bent Handle Industrial Shears	6



## Shears - 250mm/10 1/4"

- Ideal for cutting upholstery, carpet, and drapery
- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Thick heavy-duty blades for cutting multiple layers and tough materials
- Handle rings designed to comfortably fit users' hands
- SET-EASY® pivot easily and securely adjusts to user preference



Material No.	Description	Shelf Pack
W20W	250mm/10" Wide Blade Bent Handle Industrial Shears	6

## Shears - 311mm/12 1/4"

- Ideal for cutting upholstery, carpet, and drapery
- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Thick heavy-duty blades for cutting multiple layers and tough materials
- Handle rings designed to comfortably fit users' hands
- SET-EASY® pivot easily and securely adjusts to user preference



Material No.	Description	Shelf Pack
W22W	300mm/12" Wide Blade Bent Handle Industrial Shears	6

## Dressmakers Shears - 182/7 1/2"

- Perfect for a professional dressmaker or industrial use
- Primarily used for working with fabric and thread
- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Handles made of coated high carbon steel
- SET-EASY® pivot easily and securely adjusts to user preference



Material No.	Description	Shelf Pack
27N	190mm/7-1/2" Dressmakers & Industrial Inlaid® Shears	6

## Dressmakers Shears - 235mm/9 1/4"

- Perfect for a professional dressmaker or industrial use
- Primarily used for working with fabric and thread
- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Handles made of coated high carbon steel
- SET-EASY® pivot easily and securely adjusts to user preference



Material No.	Description	Shelf Pack
29N	235mm/9-1/4" Dressmakers & Industrial Inlaid® Shears	6

## Dressmakers Shears - 311mm/12 1/4"

- "Ideal for cutting carpet, synthetic fibers and composite materials
- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Precision ground blades for sharper cutting edges and longer blade life
- One blade ground to knife edge for faster, cleaner cutting
- Handle rings designed to comfortably fit users' hands
- SET-EASY® pivot easily and securely adjusts to user preference



Material No.	Description	Shelf Pack
W1226	300mm/12" Bent Handle Industrial Shears with Knife Edge	6

## Home & Craft Scissors - 215mm/8-1/2"

- Precision ground blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Easy adjust pivot bolt allows quick and easy adjustment to fine tune cutting blade tension for optimal cutting performance
- Ambidextrous handle design features symmetrical handle ring contouring for comfortable right or left hand usage



Material No.	Description	Shelf Pack
CW812S	215mm/8-1/2" Stainless Steel All Purpose Tradesperson Shears	4

## Offset Hand Tradesperson Shears - 250mm/10" (RH)

- Precision cut blades feature titanium coated premium grade steel and are precision engineered for knife-like cutting edges
- Offset handle design keeps hands above material for safety and easy table top cuts
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics



Material No.	Description	Shelf Pack
CW10T	250mm/10" Titanium Coated Offset Right Hand Tradesperson Shears	4

## Full Metal Scissors - 250mm/10"

- Heavy-duty blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Serrated bottom blade grips material as it is being cut for increased cutting control and cleaner cuts
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life



Material No.	Description	Shelf Pack
CW10TM	250mm/10" Heavy-Duty Titanium Coated Tradesperson Shears	4

## Single Ring Tradesperson Shears - 280mm/11"

- Heavy-duty blades feature titanium coated premium grade stainless steel and are precision engineered for knife-like cutting edges
- Spring-loaded design automatically opens when latch is disengaged for reduced hand fatigue
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics
- Full metal core extends through the handle for maximum strength and increased durability



Material No.	Description	Shelf Pack
CW11TM	280mm/11" Heavy-Duty Titanium Coated Single Ring Tradesperson Shears	4

## 6" Electrician's Data Shears 152mm/6"

- Integrated wire strippers in scissor blade for quick and easy stripping of 19 and 23 AWG wires
- Serrated outside edges of blades for reaming knockouts and conduit
- Grip-Zone area for tightening wire nuts and crimping low voltage connections
- Precision ground blades feature durable serrations on the bottom blade that grip material for better control and cleaner cuts



Material No.	Description	Shelf Pack
CW5T	Electrician's Data Shears 152mm/6"	1

## Utility Scissors - 190mm/7"

- Heavy-duty blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Compact 7.5 inch design allows for easy storage and provides excellent portability
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life



Material No.	Description	Shelf Pack
CW7T	190mm/7-1/2" Titanium Coated Tradesperson Utility Shears	4

## Home Craft & Sew Scissors - 2pc Set

- Strong, stainless steel blades for corrosion resistance
- Sharp points cut cleanly through the tip
- Long-lasting precision ground straight edges can be sharpened
- Adjustable pivot screw for best feel
- Soft touch handles for added comfort
- Scissors are lightweight for ease of use



Material No.	Description	Shelf Pack
WHCS2	2 Pc. Home, Craft & Sewing Scissor Set	4



## Take Apart Utility Shear - 200mm/8"

- Strong, high quality stainless steel blades for corrosion resistance
- Take-apart blades for easy cleaning
- Hard handles are dishwasher safe
- Lightweight



Material No.	Description	Shelf Pack
W8TA	200mm/8" Take Apart Utility Shear	4

## Shop Shear Easy Snip - 254mm/10"

- Strong, high quality stainless steel blades for corrosion resistance
- Serrated lower blade for better grip on materials being cut
- Cutting notch on lower blade for rope and twine
- Adjustable pivot to change cutting tension for best feel
- Hard plastic handles clean easily
- Safety point



Material No.	Description	Shelf Pack
W912	250mm/10" Easy Snip Utility/Shop Shears	4

## Easy Snip Utility Shear - 215mm/8-1/2"

- Strong, stainless steel blades for corrosion resistance
- Textured and molded handles for a secure, comfortable grip
- Spring assist action minimizes hand fatigue
- Wire cutting notch in the lower blade
- Thumb latch secures blades closed during storage
- Ideal for use in the shop, garden, and home



Material No.	Description	Shelf Pack
WEZSNIP	215mm/8-1/2" Easy Snip Utility Shear	4

## Hacksaw - Pro Series

- High tension hacksaw with comfortable cushion grip
- Industrial strength
- General purpose blade
- 2-Way blade change



Material No.	Description	Shelf Pack
NPSHZ	Hi-Tension Hacksaw with Comfort Grip	6

## Hacksaw - Economy

- Adjustable from 10"/250mm to 12"/300mm
- Cuts to 2.75"/70mm in depth
- For DIY and home use



Material No.	Description	Shelf Pack
80950	250mm/10" Economy Hacksaw Frame	5

## Hacksaw - Frame

- Used on a wide variety of everyday jobs both at home and professionally
- Instantly adjustable for 10"/250mm to 12"/300mm blades
- Adjusts 90° for vertical or horizontal cuts
- Ergonomic handle ensures maximum control and comfort
- Precision engineered to provide maximum gram removal per stroke



Material No.	Description	Shelf Pack
80951	250mm/10" General Purpose Hacksaw Frame	6

## Hacksaw Blades

- Nicholson Bi-Metalloy® hacksaw blades feature hardened alloy teeth that cut 30% faster and stay sharp 10 times longer than those on standard blades
- Hardened tooth edges are continuous-welded to flexible steel backs for superior durability



Material No.	Description	Shelf Pack
62826N-02	300mm/12" x 18 TPI Bi-Metalloy® Hacksaw Blade	10
62832N-02	300mm/12" x 24 TPI Bi-Metalloy® Hacksaw Blade	10
62839N-02	300mm/12" x 32 TPI Bi-Metalloy® Hacksaw Blade	10

## 305mm/12" Jab Saw

- Sharpened tip, featuring a knife like edge, allows for easier penetration through sheetrock reducing user fatigue
- Precision-ground teeth provide superior cutting quality and reduced cutting effort through optimised blade geometry
- Optimised hand & finger contact points in handle to maximise fit, control, and user ergonomics
- Dual material handle for increased comfort



Material No.	Description	Shelf Pack
CTJSAW	305mm/12" Jab Saw Co-Molded Grip	6

## 16 Pc. Re-Load® Quick Change Electricians Holesaw Set - 3 Single (Ø14-30MM) & 2 Double (Ø32-200MM)

- One touch Holesaw release/change over
- Rapid plug removal
- Unique Two-up™ mode for enlarging existing holes
- Cobalt high speed steel bi metal Holesaw
- Australian designed and patented
- Storage case

Cat No.	Shelf Pack
<b>CRLE7</b>	5

### Set Contains

HSS Bi metal hole saws 20, 22, 25, 32, 40, 51 & 70mm	RLA-152 Arbor
Reload bosses	3mm Hex key
Two-Up Bosses	Storage Case



## 17 Pc. Re-Load® Quick Change Electricians Holesaw Set - 1 Single (Ø14-30MM) & 4 Double (Ø32-200MM)

- One touch Holesaw release/change over
- Rapid plug removal
- Unique Two-up™ mode for enlarging existing holes
- Cobalt high speed steel bi metal Holesaw
- Australian designed and patented
- Storage case

Cat No.	Shelf Pack
<b>CRLE7HD</b>	5

### Set Contains

HSS Bi metal hole saws 20, 22, 25, 32, 40, 51 & 70mm	CRLH0201
Reload bosses	XTN Bar
Two-Up Bosses	3mm Hex key





## 21 Pc. Re-Load® Heavy Duty Quick Change Master Electricians Holesaw Set

- One touch Holesaw release/change over
- Rapid plug removal
- Unique Two-up™ mode for enlarging existing holes
- Cobalt high speed steel bi metal Holesaw
- Australian designed and patented
- Storage case



HOLESAW  
SETS

Cat No.	Shelf Pack
CRLE9HD	5

### Set Contains

HSS Bi metal hole saws 20, 22, 25, 32, 40, 51, 64, 83 & 92mm	CRLHD201
Reload bosses	XTN Bar
Two-Up Bosses	3mm Hex key

## 5 Pc. Re-Load® Downlight Installation Kit

- One touch Holesaw release/change over
- Rapid plug removal
- Unique Two-up™ mode for enlarging existing holes
- Most common downlight sizes 70mm and 90mm
- Cobalt high speed steel bi metal Holesaw
- Australian designed and patented



Cat No.	Shelf Pack
CRDLK	1

### Set Contains

1 x Heavy duty quick change arbor (CRLHD201)	2 x Bosses (CRLPST0)
1 x 70mm Cobalt HSS holesaw (CRLHS70)	1 x 92mm Cobalt HSS holesaw (CRLHS92)

## Re-Load® Holesaws - Individual

- Cobalt high speed steel bi metal construction
- Professional grade variable pitch for smooth cutting and long life
- Used for cutting: steel, cast iron, stainless steel, non ferrous, wood and plastic
- Printed and stamped sizing on the Holesaw for quick and easy identification



**NO THREADS,  
NO HASSLE  
ARBOR SIMPLY  
SNAPS IN**

Material No.	Description	Shelf Pack
<b>CRLHS16</b>	16mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS20</b>	20mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS22</b>	22mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS25</b>	25mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS32</b>	32mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS35</b>	35mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS40</b>	40mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS44</b>	44mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS51</b>	51mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS57</b>	57mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS64</b>	64mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS70</b>	70mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS73</b>	73mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS76</b>	76mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS83</b>	83mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS86</b>	86mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS92</b>	92mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS111</b>	111mm Re-Load® Cobalt HSS Holesaw	30
<b>CRLHS114</b>	114mm Re-Load® Cobalt HSS Holesaw	30

## Re-Load® Genuine Hi Point™ Pilot Drill

- Replacement hi-point pilot drill to suit Re-Load® Quick Change Arbor
- Diameter: 6.32 OAL x 95mm



Material No.	Description	Shelf Pack
<b>CRLPD</b>	Re-Load® Hi Point Pilot Drill Bit	30

## 5 Pc. Re-Load® Boss Hanger Packs

- Allows user to upgrade existing Holesaw to quick change
- Includes: single bosses (0 - 30mm) and double bosses (32-200mm)
- Unique Two-up™ mode for enlarging existing holes
- Re-Load® Quick Change Arbor is required to use the quick change system



CRLBP5

Material No.	Description	Shelf Pack
CRLBP5	Re-Load® 5 Boss Hanger Pack - Upgrade Pack	30


## Re-Load® Quick Change Arbors

- Quad shaft drive system for maximum strength and durability
- One touch Holesaw release/change over
- Recommended for Holesaw sizes 14-200mm
- Re-Load® Bosses are required to use the quick change system



CRLHD200

Material No.	Description	Shelf Pack
CRLHD200	Re-Load® Heavy Duty Quick change Arbor	60
CRLA152	Re-Load® Compact Quick Change Arbor Hanger	30



## 9 Pc. Bi-Metalloy™ Holesaw Kit

- High speed, Bi-Metalloy steel for increased durability
- Permits fast, clean cuts in steel, cast iron, aluminium, brass, bronze, plastics and wood
- Comes complete with a durable carry case"



Cat No.

Shelf Pack

NHSK9

10

### Set Contains

Sizes: 16, 20, 25, 32, 40, 41

1 x Storage Case

1 x 1mm Arbor and 1 x 10mm Arbor and adaptor, both with pilot drill

### TIPS FOR HOLESAW USE

**IMPORTANT:** When using the Hex Pin Arbor, be sure the retractable pins are engaged in the holes in the top of the holesaw, only threading the holesaw onto the arbor is not sufficient.

**LUBRICANT:** Holesaws cut most ferrous metals faster and more efficiently with the use of a lubricant. Cast iron is cut dry, paraffin or beeswax is often used when cutting aluminium.

**FEEDS:** A level, even pressure produces the most efficient cutting action; excessive pressure will dull and possibly break the teeth.

**ALWAYS WEAR EYE PROTECTION:** It is essential that the operator and others in the area wear protective eye equipment when using power tools.

**CLEARING THE CHIPS:** When cutting thick material, the saw should be removed at intervals to allow for chip clearance.



**Trusted by the Trades.**







## The Crescent H.K PORTER Brand

Today, as Crescent H.K. Porter, the brand is a market leader for industrial cutting products from Apex Tool Group. The extensive Crescent H.K. Porter line of products includes manual cutters, hydraulic cutters, and other accessories.



Trusted by the Trades.



## Bolt Cutters

Bolt Cutters • Specialty Cutters • Rebar Tools



## PowerPivot® Bolt Cutters

- PowerPivot™ technology for superior cutting power
- Precision engineered induction hardened center cut blades
- Double compound cutting action
- Cuts materials up to Brinell 455 or Rockwell C48 hardness
- Heat treated for wear resistance and long cutting life
- Tubular steel handles for ultimate strength and cutting support



0190MCP

Material No.	Description	Shelf Pack
1490MCP	355mm/14" PowerPivot™ Centre Cut Double Compound Action Bolt Cutter	1
0090MCP	457mm/18" PowerPivot™ Centre Cut Double Compound Action Bolt Cutter	1
0190MCP	610mm/24" PowerPivot™ Centre Cut Double Compound Action Bolt Cutter	1
0290MCP	760mm/30" PowerPivot™ Centre Cut Double Compound Action Bolt Cutter	1
0390MCP	914mm/36" PowerPivot™ Centre Cut Double Compound Action Bolt Cutter	1

## Center Cut Bolt Cutter

- High leverage shear cut jaws
- Suitable for general purpose use
- Suitable for concrete reinforcing rods, medium tensile soft nuts, bolts and chain
- Do NOT cut steel or ACSR
- NOT an insulated tool"




Material No.	Description	Shelf Pack
CJ24	600mm/24" Centre Cut Bolt Cutter	3



## Electrical Cable Cutter - 240mm/9-1/2" for Soft Cable

- High-leverage jaws with shear-cut blades
- Compact cutter fits into most tool pouches
- Do not cut steel or ACSR
- Industrial, non-slip grips
- NOT an insulated tool
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!



Material No.	Description	Shelf Pack
0890CSJ	Ratcheting Cable Cutter - Cuts 30.5mm diameter	3

## Conduit Cutter - Cuts 3mm to 42mm

- Heavy duty tool
- Heat treated cutting blade for cutting P.V.C. pipe and water hose up to 42mm diameter
- Cuts cleanly without the need for de-burring
- Heavy duty design and construction
- Bright red colour for easy standout in the tool box and workplace



Material No.	Description	Shelf Pack
CCC42	Conduit Cutter - Cuts 3mm to 42mm	10

## Self Adjusting Wire Stripper

- Used for stripping and cutting wire, crimping insulated and non-insulated terminals and crimping ignition terminals
- Cuts and strips 26-8 AWG (0.13-10mm<sup>2</sup>) copper or aluminium wire
- Crimps 22-10 AWG (0.5-6mm<sup>2</sup>) insulated & non-insulated terminals
- Fine adjustments can be made to strip wire insulation smaller than AWG24 (0.2mm<sup>2</sup>) without cutting into the wire



Material No.	Description	Shelf Pack
CWS1	Self Adjusting Wire Stripper	10

## Pocket Wire Rope & Cable Cutter - 240mm/9-1/2"

- Shear-cut blades give clean, sharp cut with minimal distortion
- Excellent cutter for 3/16 in thick hard wire rope or cable
- Cuts 1/4 in thick soft wire rope or cable, piano wire or aircraft cable
- Cuts cables up to 3/16 in (5 mm) in size
- Cuts rod up to 3/32 in (2.4 mm) in size
- Easy-to-clean industrial plastic dipped handle grips



Material No.	Description	Shelf Pack
0690TN	190mm/7 1/2" Pocket Wire Rope & Cable Cutter	10

## Multi Purpose Cutter - 240mm/9-1/2"

- Center cut blades
- Cuts mild steel (Brinell 140) (80,000 PSI) to 5/32" diameter
- Cuts hard steel (HRC 44) (208,000 PSI) to 3/32" diameter
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!



Material No.	Description	Shelf Pack
PWC9	216mm/8-1/2" Mini Bolt Cutter	5

## Compact Cutter - 240mm/9-1/2"

- Induction hardened center cut blades
- Recessed notch blade design holds cutting material close for extreme cutting power
- Heavy-duty spring creates a smooth cutting operation and is ideal for repetitive cutting
- Cuts mild steel (80,000 PSI) to 1/4", 6mm diameter



Material No.	Description	Shelf Pack
0890SMC	215mm/8-1/2" Compact Bolt Cutter	5

## Rebar Cutter & Bender - 240mm/9-1/2"

- Shear-cut blades
- Cuts and bends to 90° or 180°
- Mounts on most flat surfaces to enhance leverage and increase safety
- Maximum rebar size capacity: 5/8 inches
- Steel construction for durability
- NEVER use any H.K. Porter cutters on electrified circuits, wire, or cable!



Material No.	Description	Shelf Pack
0590RBJN	1320mm/52" Rebar Cutter and Bender - 16mm/5/8"	1



## Replacement Jaw Kit - 240mm/9-1/2"

- Replacement head for 0590RBJN
- Shear-cut blades
- Cuts and bends to 90° or 180°



Material No.	Description	Shelf Pack
0513RBJN	Replacement Cutter Head for 0590RBJN Rebar Bender	5

## Rebar Bender - 240mm/9-1/2"

- 14-position indexing head adjusts with center push-button to allow total access for maximum leverage
- Dual-use head allows bending of both #3 and #4 rebar
- Push-button extends bender to 35 inches for maximum leverage; collapses to just 21 inches for convenient storage and portability
- Extra-sturdy steel handles for the toughest conditions
- Super-strong indexing head grips rebar securely for accurate bends
- NEVER use any H.K. Porter cutters on electrified circuits, wire, or cable!



Material No.	Description	Shelf Pack
RB4	3/8" [#3] and 1/2" [#4] Extendable Indexing Rebar Bender	6
RB5	5/8" [#5] Indexing Rebar Bender	1
RB6	3/4" [#6] Indexing Rebar Bender	1







Trusted by the Trades.



## Measuring

Tape Measures • Measuring Wheels  
Squares • Pencils • Chalk & Reels  
Spirit Levels • Laser Products

### The Crescent Lufkin brand

Today, as Crescent Lufkin, the brand is a market leader for measuring products from Apex Tool Group, one of the largest hand tool manufacturers in the world. The extensive Crescent Lufkin line of products includes power tapes, rules, long tapes, measuring wheels, and one of the widest selections of special-purpose tapes and rules available for commercial and industrial use.

Crescent Lufkin measuring products are among the more than 2,600 quality hand tool products offered under the Crescent name – products professional tradespeople know they can trust to get the job done right.



# SHOCKFORCE™ G2 AND SHOCKFORCE™ G2 NITE EYE

New Shockforce G2 and Shockforce G2 Nite Eye tapes have wider, thicker blades for 5 metres\* reach and a new blade barrier coating for 3X the blade life, but there's more: They have a bolstered case and fastening points, plus dual steel guardrails on both sides of the lock button – all for superior impact protection. They've been 36 metres drop tested for extreme durability. That means they're not just the best performing tapes we've ever made ... they're also the toughest.

**36m  
DROP  
TESTED**

## **Bolstered Case and Fastening Points**

36m drop tested for  
extreme durability



## **GEN1 VS GEN2**



**Learn More**

## **Tether Capable**

Integrated thru-hole can be used as  
a tether loop attachment point when  
working at height or as a pivot for  
scribing arcs



## **Blade Barrier**

Protects the first 160mm of the blade  
that prevents tears that shorten the life  
of the blade

**AVAILABLE IN 8m & 10m**



# Trusted by the Trades.



## A Tape For Every Job

**The New Generation 2 is here!**

New G2 tapes have a wider, thicker blade for 5 metres\* reach so measuring jobs get done faster

### SHOCKFORCE G2 - Yellow blade



G2SF832M



G2SF1032M

### SHOCKFORCE G2 Nite Eye - Black blade



G2NE832M



G2NE1032M

**ALL LIGHT CONDITIONS** The G2 Nite Eye tapes have a matte finish, white on black markings to increase the tape's visibility in all light conditions

### SHOCKFORCE G2 Nite Eye Magnetic - Black blade



G2MAGNE832M



New G2 Magnetic tapes are perfect for measuring metal studs or drop ceiling grids and can double as a pick-up tool

### New Improved Belt Clip

Features an integrated lever that opens the clip slightly for easier attachment and release from a tool belt



### WIDER, THICKER BLADE 5m OF STABLE REACH

Improved blade integrity provides longer reach while improving blade retraction and legibility

\* Based on maximum performance



### 2-Sided Blade

Dual-sided blade printed with vertical quick read scale on underside for overhead and hard-to-reach measurements.



### Diamond Coated End Hook

Features 360-degree grasping power and nests flush with tape case for ultimate durability

## Shockforce™ G2



G2SF832M



G2SF1032M



## Shockforce Nite Eye™ G2



G2NE832M



G2MAGNE832M



G2NE1032M

## Shockforce & Shockforce Nite Eye™ G2 Tapes

- Thicker protective blade coating in addition to an extra protective barrier on the first 160mm of the blade to provide increased tape durability
- Wider, thicker blade that provides up to 5 metres of reach
- Improved end hook protects the entire front of the tape and prevents the tape from snagging and tearing
- Bolstered case design provides protection against drops from extreme heights. Drop tested from 36 metres
- Redesigned belt clip makes it easier to place the tape on a pocket, belt or bag
- Dual-sided blade printed with vertical quick read scale on underside for overhead and hard-to-reach measurements
- Steel tether point offers increased safety capability when working at height

Material No.	Description	Shelf Pack
<b>G2SF832M</b>	Shockforce Gen 2 8m x 32mm Tape Measure	10★
<b>G2SF1032M</b>	Shockforce Gen 2 10m x 32mm Tape Measure	10★
<b>G2NE832M</b>	Shockforce Nite Eye Gen 2 8m x 32mm Tape Measure	10★
<b>G2MAGNE832M</b>	Shockforce Nite Eye Magnetic Gen 2 8m x 32mm Tape Measure	10★
<b>G2NE1032M</b>	Shockforce Nite Eye Gen 2 10m x 32mm Tape Measure	10★



# Trusted by the Trades.

## OPTIMISED, COMPACT CASE DESIGN

Provides users a case that is only 76mm wide, fitting comfortably in the palm. Ideal for easy calculations for inside measurements.

## SUPERIOR IMPACT PROTECTION

Dual metal guardrails on both sides of the lock button provide superior protection to keep this tape going strong on the toughest jobsites.

## HIGH VISIBILITY NO-GLARE BLADE

Dual sided high contrast white marking and matte finish provides improved legibility in all light conditions

## WORKING-AT-HEIGHT CAPABILITY

Tether lopp attachment point when working at height and a pivot for scribing and measure circles or arcs

## DIAMOND COATED END HOOK

360° diamond abrasive-coated end hook provides 50% more hook grasp and prevents slippage from various surfaces

## Shockforce Nite Eye™



## Shockforce™




## Shockforce & Shockforce Nite Eye™ Tapes

Material No.	Description	Shelf Pack
NE313M	Shockforce Nite Eye 3m x 13mm Keychain Tape Measure	24★
NE530M	Shockforce Nite Eye 5m x 30mm Tape Measure	10★
NE830M	Shockforce Nite Eye 8m x 30mm Tape Measure	10★
NE1030M	Shockforce Nite Eye 10m x 30mm Tape Measure	10★
SF830M	Shockforce 8m x 30mm Tape Measure	10★
SF1030M	Shockforce 10m x 30mm Tape Measure	10★

TAPE MEASURES

★ THESE PACKS CANNOT BE BROKEN

[www.crescenttool.com.au](http://www.crescenttool.com.au) | 87



TM48MN

TM48MEN



TM410MN



TM410MEN

## FEATURES

- **Compact Design** - Fits easily in the hand
- **Ergonomic** - Co-moulded grip and top lock button for ease of operation
- **Tough** - 4-rivet end hook for superior strength
- **Robust** - ABS plastic case to withstand drops
- **Accurate** - Each tape individually tested for accuracy

## 8m Trade MX Tapes - Yellow Blade

Material No.	Description	Shelf Pack
TM48MN	Trade MX 8m x 25mm Tape Measure	10★
TM48MEN	Trade MX 8m/26' x 25mm Tape Measure	10★

## 10m Trade MX Tapes - White Blade

Material No.	Description	Shelf Pack
TM410MN	Trade MX 10m x 25mm Tape Measure	10★
TM410MEN	Trade MX 10m/33' x 25mm Tape Measure	10★

## Ultimate Tapes

- Accurate measurement - complies with AS 1290-4 1995. In an easy to read black and red print on an all new white tapeline.
- Strong A.B.S. plastic case, built-in shock absorber bumper & removable belt clip.
- Sliding end hook automatically adjusts for inside and outside measurements
- Positive non-slip blade lock



Material No.	Description	Shelf Pack
UW138MN	Ultimate 8m x 19mm Tape Measure	10★
UW148MN	Ultimate 8m x 25mm Tape Measure	10★
UW138MEN	Ultimate 8m/26' x 19mm Tape Measure	10★
UW148MEN	Ultimate 8m/26' x 25mm Tape Measure	10★

## Ezy-Read Tapes

- Ezy-Read Tapeline. Each numeral on the tape is totally distinct from other numbers.
- This enables excellent definition and makes it difficult to misread the measurement.
- Perfect for measuring applications where the tape is directly away from the operator, such as vertical measurements or measuring long objects or items.





Material No.	Description	Shelf Pack
ELW148MN	Ezy-Read 8m x 25mm Tape Measure	10★

## Multi-Read Tape Measure

- Centre scale includes the tape case, for inside measuring. Fits precisely between work edges.
- Left or Right Handed Tape using separate outer scales, synchronised on one face of the tapeline.
- Sure toggle lock button and overcentre lock-shoe
- Small compact tape case



Material No.	Description	Shelf Pack
MR48MN	Multi-Read 8m x 25mm Tape Measure	10★



## AutoLock Tape Measure

- Non-slip co-moulded rubber grip
- Tough Hi-Viz® orange ABS plastic body
- Perfect for layout work and any other situations where a yardstick style tape measure is preferred
- The blade stays extended automatically until you squeeze the release to retract it with maximum control



Material No.	Description	Shelf Pack
AL825M	AutoLock 8m x 25mm Tape measure	8★



## Hi-Viz Tape Measures

- Ergonomic ABS plastic case to fit your hand
- Printed width for calculating internal measurements
- Blade locking mechanism
- Reinforced 3 rivet end hook
- Clear coating blade protection
- Removable belt hook



Material No.	Description	Shelf Pack
NL526SI	Hi-Viz 8m x 25mm Tape Measure	6
NL526ME	Hi-Viz 8m/26' x 25mm Tape Measure	6

## Pro-Grip Tape Measure

- Pro-Grip rubber co-moulded case improves comfort and grip. Durable case design and construction
- Locking mechanism provides effortless, secure locking of the blade without damaging the blade
- Precise, clear and durable markings ensure accuracy and easy measurement under all conditions. Covered by a clear coating for long life
- Reinforced stainless steel end hook provides increased durability and precision
- Belt clip secures tape measure when not in use, which can be removed if preferred



Material No.	Description	Shelf Pack
CP8SI	Pro Grip 8m x 25mm Tape Measure	★24

## Big Boss Tape Measure


- Big Boss heavy duty wide blade tape measure
- Bright Hi-Viz orange and black colour tape case fits firmly in the hand
- Tape blade 8m x 30mm metric only
- Dura blade (nylon) coated blade
- Heavy duty 4 rivet end hook
- Heavy duty belt clip



3.3 Metre STANDOUT



Material No.	Description	Shelf Pack
LBB830	Big Boss 8m x 30mm Tape Measure	8★



## Control Series Tapes

- Drag Strip™ access opening on bottom of tape for measuring and retraction control
- Rigid extra wide blade provides long stand out
- Wide end hook holds better and makes marking easier
- Integrated D-ring for tether strap or easy hanging storage
- 30mm wide blade with 3m stand-out



3 Metre STANDOUT



Material No.	Description	Shelf Pack
CS58SI4	Control Series™ 8m x 30mm Tape Measure	4★
CS213	Control Series™ 2m x 13mm Tape Measure	25★



## Carpenters Pencils

- Available in Medium (Red) and Hard (Green) lead composition
- Colour coded for easy identification
- Rectangle shape prevents the pencil from rolling away
- Lead is protected by a durable and robust outer timber casing
- Designed with the professional user in mind



Material No.	Description	Shelf Pack
CP1	Carpenters Pencil Medium - Red	72★
CP2H	Carpenters Pencil Hard - Green	72★

## Steel Tape

- Double sided blade, metric on top and SAE underneath
- Fold out end hook for 1 person use
- High impact ABS plastic case
- Heavy duty yellow clad blade protected by an abrasion resistant nylon coating
- 3:1 gear ratio for fast blade retrieval



Material No.	Description	Shelf Pack
LST30ME	30m x 10mm Long Steel Tape Measure	5

## Long Tapes - Fibreglass Tape

- 3:1 gear ratio for fast winding
- Handle tucks away for storage and transport
- Durable plastic ring surrounding tapeline and tubular frame sections for added strength, Prevents fibreglass tape from getting dented or twisted
- Large, combination end-hook for versatility and one person use
- Dual sided printed blade with metric on top and SAE underneath
- Increments in cms



Material No.	Description	Shelf Pack
FE30CME	30m/100' x 13mm Long Fibreglass Tape Measure	8
FE60CME	60m/200' x 13mm Long Fibreglass Tape Measure	4
FE90CME	90m/300' x 13mm Long Fibreglass Tape Measure	4



FE30CME



FE60CME



FE90CME

## 2m Bench Top Tape - Vertical Read

- Steel tape, vertical read, 2m long x 13mm wide
- Clear, easy to read graduations with mm markings on both sides and bold red markings every 10cm
- Powerful, peel back adhesive strip securely adheres tape to most surfaces



Material No.	Description	Shelf Pack
LBTV2	Self Adhesive 2m x 13mm Vertical Read Bench Top Tape Measure	12

## Executive Diameter Tape

- Designed for measuring diameters of pipe, cable, tyre or any circular object
- Zero falls in the same place on each side of the blade; conversion from diameter to circumference is made simply by turning the blade
- Yellow clad blade
- Easy-to-read bold graduations on yellow background
- Spring action returns blade to case



Material No.	Description	Shelf Pack
W606PM	6MM X 2M Executive Diameter Pocket Tape	6

## Artisan Chrome Diameter Tape Measure

- One side of tape shows length, distance around object. Other side of tape shows diameters of object measured
- Rugged, vinyl-covered steel case
- .008" thick blade
- Large easy winding drum and friction washers



Material No.	Description	Shelf Pack
C106PMN	10mm x 6m Artisan® Diameter Chrome Clad® Tape Measure	36



## Measuring Wheel - Professional 320mm

- Aggressive tread pattern for improved traction
- Ergonomic, pistol-grip handle for user comfort and control
- Folding design provides minimal storage footprint - now with heavy duty folding mechanism
- Reset button location designed to prevent end user from kicking the button and causing damage

Material No.	Description	Shelf Pack
PSMW48MB	320mm Measuring Wheel Side Counter	4



## Measuring Wheel - Centreline 320mm

- Centered wheel for improved balance and accuracy
- Wheel wiper removes debris ensuring consistent results
- Aggressive tread pattern for improved traction
- Ergonomic, pistol-grip handle for user comfort and control
- Folding design provides minimal storage footprint - now with heavy duty folding mechanism

Material No.	Description	Shelf Pack
PSMW48MCLB	320mm Foldable Centreline Measuring Wheel	4



## Measuring Wheel - Centreline 100mm

- Centreline wheel increases balance and precision when measuring
- Gear-based measuring increases product longevity over traditional belt design
- Ergonomic, pistol-grip handle for user comfort and control
- Telescoping design provide minimal storage footprint
- Measuring range 999.9 metres

Material No.	Description	Shelf Pack
PSMW18NMB	Centreline Compact Measuring Wheel, 100mm	8



## Combination Square

- Stainless steel rule
- Zinc alloy body construction
- Machined surfaces for greater accuracy
- Metal scribe head & knurl nut
- Metric and imperial graduations etched into stainless steel



LCS6




LCS12

Material No.	Description	Shelf Pack
<b>LCS6</b>	150mm/6" Stainless Steel Combination Square	6
<b>LCS12</b>	300mm/12" Stainless Steel Combination Square	6

## Speed Square

- Multi function metric markings
- Strong aluminium body
- Low glare matt black finish with high contrast markings
- Scribing notches - from 2cm to 12cm
- CNC machined edges for greater accuracy and durability



LSS18




LSS300X6

Material No.	Description	Shelf Pack
<b>LSS18</b>	180mm/7" Metric Speed Square	6
<b>LSS300X6</b>	150mm/6" 2-in-1 Extendable Speed Square	6

## Rafter Farming and Carpenters Squares


- Made of high grade, tempered steel
- Thermo bonded graduations white on black & black on yellow background (Ref: NRS24 & LRS24)
- Made in U.S.A. (Ref: NRS24 & LRS24)



Material No.	Description	Shelf Pack
<b>N062</b>	300mm/12" x 200mm/8" Carpenters Square	24
<b>NRS24</b>	Hi Contrast Carpenters Square 600mm x 400mm	6
<b>LRS24</b>	Rafter Square 600mm x 400mm	6

## Folding Rules

- Made of tough, durable engineered plastic
- Hard wearing markings for accurate measurements
- Compact 4-fold construction
- Bevelled edges provide greater access for accurate marking (White rule)
- Straight edge rules are identifiable by the yellow colour



Material No.	Description	Shelf Pack
<b>LFSSIN</b>	1m Square Edge Folding Rule	6
<b>LFBSIN</b>	1m/39" Square Edge Folding Rule	6
<b>LFBSIN</b>	1m White Bevelled Edge Folding Rule	6

**Stainless Steel Rules**

- Rustless steel, deeply etched for easy reading
- Upper edge subdivided mm and 1/2mm; lower edge subdivided 1/8", 1/32" and 1/64"



Material No.	Description	Shelf Pack
LSR150	150mm/6" Stainless Steel Rule	10
LSR300	300mm/12" Stainless Steel Rule	10
LSR600	600mm/24" Stainless Steel Rule	5
LSR1000	1000mm/40" Stainless Steel Rule	5

**Aluminium Metre Stick**

- Lightweight aluminium construction
- Metric and Imperial graduations
- Convenient hang hole for wall mounting
- Hi visible black on yellow marking making it easy to read
- Made in the USA

Material No.	Description	Shelf Pack
LAR1000	1000mm x 35mm Aluminium Metre Stick	10





Trusted by the Trades.



# TOOLS INNOVATIONS

## Our chalk reel design process: Improve. Repeat. Repeat again.

Our revolutionary new 30 metres Professional Chalk Reel has three innovative features that put it ahead of any other reel on the market: A one-way valve makes refilling quick and clean, a locking hub makes snaps neat and fast, and a nesting end hook ends tool bag tangles.

The reel also has a 6:1 gear ratio for faster retraction and braided line for better chalk retention. Use it with new high-visibility Crescent Chalk and get sharp, accurate lines on every snap.

**FASTER**  
**6x**  
**REWIND**

**NESTED**  
  
**END HOOK**

**ROTATING**  
  
**HUB LOCK**

**ENHANCED**  
  
**3X**  
**GRIP**  
**ENDHOOK**

### 30 Metres Professional Reel

A professional-grade chalk reel designed with innovative features for superior performance and improved productivity.



#### Secure Locking Chalk Box Access

Provides traditional refill option

#### Fold-Away Rotating Hub with 6:1 Gear Ratio

For faster rewind and better protection when stored in tool bag



#### Thumb-Activated Hub Lock

Holds line securely to make snapping process cleaner and faster



#### Nesting End Hook

Retracts into case and locks in place, preventing tool bag snags



## Chalk Family

Quality chalk designed for increased line visibility, regardless of the light conditions or surface.



## One-way Chalk Valve

For quick, no-mess refills



**FASTER**  
**3x**  
**REWIND**

## 30 Metres Compact Reel

A quality reel designed in a compact, easy-to-carry size.

## Push-Button Clutch

Disengages line for fast unreeling without handle spin



## Fold-Away Handle

Locks in place to prevent breakage or inadvertent unreeling

## Ergonomic Case

Designed to fit better in hand for easier use and less fatigue. Also available with full aluminum body.





## Lufkin 30m/100' 1:1 Rewind Aluminium Chalk & Reel with Blue Chalk

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



Material No.	Description	Shelf Pack
CLA100AB	30m/100' 1:1 Rewind Aluminium Chalk & Reel with Blue Chalk	9

## Lufkin 30m/100' 3:1 Rewind Chalk & Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



CLP100R

Material No.	Description	Shelf Pack
CLP100B	30m/100' 3:1 Rewind Chalk & Reel with Blue Chalk	8
CLP100R	30m/100' 3:1 Rewind Chalk & Reel with Red Chalk	8

## Lufkin 30m/100' 6:1 Rewind Contractor Chalk & Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



CL100B

Material No.	Description	Shelf Pack
CL100B	30m/100' 6:1 Rewind Contractor Chalk & Reel with Blue Chalk	6
CL100R	30m/100' 6:1 Rewind Contractor Chalk & Reel with Red Chalk	6



## Lufkin 30m/100' 6:1 Rewind Professional Aluminium Chalk & Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



CLA100R

Material No.	Description	Shelf Pack
CLA100B	30m/100' 6:1 Rewind Professional Aluminium Chalk & Reel with Blue Chalk	6
CLA100R	30m/100' 6:1 Rewind Professional Aluminium Chalk & Reel with Red Chalk	6

## Lufkin 30m/100' 1:1 Rewind Aluminium Chalk Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



Material No.	Description	Shelf Pack
CLA100A	30m/100' 1:1 Rewind Aluminium Chalk Reel	9

## Lufkin 30m/100' 3:1 Rewind Chalk Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



Material No.	Description	Shelf Pack
CLP100	30m/100' 3:1 Rewind Chalk Reel	9

### Lufkin 30m/100' 6:1 Rewind Contractor Chalk Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



Material No.	Description	Shelf Pack
CL0100	30m/100' 6:1 Rewind Contractor Chalk Reel	6

### Lufkin 30m/100' 6:1 Rewind Professional Aluminium Chalk Reel

- Single hand hub lock allows user to stop line in place and snap lines with only one hand
- Nesting end hook retracts into a nested position, protecting the hook from unwanted snags
- Reinforced string perfectly braided for the best balance between chalk retention and reduced overspray
- One-way chalk refill valve designed for quick refills without the mess



Material No.	Description	Shelf Pack
CLA100	30m/100' 6:1 Rewind Professional Aluminium Chalk Reel	6

## Lufkin 226g/8 oz. Chalk Refill

- Marking chalk for use with chalk reels
- Unique bottle geometry prevents the bottle from rolling on sloped surfaces
- Easy fill bottle top design allows chalk to flow faster for quick refills



Material No.	Description	Shelf Pack
CB08B	226g/8 oz. Blue Chalk Refill	4
CB08BL	226g/8 oz. Black Chalk Refill	4
CB08R	226g/8 oz. Red Chalk Refill	4

## Lufkin 1.15kg/2.5 lbs. Chalk Refill

- Marking chalk for use with chalk reels
- Unique bottle geometry prevents the bottle from rolling on sloped surfaces
- Easy fill bottle top design allows chalk to flow faster for quick refills



CB25B

Material No.	Description	Shelf Pack
CB25B	1.15kg/2.5 lbs. Blue Chalk Refill	2
CB25R	1.15kg/2.5 lbs. Red Chalk Refill	2

## Torpedo Level

- 3 Vial - Horizontal, vertical and 45 degree
- Magnetic measuring surface
- Multi-purpose level for everyday use
- Plastic (ABS) construction
- Lifetime guarantee against leakage or fading of vial



Material No.	Description	Shelf Pack
PTM520	90mm x 250mm Magnetic Plastic Torpedo Level	5

## Inclinometer Level - NM13

- Inclinometer plate that can attach to a spirit level to help calculate angles or gradients
- The circular scale measures values:
  1. Includes 130mm x 130mm inclinometer plate attached to a 130mm "box section level" with magnetized base to attach to other levels or straight edges
  2. Angle degrees 4 x 90°, 1 division = 0.5°
  3. Gradients 0-100 %
  4. Incline ratios



Material No.	Description	Shelf Pack
645015EM	130mm Inclinometer to fit into Magnetic level	20



## Inclinometer Level - NAM50

- Inclinometer plate that can attach to a spirit level to help calculate angles or gradients
- The circular scale measures values:
  1. Angle degrees 4 x 90°, 1 division = 0.5°
  2. Gradients 0-100 %
  3. Incline ratios



Material No.	Description	Shelf Pack
645050EM	500mm Inclinometer on Magnetic Level	20

## Bricklayer's Line

- Hi Viz colours (Pink and Lime)
- Lengths available: 50m & 100m
- No. 8 braided line ensures maximum strength and durability
- Convenient spool to house the line"



LBL50L



LBL100P

Material No.	Description	Shelf Pack
LBL50P	50m No.8 Pink Bricklayer's Line	12★
LBL50L	50m No.8 Lime Bricklayer's Line	12★
LBL100P	100m No.8 Pink Bricklayer's Line	12★
LBL100L	100m No.8 Lime Bricklayer's Line	12★

## Self Levelling Green Multi Line Laser Level Kit

- Green laser (visible for longer than red lasers)
- Cross line and plumb up and plumb down
- Includes tripod and belt holster
- Auto levelling
- Auto shutdown upon excessive tilting



Cat No.	Shelf Pack
LCL35G	12

### Set Contains:

Laser level	Level built into the tripod
2 x AA batteries	Metal tripod socket
User manual	Smooth height adjustment (28-66cm)
Tripod	Self-levelling laser level
Belt pouch	

## Optical Auto Level X20 Kit

- General surveying up to 200m, sited slab preparation, determining water drainage, kitchen cupboards, wall and floor tiling
- Dampened compensator
- Compensator lock protects instrument during transport or storage
- The lock can also be used as a compensator checking tool
- Top-mounted optical peep-sight for quick reference
- Large, easy to use focusing knob
- Levelling screws
- Weather sealed housing
- 5/8" x 11 tpi thread to fit standard tripods
- Safety orange for easy visibility on building sites



Cat No.	Shelf Pack
LAL20XKT	1

### Set Contains:

Auto Level (20X), survey rod, dome head, tripod, hard carry case, safety vest

## Accessories - Flat Head Tripod

- Quick action set up
- Heavy duty ground spikes for stability
- Flat head style
- 5/8" thread connector
- Closed length: 990mm
- Extended length: 1650mm

### FLAT HEAD

Flat head with 5/8" x 11 tpi thread will accept most standard dumpy and Laser levels

### HEAVY DUTY GROUND SPIKES

Feet have hardened point and step for quick and easy seating in softer surfaces

### QUICK SET & RELEASE

Quick release leg clamps for quick and easy height adjustment. Collapsed height 990mm  
Extended height 1350mm

### CARRY STRAP

Strong Webbing carry strap for storage which includes a convenient carry strap which can be slung over the shoulder

### STABILITY


Chains to limit leg movement for improved stability on slippery surfaces



Material No.	Description	Shelf Pack
TR3034	1650mm 5/8" Thread Flat Head Tripod	4

## Accessories - Survey Rod, 4m

- Aluminium construction
- Lightweight and portable
- Front displays measurements in 5mm increments for ease of reading at longer distances
- Back displays measurements in mm
- Bubble vial for accurate vertical alignment



Material No.	Description	Shelf Pack
LS3034	4m Telescopic Survey Rod	10





## The Crescent Nicholson Brand

Today, as Crescent Nicholson, the brand is a market leader for manual material removal products from Apex Tool Group. The extensive Crescent Nicholson line of products includes files, rasps, saws, and accessories.

Crescent Nicholson manual material removal products are among the more than 2,600 quality hand tool products offered under the Crescent name – products professional tradespeople know they can trust to get the job done right.



Trusted by the Trades.


## Shaping

Files • File Sets



## File Terminology


Length is measured exclusive of tang, from point to heel. Desired stroke length, type of material and its size will determine length required.



## Kinds of Teeth



Single set of parallel, diagonal rows of teeth. Single-cut files are often used with light pressure to produce a smooth surface finish or to put a keen edge on knives, shears or saws.



Two sets of diagonal rows of teeth. The second set of teeth is cut in the opposite diagonal direction and on top of the first set. The first set of teeth is known as the overcut while the second set of teeth is called the upcut. The upcut is finer than the overcut. The double-cut file is used with heavier pressure than the single-cut and removes material faster from the workplace.



Teeth arranged in curved contours across the file face. The curved-cut file is normally used in automotive body shops for smoothing body panels.

## Description



Work to be accomplished, roughing or finishing, will determine type of teeth and coarseness for each application. Most files are available with three grades of cut: bastard-cut, second-cut and smooth-cut.

The degree of coarseness is greater in longer files, but differences between bastard, second-cut and smooth are proportionate.

# THE RIGHT FILE FOR THE JOB

HAND FILE:	For finishing flat surfaces.
ROUND FILE:	For circular openings and concave surfaces.
HALF ROUND FILE:	For flat, concave and convex surfaces.
HANDY FILE:	For tool sharpening and general filing.
MAGICUT FILE:	For use on aluminium, brass, bronze, copper, hard plastics, stainless steel.
SQUARE FILE:	For filing slots, key seats and general surface filing.
HALF ROUND WOOD RASP:	For use on wood and soft metals.
CHAINSAW FILE:	For sharpening round, hooded chainsaw teeth.
WOODCRAFT FILE:	For use on wood, leather and soft metals.
DOUBLE ENDER FILE:	For sharpening saws with 60° angle.
FLAT FILE:	For general work on iron, steel, etc.
WARDING FILE:	Locksmith's file for ward notches in keys and narrow places.
CANTSAW FILE:	For sharpening circular saw blades.
BODIFILE FILE:	For automotive panel filing.
MILL FILE:	For draw filing in machine shops, fine finishing and tool sharpening, Also used to file large circular saw blades.
TAPER FILES:	For sharpening hand saws.
SWISS PATTERN FILES:	For exact filing of extremely fine cuts. Suitable for toolmakers, watchmakers and jewellers.

**Carded Files  
with handle**

**Bulk  
Uncarded Files  
- no handle**



## Care of the file

The teeth of the file should be protected when the file is not in use by hanging it in a rack or keeping it in a draw with divisions.

Files should always be kept clear of water or grease since this impairs the filing actions. It is advisable to wrap the file in cloth for protection when it is carried in a tool box.

The file teeth should be kept clean at all times by using a file card to clear the grooves between the teeth or a wire file brush.

## Chainsaw File with Cushion Grip Handle - Carded

- American pattern file with knurl cut
- Tighten tension on chain to firmly support cutters when filing
- Place file against beveled cutting surface of teeth 20° to 45° with saw
- File from inside to outside of cutter
- Sharpen all left-hand cutters on one side of chain and move to the other side and file all the right-hand cutters



Material No.	Description	Shelf Pack
901716C	200mm/8" x 4.0mm Chainsaw File with Cushion Grip Handle	5
901765C	200mm/8" X 4.8mm Chainsaw File with Cushion Grip Handle	5
901888C	200mm/8" x 5.6mm Chainsaw File with Cushion Grip Handle	5
901971C	200mm/8" x 6.4mm Chainsaw File with Cushion Grip Handle	5
901590C	150mm/6" x 3.2mm Chainsaw File with Cushion Grip Handle	5

## Flat Aluminium - Bulk (No Handle)

- American pattern, flat file specifically designed to file aluminium
- Special tooth construction eliminates clinging and clogging when filing aluminium
- Flat shape fits into restricted areas and removes material quickly
- All sizes have same number of teeth per inch
- Obtain a smooth finish by using a shearing cut in a leftward motion



Material No.	Description	Shelf Pack
00070NN	300mm/12" Flat Double Cut Aluminium Type "A" File	6★

## Flat Bastard with Cushion Grip Handle - Carded

- Bastard cut, American pattern flat file
- Ideal for machinists, machinery builders, ship and engine builders
- Can be used effectively by repairmen and others who require rapid removal of metal
- Rectangular cross section allows you to smooth and sharpen straight surfaces, while slight taper in width towards the file's point creates ease of access in slots



Material No.	Description	Shelf Pack
903468C	150mm/6" Flat Bastard File with Cushion Grip Handle	5
903567C	200mm/8" Flat Bastard File with Cushion Grip Handle	5
903666C	250mm/10" Flat Bastard File with Cushion Grip Handle	5
903765C	300mm/12" Flat Bastard File with Cushion Grip Handle	5

## Flat second Cut - Bulk (No Handle)

- Bastard cut, American pattern flat file
- Ideal for machinists, machinery builders, ship and engine builders
- Can be used effectively by repairmen and others who require rapid removal of metal
- Rectangular cross section allows you to smooth and sharpen straight surfaces, while slight taper in width towards the file's point creates ease of access in slots



Material No.	Description	Shelf Pack
03500NN	150mm/6" Flat Double Cut Second File	12★
03599NN	200mm/8" Flat Double Cut Second File	12★

## Flat Second Act with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
903501C	150mm/6" Flat Second File with Cushion Grip Handle	5
903600C	200mm/8" Flat Second File with Cushion Grip Handle	5
903699C	250mm/10" Flat Second File with Cushion Grip Handle	5
903798C	300mm/12" Flat Second File with Cushion Grip Handle	5



## Flat Smooth - Bulk (No Handle)

- Bastard cut, American pattern flat file
- Ideal for machinists, machinery builders, ship and engine builders
- Can be used effectively by repairmen and others who require rapid removal of metal
- Rectangular cross section allows you to smooth and sharpen straight surfaces, while slight taper in width towards the file's point creates ease of access in slots
- Double-cut on the sides for rough filing and single-cut on the edges for a smooth finish



Material No.	Description	Shelf Pack
03929NN	355mm/14" Flat Double Cut Smooth File	6★

## Flat Smooth with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
903712C	150mm/6" Flat Smooth File with Cushion Grip Handle	5
903722C	200mm/8" Flat Smooth File with Cushion Grip Handle	5
903732C	250mm/10" Flat Smooth File with Cushion Grip Handle	5
903742C	300mm/12" Flat Smooth File with Cushion Grip Handle	5





## Half Round Bastard - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Perfect for use on concave, convex, and flat surfaces
- Two-sided file is rounded on 1 side and flat on the other, so you can round out holes with ease
- Rounded sides of pipeliner files are single-cut, allowing you to quickly remove material from the work piece
- This pipeliner file from Crescent Nicholson features single-cut sides



Material No.	Description	Shelf Pack
04695N	100mm/4" Half Round Double Cut Bastard File	12★
05194N	355mm/14" Half Round Double Cut Bastard File	6★

## Half Round Bastard with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
904796C	150mm/6" Half Round Bastard File with Cushion Grip Handle	5
904897C	200mm/8" Half Round Bastard File with Cushion Grip Handle	5
904996C	250mm/10" Half Round Bastard File with Cushion Grip Handle	5
905095C	300mm/12" Half Round Bastard File with Cushion Grip Handle	5



## Half Round Second Cut - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Perfect for use on concave, convex, and flat surfaces
- Two-sided file is rounded on 1 side and flat on the other, so you can round out holes with ease
- Rounded sides of pipeliner files are single-cut, allowing you to quickly remove material from the work piece



Material No.	Description	Shelf Pack
04729N	100mm/4" Half Round Double Cut Second File	12★

## Half Round Second Cut with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
904829C	150mm/6" Half Round Second File with Cushion Grip Handle	5
904928C	200mm/8" Half Round Second File with Cushion Grip Handle	5
905027C	250mm/10" Half Round Second File with Cushion Grip Handle	5
905126C	300mm/12" Half Round Second File with Cushion Grip Handle	5



## Half Round Smooth - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Perfect for use on concave, convex, and flat surfaces
- Two-sided file is rounded on 1 side and flat on the other, so you can round out holes with ease



Material No.	Description	Shelf Pack
<b>04762N</b>	100mm/4" Half Round Double Cut Smooth File	<b>6★</b>
<b>04861N</b>	150mm/6" Half Round Double Cut Smooth File	<b>12★</b>
<b>05158N</b>	300mm/12" Half Round Double Cut Smooth File	<b>6★</b>

## Half Round Smooth with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
<b>905200C</b>	200mm/8" Half Round Second File with Cushion Grip Handle	5
<b>905250C</b>	250mm/10" Half Round Second File with Cushion Grip Handle	5



## Half Bastard 1SE - Bulk (No Handle)

- American pattern hand file, bastard cut for medium-duty material removal
- Rectangular shape for efficient filing across a large surface
- Double-cut abrasive surfaces perfect for widening holes or smoothing a plane
- One safe edge to protect finished surfaces or your hands during use
- Coarseness matches flat files of the same length"



Material No.	Description	Shelf Pack
<b>05853N</b>	200mm/8" Rectangular Double Cut Bastard File	<b>12★</b>
<b>05968N</b>	250mm/10" Rectangular Double Cut Bastard File	<b>6★</b>
<b>06084N</b>	300mm/12" Rectangular Double Cut Bastard File	<b>6★</b>

## Hand Second Cut 1SE - Bulk (No Handle)


- American pattern hand file, second cut medium-duty material removal
- Rectangular shape for efficient filing across a large surface
- Double-cut abrasive surfaces perfect for widening holes or smoothing a plane
- One safe edge to protect finished surfaces or your hands during use
- Coarseness matches flat files of the same length



Material No.	Description	Shelf Pack
05771N	150mm/6" Rectangular Double Cut Second File	12★
05886N	200mm/8" Rectangular Double Cut Second File	12★
06001NN	250mm/10" Rectangular Double Cut Second File	6★
06117N	300mm/12" Rectangular Double Cut Second File	6★

## Hand Smooth 1SE - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Rectangular shape for efficient filing across a large surface
- Double-cut abrasive surfaces perfect for widening holes or smoothing a plane
- One safe edge to protect finished surfaces or your hands during use



Material No.	Description	Shelf Pack
05804N	150mm/6" Rectangular Double Cut Smooth File	12★
05919N	200mm/8" Rectangular Double Cut Smooth File	12★
06034N	250mm/10" Rectangular Double Cut Smooth File	6★
06150N	300mm/12" Rectangular Double Cut Smooth File	6★

## Handy File 1SE (No handle included) - Carded

- American pattern handy file
- Single cut on one side allows you to sharpen and smooth metal surfaces
- Double cut on the reverse side can be used for general filing and rapid stock removal
- Rectangular shape lets you smooth and sharpen straight surfaces



Material No.	Description	Shelf Pack
06601NN	200mm/8" Rectangular Double/Single Cut Handy File	6

## Long Angle Lathe, Fine Cut 2SE - Bulk (No Handle)

- American pattern flat long-angle lathe file
- Rapid, free-cutting files designed for lathe filing on wood or soft metals
- Rectangular shape is reliably strong and has a wide surface for faster filing
- Single-cut pattern is perfect for smoothing edges or precision work



Material No.	Description	Shelf Pack
07851N	300mm/12" Flat Fine Cut Long Angle Lathe File	6★

## Magicut Flat All Purpose - Bulk (No Handle)

- American pattern flat Magicut® file
- All-purpose file is ideal for machinists and removes stock rapidly for a fast and efficient application
- Rectangular shape allows you to smooth and sharpen straight surfaces
- Narrow chip breaker pattern created by steep, angled serrations helps quickly remove material and provides a smoother finish



Material No.	Description	Shelf Pack
07917NN	250mm/10" Flat Magicut® File	6★
07941NN	300mm/12" Flat Magicut® File	6★

## Magicut Flat All Purpose with Cushion Grip Handle - Carded



Material No.	Description	Shelf Pack
907918C	250mm/10" Flat Magicut® File with Cushion Grip Handle	5



## Square Edge - Millsaw File (2SE Bastard) - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Sharpens mill or circular saws
- Great for draw filing and finishing metals
- Rectangular shape lets you smooth and sharpen straight surfaces
- Single-cut texture on the sides and edges for applying a smooth finish



Material No.	Description	Shelf Pack
08642NN	250mm/10" Mill Single Cut Bastard File	12★



## Square Edge - Millsaw File (2SE Bastard) with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
908355C	150mm/6" Mill Bastard 2SE File with Cushion Grip Handle	5
908498C	200mm/8" Mill Bastard 2SE File with Cushion Grip Handle	5
908643C	250mm/10" Mill Bastard 2SE File with Cushion Grip Handle	5
908738C	300mm/12" Mill Bastard 2SE File with Cushion Grip Handle	5

## Square Edge - Millsaw File (2SE Second Cut) - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Sharpens mill or circular saws
- Great for draw filing and finishing metals
- Rectangular shape lets you smooth and sharpen straight surfaces
- Single-cut texture on the sides and edges for applying a smooth finish



Material No.	Description	Shelf Pack
08673NN	250mm/10" Mill Single Cut Second File	12★
08768NN	300mm/12" Mill Single Cut Second File	6★



## Square Edge - Millsaw File (2SE Second Cut) with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
908674C	250mm/10" Mill Second 2SE File with Cushion Grip Handle	5

## Square Edge - Millsaw File (2SE Smooth) - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Sharpens mill or circular saws
- Great for draw filing and finishing metals
- Rectangular shape lets you smooth and sharpen straight surfaces
- Single-cut texture on the sides and edges for applying a smooth finish



Material No.	Description	Shelf Pack
08799NN	300mm/12" Mill Single Cut Smooth File	6★

## Millsaw Files (Regular) - 1RE Bastard with Cushion Grip Handle - Carded

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Rectangular shape for efficient filing across a large surface
- Double-cut abrasive surfaces perfect for widening holes or smoothing a plane
- One safe edge to protect finished surfaces or your hands during use



Material No.	Description	Shelf Pack
909100C	200mm/8" Mill Bastard 1RE File with Cushion Grip Handle	5
909180C	250mm/10" Mill Bastard 1RE File with Cushion Grip Handle	5
909228C	300mm/12" Mill Bastard 1RE File with Cushion Grip Handle	5

## Rounded Smooth - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Sharpens mill or circular saws
- Great for draw filing and finishing metals
- Rectangular shape lets you smooth and sharpen straight surfaces
- Single-cut texture on the sides and edges for applying a smooth finish



Material No.	Description	Shelf Pack
11781	150mm/6" Round Smooth File	12★
11969	200mm/8" Round Single Cut Smooth File	12★
12084	250mm/10" Round Single Cut Smooth File	12★
12199	300mm/12" Round Single Cut Smooth File	6★

## Round Second Cut - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Can be used to file circular openings or concave surfaces
- Single cut construction provides light removal of material and slightly smoother edges



Material No.	Description	Shelf Pack
12166	300mm/12" Round Single Cut Second File	6★

## Round Second Cut with Cushion Grip Handle - Carded



Material No.	Description	Shelf Pack
911749C	150mm/6" Round Second File with Cushion Grip Handle	5
911937C	200mm/8" Round Second File with Cushion Grip Handle	5
912052C	250mm/10" Round Second File with Cushion Grip Handle	5

## Round Bastard - Bulk (No Handle)

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Can be used to file circular openings or concave surfaces
- Single cut construction provides light removal of material and slightly smoother edges



Material No.	Description	Shelf Pack
11904	200mm/8" Round Single Cut Bastard File	12★

## Round Bastard with Cushion Grip Handle - Carded



Material No.	Description	Shelf Pack
911526C	100mm/4" Round Bastard File with Cushion Grip Handle	5
911717C	150mm/6" Round Bastard File with Cushion Grip Handle	5
911905C	200mm/8" Round Bastard File with Cushion Grip Handle	5
912020C	250mm/10" Round Bastard File with Cushion Grip Handle	5
912135C	300mm/12" Round Bastard File with Cushion Grip Handle	5

### Square Bastard - Bulk (No Handle)

- Used on slots, keyways and general surface filing
- Double cut for faster material removal
- Tapered slightly towards point
- Larger sizes frequently preferred to corresponding flat files due to a heavier section and four filing surfaces



Material No.	Description	Shelf Pack
13310	300mm/12" Square Double Cut Bastard File	6★



### Square Bastard with Cushion Grip Handle - Carded

Material No.	Description	Shelf Pack
912968C	150mm/6" Square Bastard File with Cushion Grip Handle	5
913082C	200mm/8" Square Bastard File with Cushion Grip Handle	5
913197C	250mm/10" Square Bastard File with Cushion Grip Handle	5

### Square Second Cut - Bulk (No Handle)

- Used on slots, keyways and general surface filing
- Double cut for faster material removal
- Tapered slightly towards point
- Larger sizes frequently preferred to corresponding flat files due to a heavier section and four filing surfaces"



Material No.	Description	Shelf Pack
13000N	150mm/6" Square Second Cut File	12★
13114	200mm/8" Square Double Cut Second File	12★
13343	300mm/12" Square Double Cut Second File	6★



## Square Smooth - Bulk (No Handle)

- Used on slots, keyways and general surface filing
- Double cut for faster material removal
- Tapered slightly towards point
- Larger sizes frequently preferred to corresponding flat files due to a heavier section and four filing surfaces



Material No.	Description	Shelf Pack
13033	150mm/6" Square Double Cut Smooth File	12★
13147	200mm/8" Square Double Cut Smooth File	12★
13262	250mm/10" Square Double Cut Smooth File	12★

## Taper (Slim) with Cushion Grip Handle - Carded

- Used on slots, keyways and general surface filing
- Double cut for faster material removal
- Tapered slightly towards point
- Larger sizes frequently preferred to corresponding flat files due to a heavier section and four filing surfaces



Material No.	Description	Shelf Pack
914107C	100mm/4" Slim Taper File with Cushion Grip Handle	5
914163C	125mm/5" Slim Taper File with Cushion Grip Handle	5
914225C	150mm/6" Slim Taper File with Cushion Grip Handle	5
914256C	175mm/7" Slim Taper File with Cushion Grip Handle	5
914291C	200mm/8" Slim Taper File with Cushion Grip Handle	5

## Taper (Extra Slim) with Cushion Grip Handle - Carded

- Used on slots, keyways and general surface filing
- Double cut for faster material removal
- Tapered slightly towards point
- Larger sizes frequently preferred to corresponding flat files due to a heavier section and four filing surfaces



Material No.	Description	Shelf Pack
914548C	100mm/4" Extra Slim Taper File with Cushion Grip Handle	5
914666C	150mm/6" Extra Slim Taper File with Cushion Grip Handle	5

## Warding Bastard with Cushion Grip Handle - Carded

- American pattern warding file, second cut for medium duty material removal
- Used primarily by locksmiths in repairing and filing the ward notches in keys
- Thin rectangular shape lets you work on fine objects or in small areas
- Double-cut on sides and single-cut on edges for more versatile performance
- Also suited for use in narrow spaces where other files won't fit



Material No.	Description	Shelf Pack
<b>916508C</b>	100mm/4" Warding Bastard File with Cushion Grip Handle	5
<b>916664C</b>	150mm/6" Warding Bastard File with Cushion Grip Handle	5

## Warding Smooth - Bulk [No Handle]

- American pattern warding file, smooth cut
- Used primarily by locksmiths in repairing and filing the ward notches in keys
- Thin rectangular shape lets you work on fine objects or in small areas
- Double-cut on sides and single-cut on edges for more versatile performance
- Also suited for use in narrow spaces where other files won't fit



Material No.	Description	Shelf Pack
<b>16573NN</b>	100mm/4" Flat Double/Single Cut Warding Smooth File	12★
<b>16729NN</b>	150mm/6" Flat Double/Single Cut Warding Smooth File	12★
<b>16827NN</b>	200mm/8" Flat Double/Single Cut Warding Smooth File	12★

## Rasp [Cabinet Rasp] Half Round Regular with Cushion Grip Handle - Carded

- American pattern rasp with a bastard cut for rapid material removal
- Used by woodworkers, hobbyists and plumbers
- Ideal for use removing stock from wood or soft metal materials
- Used in places for which their shapes make them particularly effective
- Tanged design integrates with any Crescent Nicholson adjustable handle



Material No.	Description	Shelf Pack
<b>917616C</b>	200mm/8" Cabinet Regular Rasp with Cushion Grip Handle	5
<b>917684C</b>	250mm/10" Cabinet Regular Rasp with Cushion Grip Handle	5

## Wood Rasp- Half Round Bastard - Bulk

- American pattern rasp with a bastard cut
- Used by woodworkers, hobbyists and plumbers
- Ideal for use removing stock from wood or soft metal materials
- Used in places for which their shapes make them particularly effective
- Tanged design integrates with any Crescent Nicholson adjustable handle



Material No.	Description	Shelf Pack
19493N	355mm/14" Half Round Bastard Cut Wood Rasp	6★




## Wood Rasp- Half Round Bastard - Carded

Material No.	Description	Shelf Pack
919395C	200mm/8" Wood Rasp	5
919428C	250mm/10" Wood Rasp	5

## Horse Rasp - Bulk (No Handle)

- American pattern rasp
- Maximum cutting surface design gives rapid removal and smoother finish
- Single cut on edges for applying a smooth finish
- Opposite side has the unique Crescent Nicholson Magicut® file pattern
- Narrow chip breakers created by steep angled serrations reduce clogging



Material No.	Description	Shelf Pack
17903N	355mm/14" Flat Double Ended Horse Rasp	6★

## Contact Point File - Carded (No Handle)

- American pattern rasp
- Maximum cutting surface design gives rapid removal and smoother finish
- Single cut on edges for applying a smooth finish
- Opposite side has the unique Crescent Nicholson Magicut® file pattern
- Narrow chip breakers created by steep angled serrations reduce clogging



Material No.	Description	Shelf Pack
921985C	133mm/5-1/4" Contact Point File	5

## File Handles

- Handle holds files, reamers, hacksaw blades, and other tools, allowing you to work with a full line of instruments
- Adjustable, steel jaws clamp to the entire length of the tang for a powerful hold in tough working environments
- Large, quick adjusting knob offers fast tool changes, so you can swap files with ease



21474H



21474U

Material No.	Description	Shelf Pack
21474H	114mm/4-1/2" Ergonomic File Handle with Inserts	6
21474U	125mm/5" Universal File and Saw Handle	3

## 5 Pc. 250mm/10" File Set in Zippered Case

- Precision cut teeth ensure fast material removal and highest performance standards
- Specially hardened steel to ensure the teeth stay sharper for longer
- Set Includes: Flat bastard, half round 2nd cut, round bastard, mill saw bastard, square 2nd cut.



Cat No.	Shelf Pack
NFS510	8

Set Contains	
Flat bastard	Round bastard
Half round 2nd cut	Millsaw bastard,
Square 2nd cut	



## 5 Pc. 200mm/8" File Set in Zippered Case

- Precision cut teeth ensure fast material removal and highest performance standards
- Specially hardened steel to ensure the teeth stay sharper for longer
- Set Includes: Flat bastard, half round 2nd cut, round bastard, mill saw bastard, square 2nd cut.



Cat No.	Shelf Pack
NFS58	8

Set Contains	
Flat bastard	Round bastard
Half round 2nd cut	Millsaw bastard,
Square 2nd cut	

## 9 Pc. 15mm/6", 200mm/8", 250mm/10" & 300mm/12" Maintenance File Set with Ergonomic Handles

- Set includes must-have files, which cover a wide range of usage scenarios
  - Includes four 10" bastard cut files
  - Two 6" tapered files
  - Two 8" bastard cut files
  - One 12" mill bastard cut file
- Rubber-coated ergonomic handles for better comfort and control
- Includes pouch for storage and organization



Cat No.	Shelf Pack
22030HNNN	2

Set Contains	
12" mill bastard cut,	10" round bastard
10" flat bastard cut	8" flat bastard cut
10" mill bastard cut	8" half round bastard cut
10" half round bastard cut	6" slim taper file
6" XX slim taper file	

### 3 Pc. 150mm/6" Bastard File Set with Ergonomic Handles

- Set includes half round bastard, mill bastard, round bastard files
- Rubber-coated ergonomic handles for better comfort and control
- Bastard coarseness grade for a rough finish
- Basic selection for home and professional use
- Includes pouch for storage and organization



Cat No.

Shelf Pack

22015HNNN

8

#### Set Contains

6" mill bastard cut

6" round bastard cut

6" half round bastard cut

### 6 Pc. Precision File Set

- Manufactured from hardened & tempered carbon steel
- Comfort grip handle



Cat No.

Shelf Pack

NPFS6

6

#### Set Contains

Flat parallel

Square

Flat tapered

Half round

Round

Triangular

## 3 Pc. 150mm/6" Bastard File Set with Ergonomic Handles

- Ideal for restoring damaged or worn external threads on bolts and pipes
- Thread restoring files can be used with 8 different thread sizes, allowing you to find a true fit effortlessly
- 4-piece set offers 4 convenient file sizes for quick and effective application
- Color caps on tubes help identify the file type, so you can select the tool you need with ease



Cat No.	Shelf Pack
<b>T33024</b>	36

Set Contains	
Type 1 Black Cap: Regular Bolt; 11, 12, 13, 14, 16, 18, 20, 24 Tpi	Type 8 Blue Cap: Metric Bolt; .80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 mm
Type 2 Red Cap: Ex. Fine/Ex. Coarse Bolt; 9, 10, 12, 16, 20, 27, 28, 32 Tpi	No. 2 extra fine/extra coarse thread restoring file, No. 8 metric bolt thread restoring file, No. 1 regular bolt thread restoring file, No. 7 regular pipe restoring File
Type 7 Green Cap: Regular Pipe; 8, 10, 11 1/2, 14, 16, 18, 24, 27 Tpi	

## File Brush

- Perfect for general cleaning of file teeth
- Helps remove fillings, dirt, rust, burrs, corrosion, and most buildups of foreign material on metal
- File card and brush unclog teeth on finer cut files, allowing the abrasive to cut properly each time
- Wood base construction offers durability and ease of grip, so you can work confidently over time
- Cleaning files helps with long lasting performance



Material No.	Description	Shelf Pack
<b>21458</b>	250mm/10" File Card & Brush	10







Trusted by the Trades.

A close-up photograph showing a person's hand using a red-handled pry bar to lift a red strip from a wooden floor. The strip has the words "DUAL PURPOSE CARPET" printed on it in white. The floor is made of light-colored wood planks. A white baseboard is visible in the upper right corner.

## Striking & Struck

Hammers • Wrecking & Pry Bars

## Strike Out Vibration

Crescent, the brand that has brought market-leading innovation to numerous hand tool categories, now brings that same innovation to our line of professional hammers. Forged steel heads and handles with revolutionary Vibeguard™ technology make these hammers best-in-class at vibration reduction. Crescent hammers are also precisely balanced for better swing force and have a 15% larger sweet spot for greater accuracy with every swing.



### VibeGuard™ Vibration Control System

Utilizes vibration dampening slot technology, coupled with a vibration control handle made from proprietary materials to minimize vibration when striking by 70%

### Textured Fawn's Foot Grip/Tether Ready

Ergonomically sound and sure grip

### Optimized Strike Face

15% larger bell to minimize mishits, and optimizes market leading power to weight performance

### Magnetic Nail Starter

Stronger, faster way to one-handed nail set





## 20 oz Steel General Purpose Rip Hammer

- Utilises vibration dampening slot technology, coupled with a vibration control handle made from proprietary materials to minimise vibration when striking by 70%
- Optimised strike face with 15% larger sweet spot to prevent miss hit and provide greater impact
- Magnetic nail starter holds nails securely under the hammer head for quick and easy one hand nail starting
- Textured fawn's foot grip gives users an ergonomically sound and sure grip on the hammer
- Precision-balanced design with precise weight distribution leads to better accuracy and amplifies force of each swing



Material No.	Description	Shelf Pack
CHSGP20	20 oz./566gm VibeGuard™ Steel General Purpose Rip Hammer	4

## 22 oz Steel Milled-Face Framing Hammer

- Utilises vibration dampening slot technology, coupled with a vibration control handle made from proprietary materials to minimise vibration when striking by 70%
- Optimised strike face with 15% larger sweet spot to prevent miss hit and provide greater impact
- Magnetic nail starter holds nails securely under the hammer head for quick and easy one hand nail starting
- Textured fawn's foot grip gives users an ergonomically sound and sure grip on the hammer
- Precision-balanced design with precise weight distribution leads to better accuracy and amplifies force of each swing



Material No.	Description	Shelf Pack
CHSFRM22	22 oz./624gm VibeGuard™ Steel Milled-Face Framing Hammer	4

## 22 oz. Steel Milled-Face Demolition Hammer

- Utilises vibration dampening slot technology, coupled with a vibration control handle made from proprietary materials to minimise vibration when striking by 70%
- Optimised strike face with 15% larger sweet spot to prevent miss hit and provide greater impact
- Magnetic nail starter holds nails securely under the hammer head for quick and easy one hand nail starting
- Precision-balanced design with precise weight distribution leads to better accuracy and amplifies force of each swing
- Board bender for persuading, positioning, straightening, or bending boards



Material No.	Description	Shelf Pack
CHSDM22	22 oz./624gm VibeGuard™ Steel Milled-Face Demolition Hammer	4

## 24 oz. Steel Brick Hammer

- One piece forged from high quality solid steel for ultimate durability and strength
- 15% wider chisel blade aids in the splitting and chipping of bricks, cinderblocks and other masonry blocks
- Textured ambidextrous grip give users an ergonomically sound and extra comfort grip on the hammer
- Hang hole for convenient storage
- Designed for the professional



Material No.	Description	Shelf Pack
<b>CHSBK24</b>	24 oz./680gm Steel Brick Hammer	4

## 20 oz. Fibreglass Camper's Hatchet

- Precision ground edge with optimal cutting angle splits wood with ease. Designed for notching and demolition applications
- Rear striking face for driving stakes and nails and demolition work
- Heavy duty, over-sized protective sheath to prevent damage due to overstrike
- Wrap around head and neck design for maximum vibration reduction and strength to survive the rigors of the jobsite
- Hollow core for perfect balance and weight reduction. Integrated hang hole for convenient storage
- Textured fawn's foot grip give users an ergonomically sound and comfort grip on the hatchett



Material No.	Description	Shelf Pack
<b>CFHATCH20</b>	20 oz./566gm Fibreglass Camper's Hatchet	4

## Ball Pein Hammers - Hickory Handle

- Hickory wood handle helps dampen vibration upon impact
- Precision ground edges provides durability and helps aid the user when doing finish work or detailed jobs
- Enhanced grip finish provides a sure grip and reduces slipping



CHWBP24

Material No.	Description	Shelf Pack
<b>CHWBP16</b>	16 oz./454gm Hickory Handle Ball Pein Hammer	4
<b>CHWBP24</b>	24 oz./680gm Hickory Handle Ball Pein Hammer	4
<b>CHWBP32</b>	32 oz./907gm Hickory Handle Ball Pein Hammer	4



## Adjustable Pry Bars

- Adjustable jaws slide and clamp to fit onto objects for straightening and prying
- Large claw on head adjusts for best leverage when pulling nails
- Crow bar end with nail puller slot
- Hammer head surface for striking
- Adjustable jaw opens 3 inches wide



DB16

Material No.	Description	Shelf Pack
DB16-07	400mm/16" Adjustable Pry Bar with Nail Puller	10
DB24-07	610mm/24" Adjustable Pry Bar with Nail Puller	8

## Indexing Flat Pry Bars

- Head indexes through an arc of over 180° and locks in 15 positions for maximum access
- Angled head with nail slot for prying and pulling nails or boards
- Extra-wide prying end prevents damage by spreading the prying force
- Raised heavy-duty striking surface on the head to assist in demolition
- Solid construction withstands wear, pressure, and damage



DB18X-06

Material No.	Description	Shelf Pack
DB18X-06	455mm/18" Indexing Flat Pry Bar	1
DB30X-06	760mm/30" Indexing Flat Pry Bar	1

## Flat Pry Bars

- Precision ground ends for nail pulling with less material damage
- Nail slots in end and center for better access when pulling nails
- Radius end design adds strength and provides better prying leverage
- Durable high visibility red finish
- Finish is corrosion-resistant



FB7-06

Material No.	Description	Shelf Pack
FB7-06	178mm/7" Flat Pry Bar with Grip	6
FB13-06	330mm/13" Flat Pry Bar with Grip	6
FB15-06	381mm/15" Flat Pry Bar with Grip	6

## Moulding Pry Bars

- Precision ground ends for nail pulling with less material damage
- Nail slots in both claw and pry ends for better access when pulling nails
- Striking face has ground surface for precision nailing
- Durable high visibility red finish
- Finish is corrosion-resistant



MB8-06

Material No.	Description	Shelf Pack
<b>MB8-06</b>	200mm/8" Molding Removal Pry Bar with Nail Puller	6
<b>MB10-06</b>	250mm/10" Molding Removal Pry Bar with Nail Puller	6
<b>MB12-06</b>	300mm/12" Molding Removal Pry Bar with Nail Puller	6

## Nail Puller

- Precision ground ends and edges allow for better access without damaging the surrounding material
- High-Viz corrosion resistant finish to protect against rust and increase durability
- Highly durable and heat treated forged steel is designed to maximise product life and provide ultimate durability
- Rocker style head for better leverage when pulling or prying nails
- Beveled nail slots on each end



NPWC10

Material No.	Description	Shelf Pack
<b>NPWC10</b>	250mm/10" Nail Puller	6

## 300mm/12" Indexing Nail Puller

- Indexing head with 14 locking positions for quick angle adjustment up to 180 degrees for optimized leverage
- Striking face allows for claw to be driven under nails that are under the surface
- Designed to reach between studs, joists, and other obstructions
- Ergonomic, contoured handle for superior grip and user safety



DB12NP-06

Material No.	Description	Shelf Pack
<b>DB12NP-06</b>	300mm/12" Indexing Nail Puller	4

## Indexing Bull Bar

- Double fork design provides balanced lift on both sides of the nail for faster, cleaner, lower-effort board removal
- Rugged indexing joint allows for maximum flexibility and increased leverage
- Precision tips designed for fast access between boards and reduced damage for reclaiming materials
- Gripping teeth on forks assist in preventing board slippage



Material No.	Description	Shelf Pack
DKB446X	1115mm/44" Indexing Deck Removal Bull Bar	1

## 480mm/19" Sliding Nail Puller

- Forged alloy box-joint and hardened, tempered jaw
- Black enamel finish offers extra durability
- Works great on flush, hard-to-grip nails
- Ideal for remodeling or renovation projects
- 16 penny nail jaw capacity
- 19" length and 24" full extension




Material No.	Description	Shelf Pack
56NP	480mm/19" Nail Puller	12

## 280mm/11" Nail Puller Plier

- Excellent for removing damaged nails and fasteners
- Roll bar allows you to pull nails with a smooth, low-effort action
- Easily extract nails, regardless of their size
- Functionality of the pliers allows you to remove nails from the front or the back
- Plier teeth designed for an optimal grip on varied types of nails



Material No.	Description	Shelf Pack
NP11	280mm/11" Nail Pulling Plier	6



## Aprons & Belts

Nail Bags • Holsters • Belts



## Construction Apron - 11 Pocket

- Eleven pockets, two hammer loops, a square holster, 50mm webbing belt with quick release buckle
- Reinforced with nickel rivets and clips
- Made from top quality full grain black leather
- Australian Made to withstand tough Australian conditions



Material No.	Description	Shelf Pack
PNB1296	Professional 11 Pocket Black Leather Construction Apron	20

## Construction Apron - 4 Pocket

- Four nail/fastener pockets, two hammer loops (right or left hand), solid hide tape holster (fits up to 8m/26ft tape), chisel pouch, square pouch, two nail punch/pencil pouches (two with slot for a screwdriver), heavy duty 50mm webbing belt with adjustable side release buckle
- Made from premium quality, gold suede leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
PNB1254	Professional 4 Pocket Gold Suede Construction Apron	8

## Nail & Tool Bag - 2 Pocket

- Two nail/fastener pockets, tape clip, square pouch, two nail punch/pencil pouches (one with slot for screwdriver)
- Includes belt and hammer holster
- Made from premium quality, gold suede leather
- Made to suit tough Australian conditions



Material No.	Description	Shelf Pack
PNB1252	Professional 2 Pocket Gold Suede Nail & Tool Bag	20

## Professional Nail Bag - 4 Pocket

- Two large and two smaller nail/fastener pockets
- Reinforced reversed end gussets,
- Heavy duty 50mm webbing belt with adjustable side release buckle
- Made from premium quality, gold suede leather



Material No.	Description	Shelf Pack
PNB0994	Professional 4 Pocket Gold Suede Nail Bag	12

## Nail Bag - 2 Pocket

- Two nail/fastener pockets, reinforced reversed end gussets
- 50mm webbing belt with adjustable side release buckle
- Made from heavy duty suede leather



Material No.	Description	Shelf Pack
TNB0972	Professional 2 Pocket Grey Suede Heavy Duty Nail Bag	20

## Nail Bag (Rounded Bottom) - 2 Pocket

- Two nail/fastener pockets, reinforced with rounded bottom corners
- 50mm webbing belt with adjustable side release buckle
- Made from heavy duty suede leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
TNB1002	Professional 2 Pocket Grey Suede Heavy Duty Nail Bag	20

## Chisel Roll - 9 Pocket

- Nine pockets to fit 3mm to 50mm chisels
- Adjustable buckle & leather strap for fastening roll
- Made from heavy duty, non corroding, vegetable tanned leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
PCR1149	Professional 9 Pocket Gold Suede Chisel Roll	25

## Electricians Tool Pouch

- Six pockets for tools, four screwdriver loops, wire swing holder for insulation tape, heavy duty
- 50mm webbing belt with adjustable side release buckle
- Made from full grain solid hide black leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
IELC127	Electricians 10 Pocket Leather Tool Pouch	12

## Complete Scaffold Belt - Heavy Duty

- Riveted to ensure toughness and quality
- Made from full grain solid hide black leather
- Australian made to suit Australian conditions



Material No.	Description	Shelf Pack
PSBHD	Professional Black Leather Complete Heavy Duty Scaffold Belt	10



## Rigger's Belt

- Safety holsters for podger spanner, tape, torpedo level and shifting spanner,
- Cast iron plated buckle
- 60mm belt slots
- Made from full grain solid black hide leather



Material No.	Description	Shelf Pack
IRST200	5 Pc. Heavy Duty Riggers Leather Belt	8

## High Hang Hammer Holster

- Wire fixed loop sits high on belt
- 60mm belt slots
- Made from solid hide leather



Material No.	Description	Shelf Pack
THH111L	Professional Black Leather High Hang Hammer Holster	1

## Moulded Plier Holster

- Moulded front fits up to 260mm combination pliers
- 60mm belt slots
- Made from solid hide leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
PPH0307	Professional Black Leather Moulded Plier Holster	75

## Chisel Holster

- Fits up to 50mm chisel
- 60mm belt slots
- Made from solid hide leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
PCH0109	Professional Black Leather Chisel Holster	120

## Spanner Holster - Shifting

- Leather strap with press stud
- 60mm wide belt loop
- Made from solid hide leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
IRST123	Shifting Spanner Leather Holster	25

## Spanner Holster - Podger

- Leather strap with press stud
- 60mm belt slots
- Made from solid hide leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
IRST120	Podger Spanner Leather Holster	25

## Leather Belt

- Adjustable up to 1.17m/46", side release buckle
- Made from solid hide leather
- Australian made to suit tough Australian conditions



Material No.	Description	Shelf Pack
IRST124	50mm x 1.17m Leather Tool Belt	25

## Webbing Belt

- Adjustable up to 1.17m/46", side release buckle
- Fits all Lufkin holster and pouches
- Made from heavy duty polyester webbing



Material No.	Description	Shelf Pack
PWB0050	Professional 50mm x 1.17m Black Nylon Webbing Belt	40



# Storage

Tool Bags





## Electricians Tool Bag - 11 pocket

- Industrial tough
- All tool bags, holsters and belts are made from durable 600 Denier material and are tear and weather resistant
- Rivets for extra strength and durability
- Tough Terylene stitching
- Fully tested and guaranteed



Material No.	Description	Shelf Pack
CET2P	11 Pocket Electricians Tool Bag	20

## Tool Bag - 32 Pocket

- Industrial tough
- All tool bags, holsters and belts are made from durable 600 Denier material and are tear and weather resistant
- Rivets for extra strength and durability
- Tough Terylene stitching
- Fully tested and guaranteed



Material No.	Description	Shelf Pack
CTB32P	32 Pocket Tool Bag	12

## Tradesperson Backpack

- Professional grade backpack ideal for everyday use, with adjustable front pocket to hold larger items like electrical cords
- 4 exterior pockets and 34 interior pockets for all parts as well as exterior pockets for frequently used tools
- Bright orange interior helps you find your tools faster in darker environments



Material No.	Description	Shelf Pack
CTB1000	Tradesperson Backpack	4

## Open Top Tool Bag 17"

- 17 interior and 8 exterior pockets line the bag, so you can keep your equipment in order
- Hard polypropylene base resists moisture and withstands impacts, delivering lasting durability
- Center metal handle meets durability standards and provides comfort while carrying the bag from job to job




Material No.	Description	Shelf Pack
CTB1710	430mm/17" Tradesperson Open Top Tool Bag	2

Trusted by the Trades.

## General Tools

Cable Ties • Knee Pads • Wood Chisel Set  
General Tools



## Crescent Cable Ties - 100mm Length

Material No.	Description	Shelf Pack
<b>WB425</b>	100mm x 2.5mm Black Cable Ties - 25 Pk.	10★
<b>WB4100</b>	100mm x 2.5mm Black Cable Ties - 100 Pk.	10★
<b>WB4500</b>	100mm x 2.5mm Black Cable Ties - 500 Pk.	10
<b>WN425</b>	100mm x 2.5mm Natural Cable Ties - 25 Pk.	10★



## Crescent Cable Ties - 150mm Length

Material No.	Description	Shelf Pack
<b>WB625</b>	150mm x 3.6mm Black Cable Ties - 25 Pk.	10★
<b>WB6100</b>	150mm x 3.6mm Black Cable Ties - 100 Pk.	10★
<b>WB6500</b>	150mm x 3.6mm Black Cable Ties - 500 Pk.	34
<b>WN625</b>	150mm x 3.6mm Natural Cable Ties - 25 Pk.	10★
<b>WN6100</b>	150mm x 3.6mm Natural Cable Ties - 100 Pk.	10★



## Crescent Cable Ties - 200mm Length

Material No.	Description	Shelf Pack
<b>WB825</b>	200mm x 4.6mm Black Cable Ties - 25 Pk.	10★
<b>WB8100</b>	200mm x 4.6mm Black Cable Ties - 100 Pk.	10★
<b>WB8500</b>	200mm x 4.6mm Black Cable Ties - 500 Pk.	18
<b>WN825</b>	200mm x 4.6mm Natural Cable Ties - 25 Pk.	10★
<b>WN8100</b>	200mm x 4.6mm Natural Cable Ties - 100 Pk.	10★



Crescent Cable Ties are available in black and natural. Most popular sizes from 100mm to 550mm. The back cable ties are UV resistant, which prolong useful life under sunshine/ outdoor applications.

- All the packs gave a handy zip lock resealable closer



## Crescent Cable Ties - 300mm Length

Material No.	Description	Shelf Pack
WB1225	300mm x 4.8mm Black Cable Ties - 25 Pk.	10 ★
WB12100	300mm x 4.8mm Black Cable Ties - 100 Pk.	10 ★
WB12500	300mm x 4.8mm Black Cable Ties - 500 Pk.	12
WN1225	300mm x 4.8mm Natural Cable Ties - 25 Pk.	10 ★
WN12100	300mm x 4.8mm Natural Cable Ties - 100 Pk.	10 ★



CABLE TIES

## Crescent Cable Ties - 370mm Length

Material No.	Description	Shelf Pack
WB1425	370mm x 4.8mm Black Cable Ties - 25 Pk.	10 ★
WB14100	370mm x 4.8mm Black Cable Ties - 100 Pk.	10 ★
WN14100	370mm x 4.8mm Natural Cable Ties - 100 Pk.	10 ★



## Crescent Cable Ties - Heavy Duty

Material No.	Description	Shelf Pack
WB1525	370mm x 7.6mm Heavy Duty Black Cable Ties - 25 Pk.	10 ★
WB15100	370mm x 7.6mm Heavy Duty Black Cable Ties - 100 Pk.	10 ★
WB12100HD	300mm x 7.6mm Heavy Duty Black Cable Ties - 100 Pk.	10
WB18100HD	450mm x 8.0mm Heavy Duty Black Cable Ties - 100 Pk.	10
WB22100HD	530mm x 7.6mm Heavy Duty Black Cable Ties - 100 Pk.	18



## Crescent Cable Ties - Assorted

Material No.	Description	Shelf Pack
WA350	350 Pc. Assorted Cable Ties	18



## Crescent Cable Ties - Wiss® Tensioning Tool

Material No.	Description	Shelf Pack
WT1	190mm/7-1/2" Cable Tie Tensioning Tool	4



## Suspension Hangers

- Increase Workplace Safety - Suspension hangers allow you to safely run cables and store items off the ground and out of the way thereby removing tripping hazards
- Neat and tidy - Use suspension hangers to lift and store away all types of workplace, leisure and gardening equipment such as bikes, paint cans, cables, etc
- Will hold just about anything - Maximum working load 10kg



Material No.	Description	Shelf Pack
CSH60	Cable Hanger	60

Wood Chisel Set

- High performance chrome vanadium blades
- Non slip rubber handle
- Robust nylon storage/carry case
- Tang thru design
- Contains 12, 19, 25 & 32mm chisels



WOOD CHISEL SET

Material No.	Description	Shelf Pack
PCST4	4 Pc. Tang-Thru Wood Chisel Set	8

## Knee Protector - Navy/Blue

- Designed for all trades, home & garden
- Acid, oil and heat resistant face
- Easy to adjust straps
- Removable inserts
- Clam shell packaging



Material No.	Description	Shelf Pack
LKPN	Knee Protectors Blue/Black 2 Straps	12

## Knee Protector - Professional

- Black/blue strap
- Single strap
- Lightweight
- Upper shin protection
- Clam shell packaging



Material No.	Description	Shelf Pack
LPPB	Knee Protectors Blue/Black Pro Single Strap	12



## Wiss® Ratcheting Pipe Cutters

- Cuts copper, brass, aluminium, and thin-wall conduit material
- Made from high-carbon chrome steel
- Includes 2 interchangeable wheels for added convenience
- Easily replaceable cutting wheel installs with a small standard screwdriver



Material No.	Description	Shelf Pack
WRPCLG	175mm/7" Large Ratcheting Pipe Cutter	6

## Fish Tape

- 3 strands for additional strength
- Made of POM plastic. Polyoxymethylene (POM) is an engineering thermoplastic used in precision parts that require low friction and has excellent abrasion resistance
- Includes storage/dispensing tube



Material No.	Description	Shelf Pack
CFT30	30m x 6mm Cable Fish Tape	6

## Fish Tape Lubricant

- Wax based formula provides superior lubrication
- Applies easily and uniformly
- Clings to cable even through long pulls
- Temperature stable – it does not liquefy
- No mixing required
- Does not dry out fast



Material No.	Description	Shelf Pack
CL100	1L Fish Tape Wax Based Lubricant	12

## Voltage Detector

- Does not dry out fast
- Adjustable sensitivity allows tracing of wires behind walls, at switches or receptacles
- Features include Sensing Tip, 360° Visual Indicator and Sensitivity Adjustment
- Not tested for DC. No more than 12V DC



Material No.	Description	Shelf Pack
CVS600VN	12V-1000V Voltage Tester	10

## Electric Irons Soldering

- Ideal for the home workshop
- Replaceable tip
- Comfort grip handle
- Includes soldering iron stand



Material No.	Description	Shelf Pack
N25D	25W 240V Soldering Iron	6
N40D	40W 240V Soldering Iron	6
N80D	80W 240V Soldering Iron	6

## Magnetic Welders Clamp

- Premium quality materials
- Product tested for maximum strength
- 100mm
- 45° / 90° / 135° angle
- Applications include welding, soldering, assembly, marking off, pipe installation, or as a floater



Material No.	Description	Shelf Pack
CWC100	100mm/4" Magnetic Welding Clamp	9

## Hand Riveter

- Industrial Hand Riveter
- 4 Jaw sizes- 2.4mm, 3.2mm, 4.0mm, 4.8mm
- Jaws are colour coded for easy identification
- Induction hardened Cr-Mo alloy jaws
- 7mm working stroke
- Working stroke is adjustable to make easier or quicker to squeeze



Material No.	Description	Shelf Pack
CHR10	Industrial Hand Riveter	6

## Chalking Gun

- Tough and durable ABS plastic construction
- Strong sturdy steel rod quick release plunger system
- Comfortable grip for repetitive use
- Fit most caulk and sealant cylinders
- Suitable for medium duty sealant applications"



Material No.	Description	Shelf Pack
NCG1	229mm/9" Skeleton ABS Caulking Gun	24

## Glue Gun

- Power on indicator gun
- 1.8m power cord
- 6 x glue sticks (11mm diameter x 100m length)
- Storage case
- Bonds most materials (glass, ceramic, heavy fabrics, cardboard, wood and many more)



Material No.	Description	Shelf Pack
CGG65	Glue Gun Set	1
NGGS10	10 Pk. 11mm Blue Sticks	1

 **CRESCENT**

 **CRESCENT**  
***Wiss***

 **CRESCENT**  
***Lufkin***

 **CRESCENT**  
**NICHOLSON**

 **CRESCENT**  
**H.K. PORTER**







Trusted by the Trades.

## Trade Tool Kits

Electrician Tool Kits  
Mechanics Tool Kits

### TRADE TOOL KITS

Apex Tool Group prides itself on offering tool kits that can deliver top performance and productivity for the trade professional, whilst at the same time providing maximum value. The range of Trade Tool Kits includes tools from Crescent and all its sub-brands, Crescent Lufkin, Crescent Wiss, Crescent Nicholson, and Crescent HK Porter. These professional kits are equally suited to apprentices as they are seasoned tradespeople and offer premium branded products designed to withstand the rigorous demands of a busy workplace and keep performing day in and day out.

**The Apprentice Kits from Apex Tool Group represent great value for money, from reputable brands that you can trust.** Each kit has a range of specially selected tools to suit the Apprentice Electrician and are available at two different price points and importantly qualify for government support for the apprentice. Apex Tool Group Apprentice kits are without doubt the most comprehensive kits on the market, offering “Market Leading” products preferred by the tradesperson, such as Crescent Linesman’s Pliers, Wiss Aviation Snips and Lufkin Measuring tapes, to name but a few.

The premium brands offered in the Apex Tool Group Apprentice kits include Crescent, Crescent Lufkin, Crescent Wiss, Crescent Nicholson, Crescent HK, and PORTER. With the many Apprentice kits offered by Apex Tool Group, apprentices can be confident they are making a wise choice, knowing they are buying tools from a reputable supplier, backed by a quality guarantee and after sales service second to none.

## 28 Pc. Electricians Apprentice Tool Kit



Material No.	Description	Shelf Pack
CTKAE400	28 Piece Electrician Apprentice Kit - Small	1



Scan to learn more



# Trusted by the Trades.

## 101 Pc. Electricians Apprentice Tool Kit



TOOL KITS

Material No.	Description	Shelf Pack
CTKAE2N	101 Piece Electrician Apprentice Kit- Large	1



Scan to learn more







# Weller<sup>®</sup>

WELLER<sup>®</sup>, a name well known around the world has been the leading brand in professional quality soldering equipment since 1945. In addition to its famous irons and soldering guns, WELLER<sup>®</sup> is also recognized as a leader in advanced electronic rework and repair equipment and irons for sophisticated industrial applications, as well as numerous products for the hobbyist.

**INSPIRING PROJECTS. DRIVING PASSION.**



## TABLE OF CONTENTS

Cordless Irons .....	164
Soldering Irons & Accessories .....	164
Soldering Accessories .....	168
Electronically Controlled Stations.....	171
Soldering Irons & Stands .....	173
Pyropens .....	174
Soldering Tips .....	176
Desoldering Tools .....	183
Pliers .....	183
Tweezers.....	185
Knives & Blades .....	186
Screwdrivers .....	186
Soldering Aids .....	186
Miscellaneous .....	187
Index .....	190

## ■ CORDLESS IRONS

### Weller 25W-75W Cordless Soldering Iron Kit

Solder on-the-go with Weller's Soldering Iron & Heat Tool. 25W-75W butane iron provides continuous no-stop soldering. With quick and easy butane refills, a wide range of tips, auto shut off, and the ability to convert for hot air/torch applications, it's perfect for your soldering tasks.

- Solder On-the-Go
- Weller 25W-75W Cordless Soldering Iron & Heat Tool Kit, Butane Powered [Butane not included] (WLBUK75)
- Reduce Downtime
- Continuous, No Stop Soldering
- Converts to Torch
- Multiple Tips for Different Applications



Material No: **WLBUK75**

25W-75W Cordless Soldering Iron & Heat Tool Kit, Butane Powered [Butane not included]

#### Replacement Tips

- WLTOF241BU75 TIP, D FLAT 2.4 BU75 3PK
- WLTSF081BU75 TIP, S FLAT .8 BU75 3PK
- WLTSF241BU75 TIP, S FLAT 2.4 BU75 3PK

## ■ SOLDERING IRONS & ACCESSORIES

### Weller 230V Soldering Iron With LED Halo Ring

Solder skillfully and confidently with Weller's Soldering Iron with LED Halo Ring™. With its 360 degrees illumination, ergonomic molded pencil grip handle, easy-to-change tips, and integrated safety rest, it's the perfect high-quality and versatile soldering iron for all your soldering needs.

- Optimal precision and control
- Quick tip change
- Versatile
- High visibility LED halo ring
- Integrated safety rest



Material No. **WLIR8023I** - 80W

#### Replacement Tips For WLIR8023I

- WLTS101R80 SCREWDRIVER SOLDERING TIP 10.0 MM FOR WLIR80, 3 PK
- WLCH601R80 CHISEL SOLDERING TIP 6.4 MM FOR WLIR80, 3 PK
- WLTSB101R80 SCREWDRIVER BENT SOLDERING TIP 10.0 MM FOR WLIR80, 3 PK
- WLCH101R80 CHISEL SOLDERING TIP 10.0 MM FOR WLIR80, 3 PK

## Weller 240V Soldering Iron With LED

High-performance medium duty non controlled quality soldering iron with LED lighting. This soldering iron is suitable for audio systems, electrical, art and jewellery applications.

- 180 Lux
- Triangular area
- Co-molded, soft-grip ribbed handle design for maximum comfort
- Three high-temperature, long-life LEDs for superior soldering accuracy

Material No. **SP25NAU** - 25W - Cable connections up to <12AWG 2.0 mm Ø

Material No. **SP40NAU** - 40W - Cable connections up to <8AWG 3.3 mm Ø

Material No. **SP80NAU** - 80W - Cable connections up to <4 AWG 5.0 mm Ø



### Replacement Tips For SP25NAU

- |              |                                     |
|--------------|-------------------------------------|
| • MT2        | CRD SCREWDRIVER TIP 4.5MM           |
| • MT1        | SCREWDRIVER TIP 4.5MM               |
| • WLTC08IR30 | TIP, CONICAL 0.8 FOR WLIR30,3/BAG   |
| • WLTC4IR30  | TIP, CHISEL 4.0 FOR WLIR30,3/BAG    |
| • WLTK4IR30  | TIP, KNIFE FOR WLIR30,3/BAG         |
| • WLTS4IR30  | TIP, SCREWDRIVER 4.0 F/WLIR30,3/BAG |

### Replacement Tips For SP40NAU

- |              |                                     |
|--------------|-------------------------------------|
| • WLTC04IR60 | TIP, CONICAL, 0.4 F/WLIR60,3/BAG    |
| • WLTC08IR60 | TIP, CONICAL 0.8 FOR WLIR60,3/BAG   |
| • WLTC6IR60  | TIP, CHISEL 6.4 FOR WLIR60,3/BAG    |
| • WLTS24IR60 | TIP, SCREWDRIVER 2.4 F/WLIR60,3/BAG |

### Replacement Tips For SP80NAU

- |               |  |
|---------------|--|
| • WLTC60IR80  | TIP, IRON, CHISEL 6.4 FOR WLIR80,3/BAG     |
| • WLTC10IR80  | TIP, IRON, CHISEL 10.0 FOR WLIR80,3/BAG    |
| • WLTSB10IR80 | TIP, IRON, S/DRVR BENT 10.0 F/WLIR80,3/BAG |
| • WLTS10IR80  | TIP, IRON, SCREWDRIVER 10.0 F/WLIR80,3/BAG |

## Weller 230V Variable Wattage Power Grip Soldering Iron Station

Solder skillfully and confidently with Weller's 20 - 80 Variable Wattage Power Rechargeable Soldering Iron Station. With its ergonomic molded pencil grip handle, onboard tip storage and cleaner, and integrated safety rest, it's the perfect high-quality and versatile soldering iron station for all your soldering needs.

- Variable wattage dial enables you to take on a wider range of applications
- On-board secure safety rest holds iron when not in use, reducing the risk of injury or damage to your workspace
- Ergonomic power grip for comfortable and continuous soldering. Ideal for laying down a line of solder in stained glass or home repairs



Material No. **WLSK3023I** - 5 to 30 Variable Wattage

### Replacement Tips For WLSK3023I

- |              |                                     |
|--------------|-------------------------------------|
| • WLTC08IR30 | TIP, CONICAL 0.8 FOR WLIR30,3/BAG   |
| • WLTC4IR30  | TIP, CHISEL 4.0 FOR WLIR30,3/BAG    |
| • WLTK4IR30  | TIP, KNIFE FOR WLIR30,3/BAG         |
| • WLTS4IR30  | TIP, SCREWDRIVER 4.0 F/WLIR30,3/BAG |

## Weller Magnalite Butane Powered Soldering Tool

Soldering Iron for versatile applications and projects. Operates as mini torch when the tip is removed.

- Piezo Ignition
- Conical Tip Included
- Torch and Iron
- Butane Powered

Material No. **ML500MP**



## Weller Magna-Lite Butane Table Top Torch

Handy portable torch for industrial maintenance, tool and die shops, automotive repairs etc

- Waterproof piezo electronic ignition system for fast and reliable ignition every time
- Adjustable flame height and length, and level of heat output
- Flame lock-on allows hands-free operation
- Child safety lock, Up to 60 minutes continuous use
- Flame lock-on allows hands-free operation

Material No. **ML200**



## Weller Pro Series Battery Soldering Iron

Solder on-the-go with Weller's Pro Series Soldering Iron. A general purpose, rosin core solder ideal for the majority of solder work from copper pipe, wires, metals and more

- Heats up to Working temperature in under 30 seconds
- Red LED indicates when power is on / green LED indicates tool is at operating temperature
- Protective safety cap turns off power when placed on tool
- Up to 180 solder Joints with new batteries
- White LED work light for application illumination

Material No. **BP865MP**



### Replacement tips

- WLTC031BA8 TIP, CONICAL 0.3 BA8,3PK
- WLTC21BA8 TIP, CHISEL 2.0 BA8,3PK



## Weller 25W-75W Cordless Soldering Iron & Heat Tool

Protect Yourself & Workspace: Iron automatically shut offs into a “locked” position, when the cap is closed

- Solder On-the-Go: Skillfully solder anywhere, at any time, with cordless operation
- Reduce Downtime: Refill butane in under 20 seconds with the convenient viewing window and quick-recharge design
- Continuous, No Stop Soldering: Butane capacity allows up to 60 mins of continuous use
- Converts to Torch: Easily converts for hot air/torch applications



Material No. **WLB075**

### Replacement tips

- WLTDF24IBU75 TIP, D FLAT 2.4 BU75 3PK
- WLTSF08IBU75 TIP, S FLAT .8 BU75 3PK
- WLTSF24IBU75 TIP, S FLAT 2.4 BU75 3PK

## Weller 30w Wood Burning Hobby Soldering Iron Kit

15 piece set, including 12 tips, ideal for wood burning, sculpting, adding accents, stencil cutting, pattern transfers, hot knife cutting, embossing and branding


- Set contains 6 Woodburning tips, Hot Knife Tip with Blade Chuck, Pattern Transfer Tip, 3 Branding Tips, Iron Stand and complete Project Book
- Boxed in plastic presentation case



Material No. **WHK30AU**

## Weller Soldering Work Station Mat - Special order

- Protect your workspace with the Medium 455 x 300 mm silicone mat.
- Surface Protection: Silicone soldering mat protects your workspace from burns by resisting temperatures as high as 570°F/300°C.
- Clean & Tidy Workspace: Maintain a clean and organized soldering work environment. Ensure no small parts or tools are lost with individual compartments and placement slots for efficient organization.



Material No. **WLACCWSM2-02**

## ■ SOLDERING ACCESSORIES

### Weller Helping Hands with 4 Magnetic Arms

Free up your hands and secure and protect your soldering projects with Weller's Helping Hands with 4 Magnetic Arms. Enjoy adjustable and flexible positions with magnetic gooseneck arms with alligator clamps that are easily positionable for multiple configurations.

- Four magnetic gooseneck arms with alligator clamp secured to the base that can be easily positioned for multiple configurations.
- Easily reposition the magnetic gooseneck arms to hold your project to improved precision and flexibility.

Material No. **WLACCHM-02**



### Weller Heat Resistant Gloves

Safely and comfortably protect your hands when soldering with Weller's Heat Resistant Gloves. Protects against high temperatures and with a universal size that is easy to wash and dry, they're the perfect combination of safety, breathability, feel and comfort.

- Heat-resistant & Comfortable
- Protect your hands from soldering and hot air, up to 392°F/200°C with the gloves' heat-resistant, silicone dots.
- Washable and easy-to-dry gloves fits both men and women (approx. 9.5" x 5.5") and can be used on left or right hand.

Material No. **WLACCSG-02**



### Weller 200g Butane Gas Refill

Gas Butane Aerosol for Soldering Irons. Suitable for all Weller butane powered soldering irons.

- Butane gas refill canister
- Extra Filtered
- Australian Made



Material No. **BR200**



## Weller 60/40 85g Rosin Core Solder

A general purpose, rosin core solder ideal for the majority of solder work from copper pipe, wires, metals and more

- 180 Lux
- Triangular area
- Co-molded, soft-grip ribbed handle design for maximum comfort
- Three high-temperature, long-life LEDs for superior soldering accuracy

Material No. **WS1085** - 1.0mm

Material No. **WS1685** - 1.6mm



## Weller Soldering Brass Sponge Tip Cleaner with Silicone Holder

Clean and remove residual solder from your soldering iron tips without water with Weller's Soldering Brass Tip Cleaner with Silicone Holder. Simply plunge the iron tip into brass coils that clean, prevent rust and extend tip life. Increase tool safety and stability with the slip-resistant silicone holder.

- Reduce Residue on Tip and Extend Tip Life
- Effectively remove residual solder from your soldering tools
- Prevent Tip Cool Down
- Maintain tip temperature when compared to cellulose sponges, improving the productivity and quality of solder joints.

Material No. **WLACCBSh-02**




## Weller Solder Aid Kit 6 Double sided Tools

Experience precise and improved soldering with Weller's Solder Aid Kit with 6 Double-sided Tools that offer multi-functional capabilities. Use to bend and hold leads, remove dust and contamination, adjust pins and components, and many other necessary tasks.

- Multi-functional Capabilities
- Includes bending and holding leads, removing rust and contamination, adjusting pins and components, and many other necessary soldering tasks.
- Remove Components
- Dual-sided Hook assists in removal of components.
- Bend, Hold & Adjust Leads

Material No. **WLACCSAK-02**





# Weller®

WELLER®, a name well known around the world has been the leading brand in professional quality soldering equipment since 1945. In addition to its famous irons and soldering guns.

We are the premiere experts in hand-soldering solutions. We know when something that might seem easy is in fact a job for professionals. Above all, we listen to what you need and we implement solutions that work for you.

**INSPIRING PROJECTS. DRIVING PASSION.**



## Electronically Controlled Stations

### T0053298599 70W DIGITAL SOLDERING STATION

- Power unit, 1 channel with soldering iron WEP 70 and safety rest PH 70
- 70W solder iron with ergonomic handle and providing toolless tip change
- ESD safe station, iron and heat-resistant silicon cable for safe handling
- Using ET soldering tips
- Standby mode and auto setback conserves energy, protects equipment
- Password-protected to preserve settings



Material No.	Description	APN/UPC\$
T0053298599	70W Digital soldering station, 1 channel, stand and pencil4	003019439997
T0058770715	WEP70 65W Soldering pencil	● 325761
T0058770706	PH70, Safety rest / stand for WEP70 soldering pencil	● 325754
TC205	Replacement sponge for PH70 stand	● 475176

#### Replacement Tips

- TETS TIP, LONG CONE 1/64"
- ETH TIP, SCREWDRIVER, 1/32"
- ETO TIP, LONG CONICAL, 1/32"
- ETA TIP, SCREWDRIVER, 1/16"

## Electronically Controlled Stations

### WR2002AU SOLDERING STATION REWORK UNIT

- Power unit WR 2, 2 channels with soldering iron WP 80, desoldering iron DSX 80
- Small repair set for all rework applications
- Simultaneous operation of up to 2 soldering tools (hot air and desoldering iron at the same time is not possible)



Material No.	Description
<b>T0051515299N</b>	WDH 30- Safety rest with dry cleaner
<b>T0051512199N</b>	WDH 10- Safety rest with dry cleaner
<b>T0051315099</b>	DX 113HM- Desoldering Nozzle with Threadless Fixture System for DSX 80 and DXV 80
<b>T0051319099N</b>	DSX 80 Desoldering iron 80 W, 24 V
<b>T0052918099N</b>	WP 80- Soldering iron 80 W, 24 V with Silver-Line Heating Technology
<b>T0054440599</b>	LT B- SOLDERING TIP, CHISEL, Ø 2,4 X 0,8 MM
<b>T0053377699N</b>	WR 2- 2-CHANNEL POWER UNIT, 200 W (300 W)

# SOLDERING IRONS & STANDS

## Optional Irons for Workstations

Material No.	Description	APN/UPC
<b>PES51</b>	50 Watt Soldering Iron	037103191540

- 50 watt soldering iron to suit WES51D and WESD51D
- Use ET series tips

Material No.	Description	APN/UPC
<b>T0052922299N</b>	WTP90 Solder Pencil Only	037103308252

- WTP90 complimented by new high-mass THM tips!
- 24 Volts and 90 watts



## Soldering Stands

Material No.	Description	APN/UPC
<b>T0051515299N</b>	Soldering Stand	037103308061

- compatible with WXMP, WXUP, WTP90 and WP120 including MS variants
- The user is free to chose between dry and wet cleaning
- Including tip retainer



T0051515299N

Material No.	Description	APN/UPC
<b>T0051517499N</b>	Safety Rest for WTP 90	037103308160

- The unique, reversable WSR safety rest flips between sponge and brass wool



T0051517499N

Material No.	Description	APN/UPC
<b>PH1201ESD</b>	Soldering Stand WITH SPONGE	037103591135

- For use with: ec1201p, ec1204p, ec1201a, tc201t irons



PH1201ESD

Material No.	Description	APN/UPC
<b>T0058770706</b>	Soldering Iron Holder For WEP 70	037103325754

- Allows you to safely put down your soldering iron  
Removes the need to completely shut down your soldering iron before putting it down



T0058770706

## ■ PYROPENS

### Pyropens

#### WPA2 PIEZO IGNITION (SELF) LIGHTING

APN/UPC	Shelf Pack
● 590435	30

Kit includes:

- 1 x WPT-2 soldering tip
- 1 x WHC-52 hot blow tip
- Metal kit box

See Apex Tool Group Electronic Catalogue for Tool Selection.



#### Replacement Tips

WPAB	WPA2 BURNER UNIT (WPA-B)
WPT8	PYROPEN TIP SPADE 35 DEG 2MM WPT0 SERIES
WPT1	SOLDERING TIP TAPER
WPT2	CHISEL TIP TO SUIT WPT SE
ETO	TIP, LONG CONICAL, 1/32"

#### WSTA3 SOLDERING, HOT BLOW AND TORCH FLAME FACILITIES

APN/UPC	Shelf Pack
● 472281	6

Kit includes:

- 1 x soldering tip
- 1 x hot blow tip
- Torch ejector tightening bar
- Metal kit box



#### Replacement Tips

WPT1	SOLDERING TIP TAPER
WPT2	CHISEL TIP TO SUIT WPT SE

#### WSTA6 JNR POCKET SIZE WITH AUTO IGNITION

APN/UPC	Shelf Pack
● 146571	10

- Fitted with pocket clip
- Suitable for soldering and hot blow applications
- 1 x WPT-01 tip

See Apex Tool Group Electronic Catalogue for Tool Selection.



#### T0051607499 JUMBO (SELF IGNITING)

APN/UPC	Shelf Pack
4003019002085	30

- Soldering temperature range 250°-500°C
- 1 x 72-01-02 tip
- 1 x hot blow tip
- Torch ejector with tightening bar

See Apex Tool Group Electronic Catalogue for Tool Selection.





ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

## Weller Portasol

### PTC PORT. CORD/1 REFILL GAS POW. SOLDERING TOOL, CARDED

APN/UPC	Shelf Pack
● 593368	6

- Does not require cords, batteries or cartridges
- Patented soldering tool has a catalytic converter that provides a powerful yet safe flameless combustion
- Refills with butane fuel - Weller® BR200
- Tank holds gas for 90 minute operation
- Ideal for a wide variety of soldering and desoldering jobs at work or at home
- Develops 850°F/454°C



## Butane Soldering

### PSI100K BUTANE POWERED SOLDERING IRON

APN/UPC	Shelf Pack
● 060976	20


- [Replacement tips: PSI1](#)
- Kit includes:
- 1 x soldering, hot blow and cutting tip
  - Torch flame facility
  - Equivalent to 20-125 Watts
- Tip includes:
- PSI-6, PSI-8, PSI-9, PSI-10
- Refer to Electronic Catalogue for Tip Selection Chart.  
Full range of PSI Tips are available.



## SOLDERING TIPS

### WLT SERIES

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>WLTK4IR30</b>	Knife	4	037103346629	1
<b>WLTS24IR60</b>	Screwdriver	2.4	037103346643	1
<b>WLTSB10IR80</b>	Screwdriver	10	037103346667	1
<b>WLTSF08IBU75</b>	Flat	0.8	037103346124	1
<b>WLTSF24IBU75</b>	Flat	2.4	037103346131	1
<b>WLTSL10IR80</b>	Screwdriver	10	037103346674	1



### WLT SERIES

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>WLTC04LBA12</b>	Conical	4.0	037103345783	1
<b>WLTC4LBA12</b>	Chisel	4.0	037103345790	1



Material No.	Description	APN/UPC	Shelf Pack
<b>6150</b>	Cut Tip F 8200/D550 Guns	037103480415	1
<b>6160</b>	Smoothing Tip for 8200 Universal Gun and D550 Professional Soldering Gun	037103480422	1



### WLTC SERIES

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>WLTC03IBA4</b>	Conical	0.3	037103345752	1
<b>WLTC04IR60</b>	Conical	0.4	037103346636	1
<b>WLTC08IR30</b>	Conical	0.8	037103346568	1
<b>WLTC08IR60</b>	Conical	0.8	037103346575	1
<b>WLTC6IR60</b>	Chisel	6.4	037103346612	1




ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

# SOLDERING TIPS

## Replacement Soldering Tips

**PT SERIES** Suit WTCPS/T stations and TC series soldering pencils.


Material No.	Description	Tip Size mm	Reach mm	APN/UPC	Shelf Pack
<b>PTA7</b>	Screwdriver, 700°F (371°C)	1.6	15.9	● 473226	1
<b>PTA8</b>	Screwdriver, 800°F (427°C)	1.6	15.9	● 473417	1
<b>PTAA7</b>	Single flat, 700°F (371°C)	1.6	15.9	● 473233	1
<b>PTAA8</b>	Single flat, 800°F (427°C)	1.6	15.9	● 473424	1
<b>PTBB7</b>	Single flat, 700°F (371°C)	2.4	15.9	● 473257	1
<b>PTBB8</b>	Single flat, 800°F (427°C)	2.4	15.9	● 473448	1
<b>PTC7</b>	Screwdriver, 700°F (371°C)	3.2	15.9	● 473264	1
<b>PTCC7</b>	Single flat, 700°F (371°C)	3.2	15.9	● 473271	1
<b>PTCC8</b>	Single flat, 800°F (427°C)	3.2	15.9	● 473462	1
<b>PTD8</b>	Screwdriver, 800°F (427°C)	4.7	15.9	● 473479	1
<b>PTF7</b>	Conical flat, 700°F (371°C)	1.2	15.9	● 473318	1
<b>PTH7</b>	Screwdriver, 700°F (371°C)	0.8	15.9	● 473325	1
<b>PTH8</b>	Screwdriver, 800°F (427°C)	0.8	15.9	● 473516	1
<b>PTK7</b>	Long screwdriver, 700°F (371°C)	1.2	25.4	● 473332	1
<b>PTP7</b>	Conical, 700°F (371°C)	0.8	15.9	● 473370	1
<b>PTP8</b>	Conical, 800°F (427°C)	0.8	15.9	● 473554	1
<b>PTS7</b>	Long conical, 700°F (371°C)	0.4	25.4	● 478030	1



## ET SERIES

Suits EC1000/2000 WES50, WES51, WESD51 stations fitted with EC1201A, WSP50 and WSP51, PES50 & PES51

Material No.	Description	Tip Size mm	Reach mm	APN/UPC	Shelf Pack
<b>ETA</b>	Screwdriver	1.6	15.9	● 477286	1
<b>ETB</b>	Screwdriver	2.4	15.9	● 477279	1
<b>ETC</b>	Screwdriver	3.2	15.9	● 477262	1
<b>ETCC</b>	Single flat	3.2	15.9	● 478085	1
<b>ETD</b>	Screwdriver	4.7	15.9	● 477255	1
<b>ETH</b>	Screwdriver	0.8	15.9	● 477231	1
<b>TETDD</b>	SINGLE FLAT	4.7	15.88	● 1102079	1
<b>ETO</b>	Long conical	0.8	25.4	● 477224	1
<b>ETP</b>	Conical	0.8	15.9	● 477248	1
<b>ETT</b>	Conical	0.8	15.9	● 591548	1
<b>TETS</b>	Long conical	0.4	25.4	● 478054	1




ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

## Replacement Soldering Tips


### XT SERIES to suit WP120 Soldering Pencil

Material No.	Description	Width mm	Thickness mm	APN/UPC	Shelf Pack
<b>T0052919399N</b>	XTD Chisel	1.6	0.8	● 231710	1




### XNT SERIES to suit WT1010AU

Material No.	Description	Width mm	Thickness mm	APN/UPC	Shelf Pack
<b>T0054485199</b>	XNTA Chisel	1.6	0.4	● 254559	1
<b>T0054485299</b>	XNT 1S Round	0.2	Length 28.5	● 254566	1



### REPLACEMENT TIPS JUMBO PYROPEN WSTA5

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>720102</b>	Chisel	10mm	■ 371999	1



### CT6 SERIES Suits W1000 Soldering pencils

Material No.	Description	Tip Size mm	Reach mm	APN/UPC	Shelf Pack
<b>CT6C7</b>	Screwdriver, 700°F (371°C)	3.18	37.3	● 472854	1
<b>CT6D7</b>	Screwdriver, 700°F (371°C)	4.76	37.3	● 472885	1
<b>CT6E7</b>	Screwdriver, 700°F (371°C)	6.35	37.3	● 472915	1
<b>CT6E8</b>	Screwdriver, 800°F (427°C)	6.35	37.3	● 472922	1



### TIPS REPLACEMENT FOR WLIR8023I

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>WLTSL10IR80</b>	Screwdriver	10	037103346674	1
<b>WLTCH60IR80</b>	Chisel	6.4	037103346605	1
<b>WLTSB10IR80</b>	Screwdriver	10	037103346667	1
<b>PKWLTCH10IR80</b>	Chisel	10	037103346582	1






ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

# SOLDERING TIPS

## Replacement Soldering Tips


### WPT0 SERIES PYROPEN TIPS, Suit WSTA6 Auto Ignition Jr.

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
WPT01	Taper	1.0	● 146625	1
T0051616699	Screwdriver	2.4	4003019000425	1
T0051616799	Chisel	2.0	4003019000432	1
T0051616199	Screwdriver	5.0	4003019000449	1




### WPT SERIES PYROPEN TIPS, Suits WSTA3 and WPA2

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
WPT1	Taper	1.0	● 472403	1
WPT2	Chisel	2.0	● 472427	1
T0051612299	Spade	2.0	4003019014460	1
T0051612399	Spade 45°	3.0	4003019014477	1



### PSI SERIES PORTASOL TIPS Suit PSI-100 Irons

Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
PSI1	Single flat	1.0	● 062666	1
TPSI2	Single flat	2.4	● 062659	1
PSI4	Single flat	4.8	● 062635	1
TPSI5	Single flat	1.0	● 062604	1
TPSI6	Double flat	2.4	● 062611	1
TPSI7	Double flat	3.2	● 062581	1
PSI8	Double flat	4.8	● 062598	1
PSI10	Hot knife	-	● 060990	1




ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

## Replacement Soldering Tips

### LT Tip Selection Chart to suit WSP80/WP80

Material No.	Description	Size 1	Size 2	Reach	APN/UPC	Shelf Pack
<b>T0054440599</b>	Chisel	2.4	0.8	12.5	● 294739	1
<b>T0054441099</b>	Gull wing	3.2	2.3	17.8	● 294784	1
<b>T0054443799</b>	Chisel	0.8	0.4	12.5	● 294807	1
<b>T0054443599</b>	LT1- Round	0.25		12.5	● 294623	1
<b>T0054442399</b>	LT1L - Round	0.2		25	● 294630	1
<b>T0054443699</b>	LT1S - Round	0.2		15	● 249654	1
<b>T0054443999</b>	LT4AU - Single Flat	1.2		15	● 276193	1
<b>T0054444099</b>	LTA - Chisel	1.6	0.2	12.5	● 294692	1
<b>T0054440999</b>	LTD - Chisel	4.6	0.8	12.5	● 294760	1
<b>T0054443899</b>	LTK - Chisel	1.2	0.4	20	● 294821	1
<b>T0054441499</b>	LTL - Chisel	2.0	1.0	20	● 294845	1
<b>T0054440699</b>	LTS - Round	0.4		20	● 294869	1





### CT5 SERIES Suits W60D Soldering pencil

Material No.	Description	Tip Size mm	Reach mm	APN/UPC	Shelf Pack
<b>CT5A7</b>	Screwdriver, 700°F (371°C)	1.6	29.36	● 472625	1




# SOLDERING TIPS

## Replacement Soldering Tips

Material No.	Description	Spec	APN/UPC	Shelf Pack	
<b>PT07</b>	Conical tip 0.8x1.12mm for TC201	1.12mm	037103473363	1	
<b>PT08</b>	Conical tip 0.8x1.12mm for TC201	0.8mm	037103473561	1	
<b>PT24</b>	Telecom tip	2.4mm	5099681090023	1	
<b>T0054447999</b>	Knife tip	6.2mm	037103264800	1	
<b>T0054442099</b>	Chisel tip	1.2mm	037103158536	1	
<b>T0054485099</b>	Conical tip	0.5mm	037103254542	1	
<b>T0054442099</b>	Chisel tip	0.89mm	037103158536	1	
<b>PTB7MX</b>	Single flat tip for WTCP	2.4mm	765957297889	1	
<b>4ETKL-1</b>	Chisel tip for WEL.LR-21,WEL.WEP70	0.4mm	4003019441112	1	
<b>T0051613299</b>	Tip for pyropen piezo	5mm	4003019014569	1	
<b>PTK8</b>	Long screwdriver tip	1.2mm	037103473523	1	
<b>T0051612499</b>	Conical tip	0.5mm	4003019014484	1	
<b>CT5C7</b>	Screwdriver for use with W61	3.2mm	037103472687	1	
<b>PS121MMN</b>	Nut Driver Set, Metric, 11 Piece	3 mm - 10 mm	037103314901	1	
<b>T0051314799</b>	Desoldering; for desoldering; WEL.DSX80	2.9mm	037103225290	1	
<b>TTC201T</b>	Replacement soldering pencil [ tc201b ]	1.7mm	037103001153	1	
<b>RC40AU</b>	Solder 60/40 Alloy Rosin Core	1.6mm	09337103473853	1	
<b>WPT11</b>	Chisel tip for WSTA2 & WSTA3	8mm	037103472595	1	
<b>WPT13</b>	Chisel for WSTA6	5mm	037103472786	1	
<b>T0054486099</b>	Chisel for WEL.WP65, WEL.WTP90, WEL.WXP65	0.4mm	037103254658	1	

Material No.	Description	Spec	APN/UPC	Shelf Pack
<b>MT1, MT2</b>	Conical tip for SP25L, SP25N	3.18mm, 4mm	037103472175 /09337103472412	1
<b>ETR</b>	Screwdriver tip for EC1000/2000, WES50, WES51, WESD5	1.6mm	037103478115	1
<b>ETL</b>	Chisel tip	1.98mm	037103477200	1
<b>ETM</b>	Long screwdriver tip	3mm	037103478108	1
<b>TPSI3</b>	Flat tip for PSI100	3mm	037103062628	1
<b>PTL8</b>	Screwdriver tip for WTCP stations	2mm	037103473530	1
<b>PTL7</b>	tips suit WTCP stations and TC series soldering pencils	2mm	037103473349	1
<b>T0054485799</b>	Chisel tip for WEL.WP65, WEL.WTP90, WEL.WXP65	0.8mm	037103254610	1
<b>CT5C8</b>	Screwdriver tip	3mm	037103472694	1
<b>WLDF241BU75</b>	Double Flat tip for WLB75	2.4mm	037103346117	1
<b>WPS10</b>	Conical- WPS18MP replacement	0.8mm	037103227355	1
<b>T0058768745N</b>	Round Nozzle 1.7mm X 45	1.7mm	037103308450	1



TIPS REPLACEMENT FOR WLIR30 WLIR80				
Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>WLTCH4IR30</b>	Chisel tip for use with WLIR30	4mm	037103346599	1
<b>WLTS4IR30</b>	Screwdriver tip for use with WLIR30	4mm	037103346650	1
<b>WLTCH60IR80</b>	Chisel tip for WLIR80	6.4mm	037103346605	1
<b>WLTCH10IR80</b>	Chisel tip for WLIR80, 3 PK	10mm	037103346582	1



TIPS REPLACEMENT FOR SPG80/WLC200				
Material No.	Description	Tip Size mm	APN/UPC	Shelf Pack
<b>MTG21</b>	Driver tips for SPG80/WLC200	6.35mm	037103476609	1
<b>MTG20</b>	Driver tips for SPG80/WLC200	10mm	037103476593	1
<b>MTG40</b>	Driver tips for SPG80/WLC200	16mm	037103478672	1





\*LONGER LEAD TIME APPLIES



ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

# DESOLDERING TOOLS

## Replacement Desoldering Tips

DX SERIES CAM LOCK TIPS					
Material No.	Description	Outside Ø	Inside Ø	Length a	APN/UPC
T0051314399	DX113 Nozzle	2.5	1.2	23	● 209092



NOZZLE KIT					
Material No.	Description	Outside Ø	Inside Ø	Length a	APN/UPC
T0058762763N	Nozzle, Kit, Kit 1S, Easy-Click-60,	2.3	1.0	1.14	● 2678623




# PLIERS

## Pliers

### MS545JVN SLIM LINE TAPERED HEAD CUTTER

APN/UPC	Shelf Pack
● 311382	6

- Diagonal cutting pliers
- Slim line tapered head
- Flush cutting
- Features green cushion grips



### 170MN SHEARCUTTER - GENERAL PURPOSE

APN/UPC	Shelf Pack
● 311016	6





- Low profile, general purpose cutter
- Superior blade by-pass shear cutting action
- Better cuts with half the effort
- Greatly reduced mechanical shock delivered to the work
- Flush cuts soft wire up to 20 AWG (0.8mm)



## PLIERS & TWEEZERS

### CUTTERS SERIES 500 MEDIUM - HIGH GRADE TOOL STEEL, ESD SAFE, RESHARPENABLE


Medium size. Combines robustness, view and accessibility. Big variety of cutting heads for precise cutting in dense working areas.

	Micro		Medium	Maxi
				
	<b>Series 600</b>	<b>New</b>	<b>Series 2400 MagicSense</b>	<b>Series 500</b>
Width a	9,0 mm		11,0 mm	13,5 mm
Thickness b	6,0 mm		6,5 mm	7,5 mm

### Side Cutters - oval head

The most common cutting head for standard cutting applications. The robust cutting head allows high cutting capability.

Side cutter flush cut, economical line, robust, for general cutting applications and precise working, high cutting capability, medium hard wire 1,0 mm, Cu 1,6 mm, 115mm, 67g



### 522N SIDE CUTTERS

APN/UPC	Shelf Pack
0043127132032	1



### Tip Cutters - angled, narrow head

Angled head for precision, reach and operator visibility.

Tip cutter flush cut 40°, relieved jaws for easier access, medium hard wire 0.6 mm, Cu 1.3 mm, 115mm, 68g



### 572E TIP CUTTERS

APN/UPC	Shelf Pack
0043127076817	1



### T0054000199 TIP CUTTERS

APN/UPC	Shelf Pack
3874811	1

### Pliers Series 2400 MagicSense

Pliers for miniature and standard electronics  
Optimized ergonomically shaped handles for increased comfort  
Special tool steel, non-reflecting surface, ESD-safe



Needle nose pliers with smooth rounded jaws. very precise, 146mm



### 2411P PLIERS

APN/UPC	Shelf Pack
● 216274	1



### 776E 4-1/4" ESD Safe Super Full-Flush Short Pointed Relieved Head Tip Cutter

APN/UPC	Shelf Pack
● 043127077586	1

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.


## High Precision Tweezers

### Erem Tweezers Introduction

The following pages show a selection of Erem high precision tweezers for the electronics industry. They are available in various shapes, finish, and materials such as: Temperature resistant to 300°C.

Suffix	Material
S	Stainless Steel
SA	Non-magnetic, anti-acid alloy
N	Non-magnetic nickel-silver alloy
TA	Non-magnetic titanium
None	Tempered carbon steel

### Reference Dimensions



### Erem Coatings


The exclusive Erem Pyroplast coating is available by special order on many models. This coating protects sensitive parts against temperature change.

### Features and benefits:

- Twice the heat resistance of Teflon (500°C)
- The non-stick property of the Pyroplast coating results in no capillary effect on the tweezers tips while soldering
- No contamination can be caused by either a positive or negative charge
- Resistant to radiation
- Coating thickness is 40 microns

### Typical applications for Erem high precision tweezers:

- Electronic assembly
- Component handling
- Soldering
- Wire and lead cutting
- Gripping
- Wafer handling
- Wire stripping
- Biomedical



## Pointed Tips Straight

**Weller**  
Erem

### AASA PRECISION TWEEZERS

APN/UPC	Shelf Pack
00431247609237	1

- Precision tweezers
- Special stainless steel
- Non-magnetic
- 120mm, 16g

### 2ASA, 15AGW PRECISION TWEEZERS

APN/UPC	Shelf Pack
00431247607967	1
043127610066	1

- Precision tweezers
- Non-magnetic



## Pointed Tips Straight Relieved

**Weller**  
Erem

### 7SA, 5SA PRECISION TWEEZERS, WITH VERY FINE TIPS

APN/UPC	Shelf Pack
0043127608896	1
0043127608445	1



### 258SA PRECISION TWEEZERS WITH SYNTHETIC [PPS] TIPS

APN/UPC	Shelf Pack
0043127629037	1

- Precision tweezers with synthetic [PPS] tips
- Special stainless steel
- Non-magnetic
- ESD safe



## Tweezers

**Weller**  
Xcelite

### XHT434N GENERAL DUTY TWEEZER 4 1/2" / 115MM

APN/UPC	Shelf Pack
● 487636	6

- Length 4 3/4" / 121mm
- Smooth sharp points



ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

## Knives

### XN100 LIGHT DUTY KNIFE

APN/UPC	Shelf Pack
● 487681	6

- Designed for light duty cutting on paper, soft and light materials or wood



## Light & Medium Duty Knife Set

### XNS100 XN100 & XN200 + 10 BLADES

APN/UPC	Shelf Pack
● 487742	6

- Designed for a wide range of cutting operations
- Contains 10 assorted blades
- XN100 designed for light duty cutting on paper, soft and lightweight materials
- XN200 designed for heavy paper and medium density materials



## Blades for XN100

Material Number	Description	APN/UPC	Shelf Pack
XNB101	5-Standard blades General duty for cutting, carving and correcting stencils	● 487759	6
XNB103	5-Fine pointed blades For most detailed cutting and stripping	● 487766	6



## Screwdrivers

### XP600 6PC. PRECISION SLOTTED & PHILLIPS® SCREWDRIVER SET

APN/UPC	Shelf Pack
● 157713	10

- Precision slotted and Phillips® screwdriver set, ESD safe
- ESD safe to provide protection to ESD sensitive items
- Chrome-molybdenum vanadium steel blades provide superior strength
- Fast turning swivel caps provides optimum control for precise centreing
- Black oxide tips for longer wear life
- No-roll handle design keeps drivers from rolling off uneven surfaces
- Storage case provides a home and keeps drivers safe
- Phillips® is a registered trademark of The Phillips Screw Co.




## Soldering Aids

### T0051502699N ESF-120ESD PRINTED CIRCUIT BOARD HOLDER

APN/UPC	Shelf Pack
● 304834	4

- Adjustable to Eurocard size
- Suitable for holding irregular shaped cards
- Component support



### WPB1 POLISHING BAR

APN/UPC	Shelf Pack
● 590602	12

- Rejuvenates tips without damage to the plated surface





## MISCELLANEOUS

Material No.	Description	Spec	APN/UPC	Shelf Pack
<b>9004UN</b>	Burner unit to suit wpa2 with ring	N/A	09337103016937	1
<b>9007U</b>	Ejector and burner set suit WPA2	N/A	09337103372231	1
<b>9107U</b>	Burner ejector for WSTA6	N/A	09337103371685	1
<b>9007</b>	Ejector for WPA2	N/A	9337103372248	1
<b>T0052241999</b>	Tip cleaning sponge	N/A	037103197597	1
<b>TC205</b>	Solder Tip Cleaning Sponge	Pack of 2	037103475176	1
<b>T0052242099</b>	Cleaning Sponge, Double Layer	Pack of 5	4003019423255	1
<b>T0058770714</b>	Tip Retainer for WEP70	N/A	037103325747	1
<b>KN100A</b>	Knurled tip nut for W100D	N/A	037103474186	1
<b>T0051384199</b>	Brass Wool, for use with WDC	N/A	4003019421763	1
<b>PSI9</b>	Hot blower to suit psi100k	N/A	037103060983	1
<b>7135W</b>	Replacement for Soldering Gun Tip	N/A	037103475657	1
<b>CT507</b>	Screwdriver W60D	N/A	037103472724	1
<b>KN60A</b>	Knurled tip nut for W60P	N/A	037103474001	1
<b>8038U</b>	Piezo igniter for wpa2	N/A	09337103372132	1
<b>8003AU</b>	Tip housing for wpa2	N/A	09337103372026	1
<b>WP71T</b>	Suits WSTA3 Pyropen	N/A	037103472304	1
<b>T0052711699N</b>	Hot air 200w	24V	037103307859	1
<b>RCT</b>	Rope Cutting for 8200, Black	N/A	037103590237	1
<b>BA60</b>	Barrel for use with TCP	N/A	037103473967	1



## MISCELLANEOUS

Material No.	Description	Spec	APN/UPC	Shelf Pack
<b>100-2000-ESDN</b>	H13 REPLACEMENT FILTER FOR MG100	N/A	037103310477	1
<b>99PS41MMN</b>	Allen Hex- Metric	N/A	037103314390	1
<b>FT91012699N</b>	Fume extractors; 2500l/min; Plug: EU; 230VAC;	120W	4003019437610	1
<b>100-1055-ESDN</b>	Fume Extraction Unit, Kit, with Nozzle, MG 100S Kit 2,	230V	037103310460	1
<b>T0051319099N</b>	DSX 80 desoldering iron	80 W, 24 V	037103304032	1
<b>99PS40N</b>	Screwdriver Set, Hex Socket, Imperial, Allen®, Series 99®	11 Pieces	037103314376	1
<b>HS618N</b>	Nut Driver Set,	10 Pieces	037103314635	1
<b>T0054000299</b>	Straight Chisel	N/A	4003019294008	1
<b>T0053364699N</b>	Infrared Preheating Plate	150 to 750°F, 1200 W/230 V	037103305459	1
<b>T0052921199N</b>	Soldering iron 65w 24v	24v	037103303806	1
<b>T0052918099N</b>	Pencil, Arc Welding Tip	N/A	037103304421	1
<b>TTC201T</b>	Replacement soldering pencil ( tc201b )	1.7	037103001153	1
<b>T0051317399N</b>	Micro desoldering tweezers WMRT with safety rest	2 x 40 W, 12 V	037103307972	1
<b>T0058770715</b>	WEP70 SOLDERING IRON - Soldering Iron	23 V, 70 W, 450 °C	037103325761	1
<b>T0057008700</b>	3pin Mains Plug to IEC C13 Female	1.8 metre	N/A	1



# Terms and Conditions

The prices shown are recommended and exclusive of G.S.T. Net prices can be derived by applying your appropriate discount, unless otherwise authorised by Apex Tool Group Pty Ltd Alexandria NSW and are subject to change without notice. All orders are subject to acceptance by Apex Tool Group Pty Ltd Alexandria NSW. Orders are accepted only on the basis of prices ruling on the date of shipment, unless otherwise agreed.

## Credit Claim

Claims for shortages, breakages, etc., must be made within 14 days on receipt of goods.

All orders will be shipped CPT Carriage Paid to destination, or as negotiated.

## Small Order Charge

For orders of less than \$250.00 excluding GST an order processing charge of \$20.00 + GST will apply. Back orders and spare parts are exempt from this condition.

## Finish

We reserve the right to furnish, without notice, whatever finish is available regardless of catalogue descriptions.

## Trading Terms

Payment received within 30 days of the last day of the month in which the invoice was raised. Cash discounts 2% for Payment by cheque or E.F.T. (excluding credit card) received within 10 days of the last day of the month in which the invoice was raised.

## Minimum Annual Spend

To maintain an account with Apex Tool Group Pty Ltd, a minimum annual spend of \$5,000 excluding GST, is required each year. Should sales fall below this amount in any one calendar year, you will be given the opportunity to discuss your situation with Apex Tool Group and to increase your sales over the following 6 month period. Should this not occur, your account will be closed at Apex's discretion.

## Rebates

All rebates are dependent on the recipients account being conducted as per our Terms and Conditions.

## Freight

Chargeable freight to the customer will be prepaid and charged on our invoice.

## Product Returns

All returns of Apex Tool Group products should be to the factory, via our specified carrier.

Apex Tool Group Pty Ltd  
Suite 201, Level 2  
184 Bourke Road  
Alexandria, NSW 2015

## Goods Returned Under Warranty

Postal or freight charges via our specified carrier both to the factory and on return will be for the account of Apex Tool Group.

## Goods Returned for Repair

Postal or freight charges to the factory will be for customers account and return charges will be for account of Apex Tool Group.

## Goods Returned for Credit

Any Apex Tool Group product may only be returned with written permission of Apex Tool Group Pty Ltd Alexandria. All products must be new, of current design and in a resaleable condition. Credit will then be issued at the original purchase price, less a 15% handling service fee.

Apex Tool Group Pty Ltd  
Suite 201, Level 2  
184 Bourke Road  
Alexandria, NSW 2015  
Phone: 02 6021 6666  
Email: salesaus@apextoolgroup.com

## Stock Adjustment Policy

All requests to return merchandise must be approved by Apex Tool Group. An offsetting order of equivalent value must accompany the request for stock adjustment. An offsetting order must be for standard price listed items at current prices and standard terms (no promotions, specials, dating orders, contract items or merchandisers). Proof of purchase must be established on all items.

Apex Tool Group will not accept the return of a product as part of a stock adjustment return which was not originally purchased from Apex Tool Group. The price shown on the Request for Return must coincide with the price list in effect at the time of original supply. The inclusion of a copy of the original Apex Tool Group invoice on which the item was shipped, will expedite the processing of the adjustment. Inventory adjustments will be credited at the actual cost paid by the distributor as determined by proof of purchase, going back one year. A 15% handling service fee will be assessed.

After authorisation is received, all returns must be shipped to Apex Tool Group Pty Ltd Alexandria NSW. freight prepaid.

All returned products must have been purchased within the last 6 months prior to return and be of current design and finish, in current production, and must be in a resaleable condition upon receipt at Apex Tool Group Pty Ltd Alexandria NSW. Any returned products which are not in a resaleable condition will not be accepted and the distributor will be notified for disposition. Returns will not be allowed for special made to order items.

Individually packed items must be in the original factory-sealed package when returned.

## Limited Lifetime Guarantee

Apex warrants to each original customer of products sold by Apex that such products (excluding the product categories set forth below) are, at the time of delivery to the customer, free of material and workmanship defects, provided that no warranty is made with respect to: (a) any product which has been modified, disassembled and/or reassembled or altered in any way or

improperly installed; (b) any product which has, in Apex's judgment, been subject to negligence, misuse, abuse, accident, improper storage or damage during shipment; (c) any product which has not been operated and maintained in accordance with normal practice and in conformity with recommendations and published specifications of Apex; and (d) any products which have been serviced or repaired by anyone other than an authorized repair center of Apex or modified by anyone other than Apex. Normal wear and tear is also excluded.

Product Exceptions to the Standard Limited Lifetime Warranty:

- Tool Boxes, Standard Chucks and Accessories, Bits, Bit Sockets, Torque Products. Soldering and De-Soldering Products are warranted only for one (1) year from date of Buyer acceptance. Tool trolleys and tool chests are not designed to be used on vehicles (trucks, utes etc.) and doing so renders the warranty void.
- Weller products are warranted as follows:
  - Butane gas powered products - 1 year
  - Electric soldering irons and stations - 1 to 2 years.
- Accuracy standards for calibration on Torque Products are warranted for 90 days from date of buyer acceptance. Torque Product components are subject to normal wear through use and replacement thereof is the responsibility of the Customer.
- Laser levels are warranted for a period of either 2 or 5 years, depending on the product. Please refer to the user manual or customer service for specifics.

Product meeting warranty criteria will be repaired or replaced subject to Apex's sole discretion.

These warranties set forth herein are the sole warranties applicable to Products and is in lieu of all other warranties, whether express, implied or statutory. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. The implied warranties of merchantability and fitness for a particular purpose are specifically excluded.

Remedies: Customer's sole and exclusive remedy for breach of this Warranty is, at the option of Apex, repair or replacement of the defective product.

Claims should be returned, with proof of purchase, to the place of purchase or returned prepaid to the address below. Repaired or replacement goods will be returned at our cost.

## Apex Tool Group Pty Ltd

Suite 201, Level 2  
184 Bourke Road  
Alexandria, NSW 2015  
Phone: 02 6021 6666  
Email: salesaus@apextoolgroup.com

## Recommended Prices

The prices set out or referred to herein are recommended prices only and there is no obligation to comply with the recommendation.

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
<b>0</b>		<b>11904</b> .....	151	<b>7</b>		<b>912135C</b> .....	151
<b>00070NN</b> .....	143	<b>11969</b> .....	150	<b>728CVN</b> .....	65	<b>912968C</b> .....	152
<b>0090MCP</b> .....	85, 184	<b>12084</b> .....	150	<b>729CVN</b> .....	65	<b>913082C</b> .....	152
<b>0190MCP</b> .....	85, 184	<b>12166</b> .....	151	<b>8</b>		<b>913197C</b> .....	152
<b>0290MCP</b> .....	85, 185	<b>12199</b> .....	150	<b>80950</b> .....	160	<b>914107C</b> .....	153
<b>03500NN</b> .....	144	<b>13000N</b> .....	152	<b>80951</b> .....	161	<b>914163C</b> .....	153
<b>03599NN</b> .....	144	<b>13033</b> .....	153	<b>9</b>		<b>914225C</b> .....	153
<b>0390MCP</b> .....	85, 185	<b>13114</b> .....	152	<b>901590C</b> .....	143	<b>914256C</b> .....	153
<b>03929NN</b> .....	144	<b>13147</b> .....	153	<b>901716C</b> .....	143	<b>914291C</b> .....	153
<b>04695N</b> .....	145	<b>13262</b> .....	153	<b>901765C</b> .....	143	<b>914548C</b> .....	153
<b>04729N</b> .....	145	<b>13310</b> .....	152	<b>901888C</b> .....	143	<b>914666C</b> .....	153
<b>04762N</b> .....	146	<b>13343</b> .....	152	<b>901971C</b> .....	143	<b>916508C</b> .....	154
<b>04861N</b> .....	146	<b>1490MCP</b> .....	85, 184	<b>903468C</b> .....	143	<b>916664C</b> .....	154
<b>0513RBJN</b> .....	187	<b>16573NN</b> .....	154	<b>903501C</b> .....	144	<b>917616C</b> .....	154
<b>05158N</b> .....	146	<b>16729NN</b> .....	154	<b>903567C</b> .....	143	<b>917684C</b> .....	154
<b>05194N</b> .....	145	<b>16827NN</b> .....	154	<b>903600C</b> .....	144	<b>919395C</b> .....	155
<b>05225N</b> .....	145	<b>17903N</b> .....	155	<b>903666C</b> .....	143	<b>919428C</b> .....	155
<b>05771N</b> .....	147	<b>193610CVS MNN-05</b> .....	68	<b>903699C</b> .....	144	<b>921985C</b> .....	156
<b>05804N</b> .....	147	<b>19493N</b> .....	155	<b>903712C</b> .....	144	<b>A</b>	
<b>05853N</b> .....	148			<b>903722C</b> .....	144	<b>AC210CVS</b> .....	54
<b>05886N</b> .....				<b>903732C</b> .....	144	<b>AC210VS</b> .....	53
<b>0590RB</b> .....	159			<b>903742C</b> .....	144	<b>AC212CVS</b> .....	54
<b>05919N</b> .....	156			<b>903765C</b> .....	143	<b>AC212VS</b> .....	53
<b>05968N</b> .....	146	<b>21474U</b> .....	156	<b>903798C</b> .....	144	<b>AC215VS</b> .....	53
<b>06001NN</b> .....	147	<b>22015HNNN</b> .....	158	<b>904796C</b> .....	145	<b>AC218VS</b> .....	53
<b>06034N</b> .....	147	<b>22030HNNN</b> .....	157	<b>904829C</b> .....	145	<b>AC224VS</b> .....	53
<b>06084N</b> .....	146	<b>22040HNNN</b> .....	158	<b>904897C</b> .....	145	<b>AC24CVS</b> .....	54
<b>06117N</b> .....	147	<b>27N</b> .....	177	<b>904928C</b> .....	145	<b>AC24VS</b> .....	53
<b>06150N</b> .....	147	<b>29N</b> .....	178	<b>904996C</b> .....	145	<b>AC26810</b> .....	53, 181
<b>06601NN</b> .....	148			<b>905027C</b> .....	145	<b>AC26CVS</b> .....	54
<b>0690TN</b> .....	186	<b>3</b>		<b>905095C</b> .....	145	<b>AC26VS</b> .....	53
<b>07851N</b> .....	148	<b>3800CHVN</b> .....	65	<b>905126C</b> .....	145	<b>AC28CVS</b> .....	54
<b>07917NN</b> .....	148	<b>3800CTVN</b> .....	65	<b>905200C</b> .....	146	<b>AC28VS</b> .....	53
<b>07941NN</b> .....	148			<b>905250C</b> .....	146	<b>AL825M</b> .....	121
<b>08642NN</b> .....	149	<b>4</b>		<b>907918C</b> .....	148	<b>AT215SPUD</b> .....	55
<b>08673NN</b> .....	149	<b>4800CTVN</b> .....	65	<b>908355C</b> .....	149	<b>ATWJ210VS</b> .....	54
<b>08768NN</b> .....	149			<b>908498C</b> .....	149	<b>ATWJ212VS</b> .....	54
<b>08799NN</b> .....	150	<b>5</b>		<b>908643C</b> .....	149	<b>ATWJ2610VS</b> .....	55
<b>0890CSJ</b> .....	84, 185	<b>52910N</b> .....	67	<b>908674C</b> .....	149	<b>ATWJ26VS</b> .....	54
<b>0890SMC</b> .....	186	<b>5428CVN</b> .....	65	<b>908738C</b> .....	149	<b>ATWJ28VS</b> .....	54
		<b>5428HVN</b> .....	65	<b>909100C</b> .....	150	<b>B</b>	
		<b>56</b> .....	95	<b>909180C</b> .....	150	<b>BC100</b> .....	128
<b>1</b>		<b>6</b>		<b>909228C</b> .....	150	<b>BRW100</b> .....	128
<b>10008VN</b> .....	68	<b>62826N-02</b> .....	161	<b>911526C</b> .....	151	<b>C</b>	
<b>100010VN</b> .....	68	<b>62832N-02</b> .....	161	<b>911717C</b> .....	151	<b>C10CVN-08</b> .....	62
<b>100012VN</b> .....	68	<b>62839N-02</b> .....	161	<b>911749C</b> .....	151	<b>C10SVN-08</b> .....	62
<b>11400N</b> .....	101	<b>645015EM</b> .....	127	<b>911905C</b> .....	151	<b>C11CCSVN</b> .....	63
<b>11423</b> .....	104	<b>645050EM</b> .....	127	<b>911937C</b> .....	151	<b>C11CCVN</b> .....	63
<b>11426</b> .....	102	<b>6547HVN</b> .....	65	<b>912020C</b> .....	151	<b>C18CCRN</b> .....	63
<b>11428</b> .....	103			<b>912052C</b> .....	151		
<b>11435</b> .....	101						
<b>11716N</b> .....	151						
<b>11781</b> .....	150						

Update at end



PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
C18CCSN.....	63	CCW4-05.....	50	CDDS57N.....	45	CDS43N.....	34
C20CHN.....	64	CCW5-05.....	50	CDDS58N.....	45	CDS44N.....	34
C5CVN-08.....	62	CCW6-05.....	50	CDDS59N.....	45	CDS45N.....	34
C6CCSVN.....	63	CCW7-05.....	50	CDDS5N.....	25	CDS46N.....	34
C6CCVN.....	63	CCW8-05.....	50	CDDS60N.....	45	CDS47N.....	34
C6NVN-08.....	62	CCW9-05.....	50	CDDS61N.....	45	CDS48N.....	34
C7CVN-08.....	62	CCWS0-05.....	48	CDDS62N.....	45	CDS49N.....	34
C7SVN.....	62	CCWS1-05.....	48	CDDS63N.....	45	CDS4N.....	25
C8SMVN.....	64	CCWS2-05.....	49	CDDS64N.....	45	CDS51N.....	34
C9NVN-08.....	62	CCWS3-05.....	48	CDDS65N.....	45	CDS52N.....	34
C9WN.....	63	CCWS4-05.....	49	CDDS66N.....	45	CDS53N.....	44
CB08B.....	113	CCWS5-05.....	49	CDDS67N.....	45	CDS54N.....	44
CB08BL.....	113	CDC68.....	82	CDDS6N.....	25	CDS55N.....	44
CB08R.....	113	CDDSON.....	25	CDDS71N.....	45	CDS56N.....	44
CB25B.....	113	CDDS1N.....	25	CDDS72N.....	45	CDS57N.....	44
CB25R.....	113	CDDS11N.....	20	CDDS73N.....	45	CDS58N.....	44
CBSSON.....	38	CDDS12N.....	20	CDDS74N.....	45	CDS59N.....	44
CBSS1N.....	28	CDDS13N.....	20	CDDS75N.....	45	CDS5N.....	25
CBSS2N.....	16	CDDS14N.....	20	CDDS76N.....	45	CDS60N.....	44
CBT1710.....	100	CDDS15N.....	20	CDDS77N.....	45	CDS61N.....	44
CCA20509.....	25	CDDS16N.....	25	CDDS78N.....	45	CDS62N.....	44
CCA5428.....	25	CDDS17N.....	25	CDDS7N.....	25	CDS63N.....	44
CCC42.....	25	CDDS18N.....	25	CDDS80N.....	45	CDS64N.....	44
CCT8.....	82	CDDS19N.....	25	CDDS8N.....	25	CDS66N.....	44
CCT10.....	82	CDDS20N.....	25	CDDS9N.....	25	CDS6N.....	25
CCW0-05.....	50	CDDS23N.....	35	CDS0N.....	25	CDS72N.....	44
CCW1-05.....	50	CDDS24N.....	35	CDS1N.....	25	CDS73N.....	44
CCW10-05.....	50	CDDS25N.....	35	CDS11N.....	25	CDS74N.....	44
CCW11-05.....	50	CDDS26N.....	35	CDS12N.....	25	CDS75N.....	44
CCW12-05.....	50	CDDS27N.....	35	CDS13N.....	25	CDS76N.....	44
CCW13-05.....	50	CDDS28N.....	35	CDS14N.....	25	CDS77N.....	44
CCW14-05.....	50	CDDS29N.....	35	CDS15N.....	25	CDS78N.....	44
CCW15-05.....	50	CDDS2N.....	25	CDS16N.....	25	CDS79N.....	44
CCW16-05.....	50	CDDS30N.....	35	CDS17N.....	25	CDS7N.....	25
CCW18-05.....	50	CDDS31N.....	35	CDS18N.....	25	CDS80N.....	44
CCW19-05.....	50	CDDS33N.....	35	CDS19N.....	25	CDS81N.....	44
CCW20-05.....	50	CDDS38N.....	35	CDS20N.....	25	CDS82N.....	44
CCW21-05.....	50	CDDS39N.....	35	CDS23N.....	34	CDS84N.....	44
CCW22-05.....	50	CDDS3N.....	25	CDS24N.....	34	CDS87N.....	44
CCW23-05.....	50	CDDS40N.....	35	CDS25N.....	34	CDS8N.....	25
CCW24-05.....	50	CDDS41N.....	35	CDS27N.....	34	CDTA0C.....	22
CCW25-05.....	50	CDDS42N.....	35	CDS28N.....	34	CDTA10C.....	33
CCW26-05.....	50	CDDS43N.....	35	CDS29N.....	34	CDTA11C.....	42
CCW27-05.....	50	CDDS44N.....	35	CDS2N.....	25	CDTA12C.....	43
CCW28-05.....	50	CDDS45N.....	35	CDS31N.....	34	CDTA13C.....	43
CCW29-05.....	50	CDDS46N.....	35	CDS37N.....	34	CDTA16C.....	23
CCW3-05.....	50	CDDS47N.....	35	CDS38N.....	34	CDTA17C.....	32
CCW30-05.....	50	CDDS48N.....	35	CDS39N.....	34	CDTA18C.....	42
CCW31-05.....	50	CDDS49N.....	35	CDS3N.....	25	CDTA1C.....	32
CCW32-05.....	50	CDDS4N.....	25	CDS40N.....	34	CDTA2C.....	32
CCW33.....	50	CDDS55N.....	45	CDS41N.....	34	CDTA3C.....	41
CCW35.....	50	CDDS56N.....	45	CDS42N.....	34	CDTA4C.....	41

Update at end

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
CDTA5N.....	41	CIMS1N.....	46	CRLHS16.....	91	CSAS5N.....	29
CDTA6C.....	22	CIMS2N.....	47	CRLHS20.....	91	CSAS6N.....	28
CDTA7C.....	22	CIMS3N.....	47	CRLHS22.....	91	CSAS7N.....	28
CDTA8C.....	33	CJ24.....	85	CRLHS25.....	91	CSAS8N.....	19
CDTA9C.....	33	CL100.....	86	CRLHS32.....	91	CSAS9N.....	19
CDTS0N.....	24	CL100B.....	110	CRLHS35.....	91	CSD13.....	73
CDTS10N.....	36	CL100R.....	110	CRLHS40.....	91	CSD20.....	71
CDTS11N.....	36	CLA100.....	112	CRLHS44.....	91	CSD25.....	72
CDTS1N.....	24	CLA100A.....	111	CRLHS51.....	91	CSD2HV.....	70
CDTS2N.....	24	CLA100AB.....	110	CRLHS57.....	91	CSD2N.....	73
CDTS3N.....	24	CLA100B.....	111	CRLHS64.....	91	CSD44.....	71
CDTS4N.....	24	CLA100R.....	111	CRLHS70.....	91	CSD4PCN.....	74
CDTS5N.....	24	CL0100.....	121	CRLHS73.....	91	CSD6HV.....	70
CDTS6N.....	36	CLP100.....	111	CRLHS76.....	91	CSDIND10.....	72
CDTS7N.....	36	CLP100B.....	110	CRLHS83.....	91	CSDSET10.....	70
CDTS8N.....	36	CLP100R.....	110	CRLHS86.....	91	CSH60.....	101
CDTS9N.....	36	CLP2SETN-08.....	64	CRLHS92.....	91	CSPSON.....	35
CET2P.....	99	CLP3SETN-08.....	64	CRLHS111.....	91	CSPS1N.....	35
CFT30.....	86	CLP5SETN-08.....	91	Update at end		CSPS2N.....	35
CGG65.....	88	CPD7.....	91			CSPS3N.....	43
CGS4PCSET.....	74	CP0212.....	51	CRTW38.....	51	CSPS4N.....	43
CHBS0N.....	36	CPEN8.....	66	CRW1.....	21	CSR0.....	24
CHBS10N.....	36	CPK325A.....	172	CRW10.....	31	CSR1.....	24
CHBS11N.....	36	CPK325C.....	172	CRW11.....	31	CSR2.....	24
CHBS12N.....	36	CPK350A.....	172	CRW12EXT.....	40	CSWS10C.....	27
CHBS1N.....	36	CPK350C.....	17	CRW13.....	40	CSWS11C.....	37
CHBS2N.....	36	CPU8.....	66	CRW14.....	31	CSWS13C.....	14
CHBS3N.....	36	CP1.....	128	CRW15N.....	30	CSWS1C.....	18
CHBS4N.....	36	CP1112.....	75	CRW4N.....	21	CSWS2C.....	18
CHBS5N.....	36	CP13.....	75	CRW5N.....	22	CSWS3C.....	17
CHBS6N.....	36	CP2H.....	128	CRW7.....	30	CSWS7C.....	27
CHBS7N.....	36	CP2112.....	75	CS14112.....	76	CSWS9C.....	26
CHBS8N.....	36	CP24N.....	75	CS144.....	76	CTJSAW.....	96
CHBS9N.....	36	CP26.....	75	CS148.....	76	CTKAE2N.....	191
CHK3PC.....	79	CP28.....	75	CS182.....	76	CTKAE400.....	190
CHKFM8.....	78	CP36.....	75	CS184.....	76	CTKF2.....	174
CHKFSAE9.....	78	CP48.....	75	CS213.....	116	CT103.....	77
CHKFT8.....	78	CPLN8.....	66	CS3164.....	76	CT153.....	77
CHKLABALL13.....	79	CP8SI12.....	115	CS3166.....	76	CT203.....	77
CHKLAM13.....	80	CR12.....	40	CS3169.....	76	CT254.....	77
CHKLASAE13.....	80	CR14.....	21	CS316R8.....	76	CT274.....	77
CHKLMBALL13.....	79	CR16N.....	42	CS388.....	76	CT304.....	77
CHKST8.....	80	CR38.....	30	CS5168.....	76	CT4PCSET.....	75
CHKT8.....	80	CRCC38.....	83	CS58SI4.....	116	CT63.....	77
CHKT81.....	80	CRCT10.....	83	CSASON.....	19	CTB1000.....	100
CHR10.....	88	CRLA152.....	92	CSAS10N.....	20	CTB32P.....	100
CHV2PAKN.....	65	CRLBP5.....	92	CSAS11N.....	20	CTK128C.....	26
CHV410.....	66	CRLDLK.....	90	CSAS1N.....	38	CTK150.....	15
CHV508.....	66	CRLE7.....	89	CSAS2N.....	39	CTK180.....	15
CHV5428.....	66	CRLE7HD.....	89	CSAS3N.....	38	CTK25NEU.....	37
CHV6548.....	66	CRLE9HD.....	90	CSAS4N.....	29	CTK45NEU.....	17
CIMSON.....	46	CRLHD200.....	92			CTK70C.....	14

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
CVS600VN.....	87	LKPN.....	136	NRS24.....	124	<b>S</b>	
CW10T.....	179	LPHD.....	136	NSP1.....	160	S2KS5NN.....	68, 99
CW10TM.....	180	LPPB.....	136	NT30C12.....	173	SD8SET.....	70
CW7T.....	180	LRS24.....	124	NT410SI.....	115	SS20BHN.....	104
CW812S.....	179	LS3034.....	138	<b>P</b>		SS20C.....	102
CWC100.....	87	LSR150.....	125	PA103AM.....	129	SS20CN.....	102
CWS1.....	84	LSR300.....	125	PCH0109.....	134		
<b>D</b>		LSR600.....	125	PCR1149.....	131	<b>T</b>	
DB12NP.....	95	LSR1000.....	125	PCST4.....	96	T11421.....	104
DB16.....	93	LSS18.....	124	PNB0994.....	130	T11498.....	103
DB18X-06.....	94	LSS300X6.....	124	PNB1252.....	130	T11520.....	103
DB24.....	93	LST30ME.....	117	PNB1254.....	129	T33024.....	159
DB30X.....	94	<b>M</b>		PNB1296.....	129	THH111L.....	133
DKB446X.....	95	M1RAU.....	165	PNB1298.....	130	TM410MN.....	119
<b>E</b>		M1RS1.....	165	PPH0307.....	133	TM410MEN.....	119
ELW148MN.....	120	M2RAU.....	165	PSBHD.....	132	TM48MEN.....	119
<b>F</b>		<b>Update at end</b>		PSMW18NMB.....	123	TM48MN.....	119
FB13.....	94	M400N.....	166	MW48MB.....	122	TN80972.....	131
FB15.....	94	M4RN.....	167	MW48MCLB.....	123	TN81002.....	131
FB7.....	94	M5R.....	166	M0050.....	135	TR3034.....	138
FE30CME.....	117	M6M7AU.....	166	PSX200C-06.....	67		
FE60CME.....	117	M6RAU.....	166	PTH0010.....	133	<b>U</b>	
FE90CME.....	117	M7RAU.....	166	PTH0011.....	133	UW138MEN.....	120
<b>I</b>		M80S.....	166	PTM520.....	126	UW138MN.....	120
IELC127.....	132	M810.....	94	PWB0050.....	135	UW148MEN.....	120
IRST120.....	134	MB12.....	94	PWC9.....	85, 186	UW148MN.....	120
IRST123.....	134	MB8-06.....	94	<b>R</b>		<b>W</b>	
IRST124.....	134	MPC3N.....	167	RB4.....	187	W1226.....	178
IRST200.....	132	MR48MN.....	121	RB5.....	187	W20.....	176
<b>L</b>		<b>N</b>		RB6.....	187	W20LH.....	176
LAL20XKT.....	137	N062.....	124	RT200SET3-05.....	69	W20W.....	177
LAR1000.....	125	N25D.....	87	RT210CVN-05.....	69	W22N.....	176
LBB830.....	116	N40D.....	87	RT212CVN-05.....	69	W22W.....	177
LBB1120.....	126	N80D.....	87	RT216CVN.....	69	W8TA.....	181
LBB1200.....	126	NCG1.....	88	RT24CVS-05.....	69	W912.....	181
LBB160.....	126	NE1030M.....	118	RT27CVN-05.....	69	WA350.....	98
LBL100L.....	127	NE313M.....	118	RT400SGSET2-05.....	69	WAL13S.....	169
LBL100P.....	127	NE530M.....	118	RT410CVN-05.....	69	WB12100.....	98
LBL50L.....	127	NE830M.....	118	RT412CVN-05.....	69	WB12100HD.....	98
LBL50P.....	127	NFS510.....	157	RTZ2CGSET2.....	59	WB1225.....	98
LBT2.....	122	NFS58.....	157	RTZ2CGVSET2.....	59	WB12500.....	98
LCL35G.....	137	NGGS10.....	88	RTZ28CG.....	58	WB14100.....	98
LCS12.....	124	NHKS9.....	93	RTZ28CGV.....	58	WB1425.....	98
LCS6.....	124	NL526ME.....	114	RTZ210CG.....	58	WB15100.....	98
LFBMEN.....	125	NL526SI.....	114	RTZ210CGV.....	58	WB1525.....	98
LFBSIN.....	125	NP11.....	96	RTZ212CG.....	58	WB18100HD.....	98
LFSSIN.....	125	NPFS6.....	159	RTZ212CGV.....	58	WB22100HD.....	98
		NPSHZ.....	161	RWK14D.....	175	WB4100.....	97
				RWK14V.....	175	WB4500.....	97
				RWK16V.....	175	WB425.....	97
						WB6100.....	97

**PRODUCT PAGE**

WB625 .....	97
WB6500 .....	97
WB8100 .....	97
WB825 .....	97
WB8500 .....	97
WC3SN .....	170
WC5LN .....	170
WC5SN .....	170
WDF12S .....	169
WEZSNIP .....	181
WF12 .....	171
WF18 .....	171
WF24 .....	171
WHCS2 .....	180
WHN1N .....	171
WK500V .....	173
WKAR2 .....	174
WKFPNS1EU .....	174
WLP .....	165
WN .....	
WN .....	
WN .....	
WN .....	
WN6100 .....	97
WN625 .....	97
WN8100 .....	97
WN825 .....	97
WRPCLG .....	86, 168
WSBK18 .....	175
WSB18MM .....	175
WS3N .....	170
WS4N .....	170
WS6N .....	170
WT1 .....	98, 111

**Y**

Y613ME .....	112
--------------	-----

**Z**

Z2SET3CG .....	60
Z2SET5CG .....	60
Z3008CG .....	61
Z5426CG .....	61
Z5428CG .....	61
Z6546CG .....	61
Z6548CG .....	61

Update at end



Trusted by the Trades.



## **APEX TOOL GROUP - CUSTOMER SUPPORT**

**Phone: 02 6021 6666**

## **HEAD OFFICE**

**Apex Tool Group Pty Ltd**

**Suite 201, Level 2**

**184 Bourke Road**

**Alexandria NSW 2015**

**Phone: 02 6021 6666**

**Email: [salesaus@apextoolgroup.com](mailto:salesaus@apextoolgroup.com)**

## **REGIONAL SALES TEAM & AGENTS**

### **NSW**

#### **JAMES BOGHOS**

Sales Executive

Mobile: 0417 028 221

[james.boghos@apextoolgroup.com](mailto:james.boghos@apextoolgroup.com)

#### **SEAN CHRISTIE**

Sales Executive

Mobile: 0418 474 949

[sean.christie@apextoolgroup.com](mailto:sean.christie@apextoolgroup.com)

#### **ADAM FLOOD**

Sales Executive

Mobile: 0418 478 086

[adam.flood@apextoolgroup.com](mailto:adam.flood@apextoolgroup.com)

### **QLD**

#### **GIL TROMBETTA**

Sales Executive

Mobile: 0418 475 804

[gil.trombetta@apextoolgroup.com](mailto:gil.trombetta@apextoolgroup.com)

#### **SHANE HASTED**

Sales Executive

Mobile: 0417 028 088

[shane.hasted@apextoolgroup.com](mailto:shane.hasted@apextoolgroup.com)

#### **RAYMOND CHRISTENSEN**

TAMBAR PTY LTD

Phone: 07 4774 5124

Fax: 07 4774 5292

Mobile: 0418 771 098

[sales@tambar.com.au](mailto:sales@tambar.com.au)

### **VIC**

#### **GLENN MURRAYLEE**

Sales Executive

Mobile: 0418 471 297

[glenn.murraylee@apextoolgroup.com](mailto:glenn.murraylee@apextoolgroup.com)

#### **ANDREW ZAMMIT**

Sales Executive

Mobile: 0428 439 791

[andrew.zammit@apextoolgroup.com](mailto:andrew.zammit@apextoolgroup.com)

#### **DARREN BROWN**

Sales Executive

Mobile: 0438 670 953

[darren.brown@apextoolgroup.com](mailto:darren.brown@apextoolgroup.com)

### **WA**

#### **BRETT RAPONI**

Regional Sales Manager

Mobile: 0419 293 909

[brett.raponi@apextoolgroup.com](mailto:brett.raponi@apextoolgroup.com)

#### **GRAHAM DOOLAN**

Sales Executive

Mobile: 0418 476 179

[graham.doolan@apextoolgroup.com](mailto:graham.doolan@apextoolgroup.com)

### **SA**

#### **GRANT HUDDLESTON**

Sales Executive

Mobile: 0419 295 033

[grant.huddleston@apextoolgroup.com](mailto:grant.huddleston@apextoolgroup.com)

### **TAS**

#### **IVAN PRETORIUS**

L & J PRETORIUS PTY LTD

Phone: 03 6344 2686

Fax: 03 6301 9544

Mobile: 0419 338 173

[ivanp@precons.com](mailto:ivanp@precons.com)

### **NT**

#### **TERRITORY HARDWARE AGENCIES**

NOLAN CALDWELL

Phone: 0418 892 371

[nolan@tha-nt.com.au](mailto:nolan@tha-nt.com.au)

### **FIJI**

#### **ARSHAD DAUD**

MIDLINK MARKETING

19 Ackland Street, Vatuwaqa,

SUVA, FIJI

Phone: (+679) 338 6300

Fax: (+679) 338 6290

Mobile: (+679) 992 9227

[midlink@connect.com.fj](mailto:midlink@connect.com.fj)

### **NEW ZEALAND**

#### **JAMES MCLELLAN**

Accent Tools Ltd

Business Manager – Hand tools

Mobile: +64 21194 0671

[James@accent-tools.co.nz](mailto:James@accent-tools.co.nz)

#### **CUSTOMER SUPPORT NZ**

Accent Tools Ltd - Sales

Phone: +64 9 415 2545

[sales@accent-tools.co.nz](mailto:sales@accent-tools.co.nz)

#### **FABIAN GIULIANO**

National Account Manager

Mobile: 0437 542 496

[fabian.giuliano@apextoolgroup.com](mailto:fabian.giuliano@apextoolgroup.com)

#### **LISA COTTON**

National Account Manager

Mobile: 0419 293 611

[lisa.cotton@apextoolgroup.com](mailto:lisa.cotton@apextoolgroup.com)

#### **PETER HANNAN**

National Account Manager

Mobile: 0419 282 426

[peter.hannan@apextoolgroup.com](mailto:peter.hannan@apextoolgroup.com)

#### **BRIAN KIDD**

National Sales Manager

Mobile: 0419 289 557

[brian.kidd@apextoolgroup.com](mailto:brian.kidd@apextoolgroup.com)

#### **MICHAEL MANNING**

Field Sales Manager

Mobile: 0448 063 489

[michael.manning@apextoolgroup.com](mailto:michael.manning@apextoolgroup.com)





**Trusted by the Trades.**

**Apex Tool Group Pty Limited**  
Suite 201, Level 2, 184 Bourke Road,  
Alexandria NSW 2015, AUSTRALIA

Tel: Sales (02) 6021 6666  
[salesaus@apextoolgroup.com](mailto:salesaus@apextoolgroup.com)

[www.crescenttool.com.au](http://www.crescenttool.com.au)

     
**CRESCENTTOOLS AU**